

## STANDARD DEPARTURE CHART-INSTRUMENT

RJTJ / IRUMA

SID

IRUMA NORTH DEPARTURE

Take off Runway 35, turn right (take off Runway 17, turn left within 5NM from RWY end), climb on heading 010 degrees for Radar vectors on course.

Maintain 2,000 feet for 180 seconds after take off.

Note 1: When take off Runway 35, following climb gradient should be maintained until 900 feet.

Speed (Knots)	60	120	180	240	300	360
Rate (Feet/Min)	210	420	630	840	1050	1260

Note 2: When take off Runway 17, following climb gradient should be maintained until 600 feet.

Speed (Knots)	60	120	180	240	300	360
Rate (Feet/Min)	250	500	750	1000	1250	1500

OMIYA TWO DEPARTURE

RWY35 : Turn right within YLT 5DME to intercept and proceed via YLT R070 to OMIYA. Maintain 8000FT or below until OMIYA.

RWY17 : Turn left within YLT 5DME to intercept and proceed via YLT R070 to OMIYA. Maintain 8000FT or below until OMIYA.

Note : When take off from Runway 17, maintain rate of climb 209FT/NM or more until passing 750FT.

CHANGE : IRUMA NORTH DEPARTURE( after TKOF RWY17 )

STANDARD DEPARTURE CHART-INSTRUMENT

RJTJ / IRUMA

SID

IRUMA NORTH DEPARTURE

MAG VAR 8°W (2017)

HDG 010°

HDG 010°

5NM FM RWY end

OMIYA TWO DEPARTURE

R070/10DME

△ OMIYA

Maintain 8000FT or below

TACAN  
IRUMA  
1004 YLT  
CH-43X  
35°50'24"N/139°24'54"E

WITHIN YLT 5DME

CHANGE : IRUMA NORTH DEPARTURE( "5NM FM RWY end" added )

RJTJ / IRUMA

YOKOTA APP

118.3 - 120.7

261.4 - 270.6

IRUMA TACAN

1004 YLT

CH-43X

35°50'24"N / 139°24'54"E

IRUMA TOWER

126.2 - 122.05

236.8 - 322.2

RADAR AVBL

CALL

YOKOTA APP

MNM SECT ALT

270 -360

8600 25nm

VAR 8°W (2017)

MNM SECT ALT

360 -090

2100 25nm

MNM SECT ALT

180 -270

8600 25nm

EMERG SAFE ALT 100nm 14400

MNM SECT ALT

090° -180°

3200 25nm

MISSED APPROACH

At 1.8DME prior to YLT TACAN, turn left climb to 3,000ft via YLT R-050. Proceed to 12DME fix and hold. Contact YOKOTA APP.

MINIMA		THR elev. 259	AD elev. 295	
CAT			CIRCLING	
	MDA(H)	RVR/CMV	MDA(H)	VIS
A	880 (621)	1500	880 (585)	1600
B				
C		1800	2400	
D		2000	920 (625) 3200	


Circling to EAST side of RWY only.

## INSTRUMENT APPROACH CHART

RJTJ / IRUMA


TACAN RWY35

YOKOTA APP	IRUMA TACAN 1004 YLT CH-43X	IRUMA TOWER	RADAR AVBL
118.3 - 120.7		126.2 - 122.05	CALL
261.4 - 270.6	<i>35°50'24"N / 139°24'54"E</i>	236.8 - 322.2	YOKOTA APP



### MISSED APPROACH

At 1.3DME prior to YLT TACAN,  
turn right, climb to 3,000ft via  
YLT R-050. Proceed to 12DME  
fix and hold.  
Contact YOKOTA APP.



MINIMA		THR elev. 276	AD elev. 295	
CAT			CIRCLING	
	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	880 (604)	1400	880 (585)	1600
B		1500		
C		1600		2400
D		1800	920 (625)	3200

Circling to EAST side of RWY only.

INSTRUMENT APPROACH CHART


RJTJ / IRUMA

HI-TACAN RWY17



**MISSED APPROACH**

At 1.8DME prior to YLT TACAN,  
turn left, climb to 3,000ft via YLT  
R-050. Proceed to 12DME fix  
and hold.  
Contact YOKOTA APP.



MINIMA		THR elev. 259	AD elev. 295	
CAT			CIRCLING	
	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	880 (621)	1500	880 (585)	1600
B				1800
C		1800	2400	
D		2000	920 (625)	3200

Circling to EAST side of RWY only.

## INSTRUMENT APPROACH CHART

RJTJ / IRUMA

HI - TACAN RWY35

