



## STANDARD DEPARTURE CHART - INSTRUMENT

RJEO / OKUSHIRI SID and WX MNM

# ESASI TWO DEPARTURE

RWY13: Turn left,...


RWY31 : Climb via RWY HDG until 1500FT or above, complete left turn within ORE 10DME....

...climb via ORE R115 to ESASI.

Cross ESASI at assigned or specified altitude.

Note: When take off from RWY13, following climb gradient should be maintained until 700FT.

Speed (Knots)	60	90	120	150	180	210
Rate (Feet/Min)	300	450	600	750	900	1050




# TAKE OFF MINIMA


	RWY	REDL AVBL	REDL OUT				
		CEIL - VIS	CEIL - VIS				
TKOF ALTN AP FILED	13	300´–1000m	300´–1200m				
	31	300 1000111					
OTHER	13	AVBL LDG MINIMA					
	31						




#### **INSTRUMENT APPROACH CHART**



## **INSTRUMENT APPROACH CHART**



## **INSTRUMENT APPROACH CHART**







※図中に標高を示す数字がある場合、単位はメートル(m)である。 The unit of measurement used to express elevation is meter(m).

Call sign	BRG / DIST from ARP	Remarks
稲穂岬 Inahomisaki	028°T / 12.0NM	灯台 Lighthouse
10NM E	090°T / 10.0NM	海上 Over the sea
10NM SE	135°T / 10.0NM	海上 Over the sea

