

RJER / RISHIRI

AD CHART



INTENTIONALLY LEFT BLANK

STANDARD DEPARTURE CHART-INSTRUMENT

RJER / RISHIRI

SID

RISHIRI REVERSAL ONE DEPARTURE

RWY07 : Turn left,....

RWY25 : Turn right,....

.... Climb via RSE R-035 to 4,000ft or above, turn left within RSE 20DME, proceed to RSE VOR/DME.

Cross RSE VOR/DME at or above 8,000ft.




INTENTIONALLY LEFT BLANK

INSTRUMENT APPROACH CHART

RJER / RISHIRI

VOR/DME/LOC RWY25



MINIMA	THR elev. 112	AD elev. 99		
CAT	MDA(H)	CMV	CIRCLING	
A	500 (401)	900	MDA(H)	VIS
B		1000	640 (541)	1600
C			700 (601)	2400
D	—	—	—	—


Circling to North side of RWY only.

CHANGE : ALT restriction added (R-129/12DME).

INSTRUMENT APPROACH CHART

RJER / RISHIRI

VOR/DME A



MISSED APPROACH
1.0DME prior to RSE VOR/DME,
turn right climb via RSE R-349
to KONBU and hold at 3,000ft.
Contact RISHIRI REMOTE.

KONBU
R-349/14DME
3000

R-129/12DME
5000

RINZO
R-129/16DME
8000

FUJIN
6.2DME
2000

RSE
MAP
1.0DME

5.2nm

MINIMA		AD elev. 99
CAT	CIRCLING	
	MDA(H)	VIS
A	720 (621)	1600
B		2400
C		
D	—	—


Circling to North side of RWY only.

RJER / RISHIRI

VOR/DME B


MNM SECT ALT
270°- 360°
7700 25nm
VAR 10°W (2020)

MNM SECT ALT
360°- 090°
7700 25nm



MNM SECT ALT
180°-270°
7700 25nm

MNM SECT ALT
090°-180°
7700 25nm



MINIMA		AD elev. 99
CAT	CIRCLING	
	MDA(H)	VIS
A	840 (741)	1600
B		
C		2400
D	—	—

Circling to North side of RWY only.


CHANGE : Outbound course FM RSE.

INTENTIONALLY LEFT BLANK

INSTRUMENT APPROACH CHART

RJER / RISHIRI

Visual REP



CHANGE : Map updated. BRG/DIST from ARP.

※図中に標高を示す数字がある場合、単位はメートル(m)である。The unit of measurement used to express elevation is meter(m).

Call sign	BRG / DIST from ARP	Remarks
姫沼 Himenuma	110°T / 2.7NM	姫沼 Pond
沓形 Kutsugata	217°T / 4.2NM	沓形岬 Cape

Note : In the SE through SW of the airport, A/G COM from Rishiri Remote is blinded by Mt. Rishiri(1,721m/5,646ft).

RJER / RISHIRI

Minimum Vectoring Altitude CHART

