


RJEO / OKUSHIRI

AD CHART



INTENTIONALLY LEFT BLANK

STANDARD DEPARTURE CHART - INSTRUMENT

RJEO / OKUSHIRI

SID and WX MNM

ESASI TWO DEPARTURE

RWY13 : Turn left,...

RWY31 : Climb via RWY HDG until 1500FT or above, complete left turn within
ORE 10DME,...

...climb via ORE R115 to ESASI.

Cross ESASI at assigned or specified altitude.

Note : When take off from RWY13, following climb gradient should be
maintained until 700FT.

Speed (Knots)	60	90	120	150	180	210
Rate (Feet/Min)	300	450	600	750	900	1050



TAKE OFF MINIMA

	RWY	REDL AVBL	REDL OUT
		CEIL – VIS	CEIL – VIS
TKOF ALTN AP FILED	13	300´–1000m	300´–1200m
	31		
OTHER	13	AVBL LDG MINIMA	
	31		


INTENTIONALLY LEFT BLANK

INSTRUMENT APPROACH CHART

RJEO / OKUSHIRI

VOR RWY31

SAPPORO CONTROL 119.3 – 276.5 134.25 – 260.4	OKUSHIRI 109.85 CH-35Y 42°04'13"N / 139°26'36"E	VOR/DME ORE 122.7	OKUSHIRI REMOTE 122.7	NO RADAR
--	--	-------------------------	--------------------------	----------



MISSED APPROACH

Turn left, climb to 3000FT or above via ORE R230, turn left direct to ORE VOR/DME within ORE 10.0DME and hold at 4000FT.
Contact OKUSHIRI REMOTE.

Remain within ORE 10.0DME

ORE 4000

MAPt 0.8 ORE

VDP 1.4

DME to ORE 0.8 1.4

163°

323°

1800

MINIMA		THR elev. 141	AD elev. 161
CAT	CIRCLING		
	MDA(H)	CMV	VIS
A	600 (459)	1500	600 (439)
B			1600
C		2000	2400
D	–	–	–

Circling to SOUTH side of RWY only.

CHANGE : VAR,MSA

INSTRUMENT APPROACH CHART

RJEO / OKUSHIRI

VOR RWY13



CHANGE : DME to ORE(VDP)

INSTRUMENT APPROACH CHART

RJEO / OKUSHIRI

VOR A




CHANGE : VAR,MSA

INTENTIONALLY LEFT BLANK

RJEO / OKUSHIRI

Visual REP



Call sign	BRG / DIST from ARP	Remarks
稲穂岬 INAHOMISAKI	034°/11.5NM	灯台 Lighthouse
10NM E	090°/10.0NM	海上 Over the sea
10NM SE	135°/10.0NM	海上 Over the sea

INTENTIONALLY LEFT BLANK