


RJTC / TACHIKAWA

AD CHART



STANDARD DEPARTURE CHART-INSTRUMENT

RJTC / TACHIKAWA

SID

EDA FOUR DEPARTURE

RWY01: Climb RWY HDG to 800FT, turn right HDG196° to intercept and proceed via TNT R151 (151° from TN NDB) to EDARR. Cross EDARR at assigned or specified altitude.

RWY19: Climb RWY HDG to 900FT, turn left HDG121° to intercept and proceed via TNT R151 (151° from TN NDB) to EDARR. Cross EDARR at assigned or specified altitude.

NOTE

1 When take off RWY01(RWY19), following minimum climb gradient should be maintained until passing 3000FT for noise abatement and obstacle avoidance.

Speed (Knots)	60	90	120	150	180	210
Rate (Feet/Min)	300	450	600	750	900	1050

2 Obstructions exists.

- a 648' MSL height Chimney at 1.5NM NE of RWY01 DER
- b 641' MSL height Chimney at 1.7NM NE of RWY01 DER
- c 647' MSL height Substation at 2.1NM NE of RWY01 DER
- d 669' MSL height Micro Antenna at 1NM ESE of RWY19 DER
- e 696' MSL height Building at 0.9NM SE of RWY19 DER

TACHIKAWA NORTHEAST FOUR DEPARTURE

RWY01: Climb RWY HDG to 800FT, turn right HDG075° to intercept and proceed via TNT R045 (045° from TN NDB) to OMIYA. Cross OMIYA at assigned or specified altitude.

RWY19: Climb RWY HDG to 900FT, turn left HDG360° to intercept and proceed via TNT R045 (045° from TN NDB) to OMIYA. Cross OMIYA at assigned or specified altitude.

NOTE

1 When take off RWY01(RWY19), following minimum climb gradient should be maintained until passing 3000FT for noise abatement and obstacle avoidance.

Speed (Knots)	60	90	120	150	180	210
Rate (Feet/Min)	300	450	600	750	900	1050

2 Obstructions exists.

- a 648' MSL height Chimney at 1.5NM NE of RWY01 DER
- b 641' MSL height Chimney at 1.7NM NE of RWY01 DER
- c 647' MSL height Substation at 2.1NM NE of RWY01 DER
- d 669' MSL height Micro Antenna at 1NM ESE of RWY19 DER
- e 696' MSL height Building at 0.9NM SE of RWY19 DER

STANDARD DEPARTURE CHART-INSTRUMENT

RJTC / TACHIKAWA

SID

SIDs at TACHIKAWA AERODROME




INSTRUMENT APPROACH CHART

RJTC / TACHIKAWA

NDB A


YOKOTA APP 123.8 - 118.3 261.4 - 270.6	SHIN-TACHIKAWA NDB 366 TN =. 35°43'06"N / 139°23'59"E	TACHIKAWA TOWER 118.85 - 126.2 298.8 - 236.8	RADAR AVAILABLE CALL YOKOTA APP
--	---	--	---------------------------------------



MISSED APPROACH

At TN NDB, turn left, climb
to 4500FT via 151DEG from
TN NDB.
Contact YOKOTA APP.

Remain within 10NM of TN NDB



MINIMA

AD elev. 313

CAT	CIRCLING	
	MDA(H)	VIS
A	1160 (847)	1600
B		2400
C		
D	—	—

RJTC / TACHIKAWA


TACAN RWY01

VAR 7°W (2013)

- EQPT REQUIRED



Climb to 1900FT via TNT
R181 to TNT, via TNT R001
to TNT 0.3DME, turn right,
via TNT R181 to HALHI and
hold.
Contact YOKOTA APP.



MINIMA		THR elev.299	AD elev. 313	
CAT			CIRCLING	
	MDA (H)	VIS	MDA (H)	VIS
H	960 (661)	800	Not Authorized	