

## AD CHART



RJOI / IWAKUNI


Aircraft Parking / Docking Chart



STANDARD DEPARTURE CHART - INSTRUMENT

RJOI / IWAKUNI

MATSUYAMA SE THREE DEPARTURE (OBSTACLE) (RNAV)



DEPARTURE ROUTE DESCRIPTION

TAKE-OFF RWY 02: Climb heading 015° to 511, then on depicted route.  
Cross MATSUYAMA VOR/DME (MYE) at 6000 thence...

TAKE-OFF RWY 20: Climb heading 195° to 511, then on depicted route.  
Cross MATSUYAMA VOR/DME (MYE) at 6000 thence...

KOCHI TRANSITION: As depicted. Cross KOCHI (KRE) at FL150. Maintain FL150 or higher as assigned.

MALTA TRANSITION: As depicted. Cross MALTA at FL150, maintain FL150 or higher as assigned.

CHANGE : Update

NOTE: REPRINTING DOD FLIP

## INSTRUMENT APPROACH CHART

## RJOI / IWAKUNI



NOTE: REPRINTING DOD FLIP

## INSTRUMENT APPROACH CHART

RJOI / IWAKUNI

APCH CRS	Rwy Idg	8007
015°	TDZE	10
	Arpt Elev	10


RNAV(GPS) RWY02

† \* When ALS inop, increase CAT ABC vis to 7/8 mile. CAT D vis to 1 mile.  
 \*\* When ALS inop, increase CAT AB vis to 1 mile, CAT CD vis to 1 1/8 miles.  
 \*\*\* Circling not authorized W of Rwy 02-20. CAT D cir remain within 2.8 NM.



† MISSED APPROACH: Climbing right turn to 6000 direct MYE VOR/DME and hold, continue climb-in-hold to 6000.

ATIS★	APP CON	TOWER★	GND CON	CLNC DEL	ASR/PAR
128.4 283.0	131.4 236.2	123.8 340.2	121.3 360.2	135.7 310.6	



CHANGE : Update					VGSI and Glidepath not coincidence VGSI 3.00/ TCH 67.		6000 MYE ELEV 10 TDZE 10
	GP 3.00° TCH 55				‡ LNAV only TLv FL140 TA 14,000		
	CATEGORY				‡ 1 NM to RWY02		
	LNAV/VNAV DA*				REIL Rwy 20 HIRL Rwy 02-20		
	CIRCLING***				015° to RWY02		

NOTE: REPRINTING DOD FLIP

RJOI / IWAKUNI

LDG CHART

## SEALANE PATTERNS & VFR ARR PATTERNS



IWAKUNI SEALANE(TOWER) :  
122.0 - 123.1x - 228.2 - 319.0

IWAKUNI APP : WEST  
131.4 - 236.2  
EAST 128.0 - 250.6

IWAKUNI TWR :  
123.8 - 340.2

RJOI / IWAKUNI

Minimum Vectoring Altitude CHART

