


AD CHART



STANDARD DEPARTURE CHART-INSTRUMENT


RJEC / ASAHIKAWA

SID

KAGRA FOUR DEPARTURE

RWY16 : Climb RWY HDG to 1600FT, turn left,...
RWY34 : Climb via AWE R337 to 2.3DME, turn right,...
...direct to AWE VOR/DME, via AWE R283 to KAGRA.
Cross AWE VOR/DME at or above 4000FT, cross KAGRA at or above 5000FT.

Note RWY16 : 5.3% climb gradient required up to 1600FT.
OBST ALT 1247FT located at 2.0NM 146° FM end of RWY16.
RWY34 : 5.0% climb gradient required up to 1000FT.
OBST ALT 696FT located at 1.4NM 021° FM end of RWY34.



CHANGE : Description of PROC name.

STANDARD DEPARTURE CHART-INSTRUMENT

RJEC / ASAHIKAWA

SID

ASAHIKAWA REVERSAL FIVE DEPARTURE

RWY16 : Climb RWY HDG to 1600FT, turn left HDG320° to intercept and proceed ...


RWY34 : Climb via AWE R337 to 2.3DME, turn right,...

... via AWE R005 to 8.5DME, turn right, direct to AWE VOR/DME.

Cross AWE VOR/DME at or above 5000FT (8000FT for East bound).


Note RWY16 : 5.3% climb gradient required up to 1600FT.

OBST ALT 1247FT located at 2.0NM 146° FM end of RWY16.




CHANGE : Description of PROC name.

STANDARD ARRIVAL CHART-INSTRUMENT



INTENTIONALLY LEFT BLANK

INSTRUMENT APPROACH CHART




CHANGE: ATC call sign and FREQ. Description of RADAR Service. Missed APCH PROC.

INSTRUMENT APPROACH CHART


RJEC / ASAHIKAWA

ILS Y or LOC Y RWY34



CHANGE: ATC call sign and FREQ. Description of RADAR Service. Missed APCH PROC.


INSTRUMENT APPROACH CHART




INSTRUMENT APPROACH CHART

RJEC / ASAHIKAWA

VOR B




INSTRUMENT APPROACH CHART



INSTRUMENT APPROACH CHART

RJEC / ASAHIKAWA

RNP Z RWY16



RJEC / ASAHIKAWA

RNP Y RWY16(AR)

For uncompensated Baro-VNAV systems, procedure not authorized below -30°C / above 45°C



EC652

1.5

MINIMA	THR elev. 660	AD elev. 690
CAT	RNP 0.30	
	DA(H)	CMV
A	-	-
B		
C	960(300)	1400
D	-	-

MINIMA with Missed APCH climb gradient of 2.5% are not established.

Authorization Required

INSTRUMENT APPROACH CHART

RJEC / ASAHIKAWA


RNP Y RWY16(AR)

Coding Table											
Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	VPA/ RDH (°/FT)	RNP Value
001	IF	ASIBE	-	-	-9.5	-	-	+8000	-	-	-
002	TF	EC650	-	040 (030.1)	-9.5	8.0	-	+5000	-	-	1.0
003	TF	GORYO	-	353 (343.1)	-9.5	4.5	-	4000	-	-	1.0
004	TF	EC651	-	353 (343.0)	-9.5	2.4	-	3249	-	-3.00	0.30
005	RF Center: ECRF1 r=1.98NM	EC652	-	-	-9.5	2.8	R	2368	-	-3.00	0.30
006	TF	EC653	-	073 (063.0)	-9.5	0.6	-	2176	-	-3.00	0.30
007	RF Center: ECRF2 r=1.93NM	EC654	-	-	-9.5	3.1	R	1200	-	-3.00	0.30
008	TF	RW16	Y	164 (154.2)	-9.5	1.5	-	710	-	-3.00/50	0.30
009	CF	EC660	Y	164 (154.2)	-9.5	7.2	-	-	-	-	1.0
010	DF	AWE	-	-	-9.5	-	R	5000	-	-	1.0

Path	Waypoint Identifier	Inbound Course °M(°T)	Magnetic Variation	Outbound Time (MIN)	Turn Direction	Minimum Altitude (FT)	Maximum Altitude (FT)	Speed (KIAS)	RNP Value
Hold	AWE	040 (030.6)	-9.9	1.0 (-14000)	L	5000	FL140	-210 (-14000)	1.0

Waypoint Coordinates			
Waypoint Identifier	Coordinates	RF Arc Center Identifier	Coordinates
ASIBE	432703.98N / 1421700.93E	ECRF1	434104.78N / 1422225.25E
EC650	433359.28N / 1422233.14E	ECRF2	434123.69N / 1422307.68E
GORYO	433814.72N / 1422045.68E		
EC651	434030.03N / 1421948.65E		
EC652	434250.78N / 1422111.17E		
EC653	434307.07N / 1422155.45E		
EC654	434214.29N / 1422531.40E		
RW16	434051.04N / 1422626.96E		
EC660	433419.98N / 1423047.35E		
AWE	434002.15N / 1422724.65E		

CHANGE : RNAV HLDG established(ASAHIKAWA(AWE)).



RJEC / ASAHIKAWA


Visual REP

Call sign	BRG / DIST from ARP	Remarks
男山 Otokoyama	002°T / 10.4NM	男山自然公園 Park
旭山 Asahiyama	014°T / 6.0NM	旭山動物園 Zoo
神楽岡 Kaguraoka	324°T / 5.9NM	神楽岡公園 Park
神居古潭 Kamuikotan	289°T / 11.3NM	橋 Bridge
岐登牛山 Kitoushiyama	049°T / 5.4NM	スキー場 Ski ground
西神楽 Nishikagura	286°T / 2.4NM	JR駅 Station
忠別ダム Chubetsu dam	108°T / 8.5NM	ダム Dam
神居ダム Kamui dam	227°T / 6.2NM	ダム Dam
美瑛 Biei	184°T / 5.5NM	道路(大曲) Road
芦別 Ashibetsu	231°T / 14.7NM	JR駅 Station
上富良野 Kamifurano	176°T / 12.4NM	JR駅 Station

CHANGE : Visual REP established(Otokoyama).

RJEC / ASAHIKAWA

Minimum Vectoring Altitude CHART



INTENTIONALLY LEFT BLANK