

STANDARD DEPARTURE CHART-INSTRUMENT

RJBT / TAJIMA SID

MIYAZU THREE DEPARTURE

RWY01: Climb RWY HDG to 1900FT, turn right HDG150°... RWY19: Climb RWY HDG to 1900FT, turn left HDG060°...

... to intercept and proceed via YME R285 to YME VOR/DME.

Cross YME 10.0DME at or above 5000FT.

Note RWY01: 5.0% climb gradient required up to 2200FT.


OBST ALT 1956FT located at 5.6NM 007° FM end of RWY01.

RWY19: 5.0% climb gradient required up to 3200FT.

OBST ALT 2888FT located at 8.3NM 144° FM end of RWY19.



STANDARD DEPARTURE CHART-INSTRUMENT



STANDARD DEPARTURE CHART-INSTRUMENT

RJBT / TAJIMA RNAV SID

ROKKO ONE DEPARTURE


RWY01

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	-	ı	011 (003.0)	-8.2	ı	ı	+1900	1	1	RNP1
002	DF	GUNZE	-	-	-8.2	1	R	-	-	1	RNP1
003	TF	ROKKO	-	168 (159.9)	-8.2	10.0	-	-	-	-	RNP1


RWY19

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	1	-	191 (183.0)	-8.2	ı	ı	+1900	1	1	RNP1
002	DF	GUNZE	1	1	-8.2	1	L	1	1	1	RNP1
003	TF	ROKKO	-	168 (159.9)	-8.2	10.0	-	-	-	-	RNP1


INSTRUMENT APPROACH CHART



INSTRUMENT APPROACH CHART



INSTRUMENT APPROACH CHART







※図中に標高を示す数字がある場合、単位はメートル(m)である。The unit of measurement used to express elevation is meter(m).

XTAJIMA FLIGHT SERVICE: 130.8MHz

Call sign	BRG / DIST from ARP	Remarks				
城崎 Kinosaki	011°T / 6.8NM	JR城崎温泉駅 Station				
神鍋山 Kannabeyama	266°T / 5.5NM	山 Mountain				
出石 Izushi	125°T / 5.1NM	出石市街 Town				
八鹿 Yoka	183°T / 5.9NM	JR八鹿駅 Station				



