

RJAH / HYAKURI

AD CHART



RJAH / HYAKURI

AD CHART



## STANDARD DEPARTURE CHART - INSTRUMENT

RJAHA / HYAKURI

SID and TRANSITION

OGITU TWO DEPARTURE

RWY 03R/03L : Climb RWY HDG to 600FT,...

RWY 21R/21L : Climb RWY HDG to 600FT, turn right HDG 062° to intercept and proceed...

...via HUC R032 to OGITU.

Cross HUC R032/5.5DME at or below 7000FT, cross OGITU at or below 10000FT.

Note This SID for VOR equipped aircraft only.

RWY03L : 4.1% climb gradient required up to 600FT.

OBST ALT 141FT located at 0.1NM 338° FM end of RWY03L.

IWAKI TRANSITION

From over OGITU, proceed via IXE R213 to IXE VOR/DME.

OKUJI TRANSITION

From over OGITU, via HUC R032 to 32.5DME, turn left to intercept and proceed via HUC 35.2DME counterclockwise ARC to OKUJI.

Cross OKUJI at or above 9000FT.

CHANGE : Editorial(DIST FM HUC to OGITU).



## STANDARD DEPARTURE CHART - INSTRUMENT

RJAHH / HYAKURI

SID


NAKAH FOUR DEPARTURE

RWY 03R/03L : Turn left within 5.0NM....

RWY 21R/21L : Turn right or left within 6.0NM....

....climb via HUC R002(R001 for using VOR) to NAKAH.

Cross HUC R002(R001 for using VOR) /6.0DME at or below 7000FT.



CHANGE : NIKKO TRANSITION abolished. NIKKO NDB(JD) abolished.

STANDARD DEPARTURE CHART - INSTRUMENT

RJAH / HYAKURI

SID and TRANSITION

HOKTA FIVE DEPARTURE

RWY 03R/03L : Climb via RWY HDG until 1.0NM from RWY end/HUC 1.4DME,  
turn right within 5.0NM....

RWY 21R/21L : Turn left within 6.0NM....

....climb via HUC R071 to HOKTA.

Cross HUC R071/19.3DME at or below 8000FT, cross HOKTA at or  
above 11000FT.

Note1 : Take off RWY 21R/21L, cross HUC R130 at or below 5000FT.

Note2 : This SID for TACAN equipped aircraft only.

HOKTA EAST FIVE DEPARTURE

RWY 03R/03L : Climb via RWY HDG until 1.0NM from RWY end/HUC 1.4DME,  
turn right within 5.0NM....

RWY 21R/21L : Turn left within 6.0NM....

....climb via HUC R091 to HUC 27.0DME, turn left via HUC 27.0DME  
counterclockwise ARC to HOKTA.

Cross HUC R091/23.0DME at or below 8000FT, cross HOKTA at or  
above 11000FT.

Note1 : Take off RWY 21R/21L, cross HUC R130 at or below 5000FT.

Note2 : This SID for TACAN equipped aircraft only.

MATSUSHIMA TRANSITION

From over HOKTA, via CVT R015 to CVT 59.0DME, MXT R195 to MXT TACAN.

Cross CVT R015/59.0DME (MXT R195/103.0DME) at assigned altitude.

Note CVT R015/59.0DME (MXT R195/103.0DME) : MXT MRA 12000FT.

DAIGO TRANSITION

From over HOKTA, via CVT R015 to DAPPE, via GOT R117 to GOT TACAN.


CHANGE : Course FM DAPPE to GOT.

STANDARD DEPARTURE CHART - INSTRUMENT

RJAH / HYAKURI

SID and TRANSITION

CHANGE : Course FM DAPPE to GOT.



STANDARD DEPARTURE CHART - INSTRUMENT

RJAH / HYAKURI

SID and TRANSITION

DAPPE ONE DEPARTURE

RWY 03R/03L : Climb via RWY HDG until 1.0NM from RWY end/HUC 1.4DME,  
turn right within 5.0NM....

RWY 21R/21L : Turn left within 6.0NM....

....climb via HUC R055 to DAPPE.

Cross HUC R055/31.0DME at or below 10000FT.

Note1 : Take off RWY 21R/21L, cross HUC R130 at or below 5000FT.

Note2 : This SID for TACAN equipped aircraft only.

CHOSHI TRANSITION

From over DAPPE, via CVT R015 to CVT TACAN via ANKOH.

Cross ANKOH at or above FL170.

HYAKURI TRANSITION

From over DAPPE, via CVT R015 to ANKOH, via HUC R089 to HUC VORTAC.

Cross ANKOH at or above FL170.

CHANGE: ANKOH established

STANDARD DEPARTURE CHART - INSTRUMENT

RJAH / HYAKURI

SID and TRANSITION

※For TACAN equipped ACFT only.  
DAPPE ONE DEPARTURE

1.0NM FM RWY end/  
D1.4 HUC

VORTAC  
HYAKURI  
113.3 HUC  
CH-80X  
36°11'13"N/140°24'49"E  
200 FT

DAPPE ONE DEPARTURE

10000  
D31.0 HUC

055°

DAPPE  
R055/D34.7 HUC  
R015/D51.6 CVT

5.0NM

5000

6.0NM

HYAKURI TRANSITION

R130

269°

CHOSHI TRANSITION

ANKOH  
FL170  
R015/D31.3 CVT  
R089/D23.2 HUC

195°

TACAN  
CHOSHI  
1170 CVT  
CH-83X  
35°43'36"N/140°48'00"E  
200FT

CHANGE: ANKOH established



STANDARD DEPARTURE CHART - INSTRUMENT



## STANDARD DEPARTURE CHART - INSTRUMENT

RJAHH / HYAKURI

RNAV SID

HITAKA ONE DEPARTURE

## RWY03L

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	-	-	028 (019.8)	-7.8	-	-	+600	-	-	RNAV1
002	DF	LICEN	-	-	-7.8	-	-	-7000	-	-	RNAV1
003	TF	OGITU	-	032 (024.6)	-7.8	22.0	-	-10000	-	-	RNAV1

## RWY21R

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	-	-	208 (199.8)	-7.8	-	-	+600	-	-	RNAV1
002	DF	H1R00	-	-	-7.8	-	R	-3000	-	-	RNAV1
003	TF	LICEN	-	067 (059.5)	-7.8	8.5	-	-7000 +4000	-	-	RNAV1
004	TF	OGITU	-	032 (024.6)	-7.8	22.0	-	-10000	-	-	RNAV1

CHANGE : New PROC.

STANDARD ARRIVAL CHART -INSTRUMENT

RJAH / HYAKURI

STAR

DAIGO ARRIVAL

From over GOT TACAN, proceed via GOT R121 to JYUOH,  
turn right via HUC 30.0DME clockwise ARC to intercept and  
proceed via HUC R080 to TAIYO.

Cross JYUOH at or above 6000FT.


CHANGE : Course, DIST FM GOT to JYUOH.



STANDARD ARRIVAL CHART -INSTRUMENT

RJAH / HYAKURI

RNAV STAR



From TATSU, to YAMAD at or below 7000FT, to NAKAH at or above 4000FT.

Critical DME	-
DME GAP	-
Inappropriate Navaids	See AD1.1.6.10.3. Inappropriate NAVAIDs for RNAV1

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	IF	TATSU	-	-	-7.8	-	-	-	-	-	RNAV1
002	TF	YAMAD	-	221 (213.7)	-7.8	8.2	-	-7000	-	-	RNAV1
003	TF	NAKAH	-	221 (213.6)	-7.8	8.9	-	+4000	-	-	RNAV1

INSTRUMENT APPROACH CHART

RJAH / HYAKURI

ILS Z or LOC Z RWY03R




INSTRUMENT APPROACH CHART

RJAH / HYAKURI

ILS Y or LOC Y RWY03R

HYAKURI APP 120.1 - 123.875 305.7 - 362.3	ILS - LOC 109.3 IHY 332.0 ILS-GP 332.0 ILS-DME CH-30X	HYAKURI TWR 118.025- 126.2 236.8 - 323.8 119.5G - 275.8G	RADAR AVBL
---	--	---	------------



DME to IHY	0.7	1.4	4.7	7.7	
NM to THR	0	0.5	1.2	4.5	7.5

CHANGE : MDA(H) for LOC.

MINIMA		THR elev. 107		AD elev. 107		
CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/CMV	MDA(H)	RVR/CMV	MDA(H)	VIS
A	307 (200)	750	520 (413)	900	580 (473)	1600
B				1000		
C				1400	660 (553)	2400
D						3200

## RJAH / HYAKURI

ILS X or LOC X RWY03R

CHANGE : DME to IHY at VDP. NM to THR at VDP. MDA(H) for LOC.

MINIMA		THR elev. 107		AD elev. 107		
CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/ CMV	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	307 (200)	750	510 (403)	900	580 (473)	1600
B				1000		
C						
D					1400	660 (553)

## INSTRUMENT APPROACH CHART

RJAHA / HYAKURI

ILS W or LOC W RWY03R

HYAKURI APP  
120.1 - 123.875  
305.7 - 362.3ILS - LOC  
109.3 IHY 3300-  
ILS-GP 332.0  
ILS-DME CH-30XHYAKURI TWR  
118.025- 126.2  
236.8 - 323.8  
119.5G - 275.8G


RADAR AVBL

VAR 8°W (2018)

MSA 25NM


EQPT REQUIRED  
TACAN

EMERG SAFE ALT 100NM 14400



## MISSED APPROACH

Climb on HDG027° to 600FT,  
turn right climb to 3000FT  
via HUC R070, via HUC 26.0DME  
clockwise ARC to TAIYO and hold.  
Contact HYAKURI APP.



DME to IHY	0.7	1.4	4.7	7.7	
NM to THR	0	0.5	1.2	4.5	7.5

CHANGE : MDA(H) for LOC.

MINIMA		THR elev. 107		AD elev. 107		
CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/ CMV	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	307 (200)	750	520 (413)	900	580 (473)	1600
B				1000		
C				1400	660 (553)	2400
D						3200



INSTRUMENT APPROACH CHART

RJAH / HYAKURI

VOR RWY03R





INSTRUMENT APPROACH CHART

RJAH / HYAKURI

VOR RWY03L

HYAKURI APP 120.1 - 123.875 305.7 - 362.3	HYAKURI VORTAC 113.3 HUC CH-80X 36°11'13"N/140°24'49"E	HYAKURI TWR 118.025- 126.2 236.8 - 323.8 119.5G - 275.8G	RADAR AVBL
---	---	---	------------




CHANGE : Description of VAR.

MINIMA		THR elev. 107		AD elev. 107	
CAT			CIRCLING		
	MDA(H)	RVR/ CMV	MDA(H)	VIS	
A	520 (413)	1200	580 (473)	1600	
B		1300			
C		1400			
D		1600	660 (553)	3200	

INSTRUMENT APPROACH CHART

RJAH / HYAKURI

VOR RWY21L




CHANGE : Description of VAR. OBST added(790FT).

INSTRUMENT APPROACH CHART

RJAH / HYAKURI

VOR RWY21R



INSTRUMENT APPROACH CHART

RJAH / HYAKURI

VOR B





## INSTRUMENT APPROACH CHART

RJAHA / HYAKURI

TACAN Z RWY03R

HYAKURI APP 120.1 - 123.875 305.7 - 362.3	HYAKURI VORTAC 113.3 HUC 3300 CH-80X 36°11'13"N/140°24'49"E	HYAKURI TWR 118.025- 126.2 236.8 - 323.8 119.5G - 275.8G	RADAR AVBL
---	--	---	------------



MINIMA		THR elev. 107	AD elev. 107
CAT	MDA(H)	RVR/CMV	CIRCLING
A	540 (433)	1000	580 (473) 1600
B		1200	2400
C		1600	3200
D			

## INSTRUMENT APPROACH CHART

RJAH / HYAKURI

TACAN Y RWY03R




CHANGE : DME to HUC at VDP. NM to THR at VDP.

## INSTRUMENT APPROACH CHART


RJAH / HYAKURI

TACAN Z RWY03L



## MISSED APPROACH

2.1DME prior to HUC TACAN, right climbing turn to 3000FT via HUC R070, via HUC 26.0DME clockwise ARC to TAIYO and hold. Contact HYAKURI APP.



MINIMA      THR elev. 107      AD elev. 107

CAT			CIRCLING	
	MDA(H)	RVR/CMV	MDA(H)	VIS
A	540 (433)	1400	580 (473)	1600
B		1500		
C		1600	660 (553)	2400
D		1800		


CHANGE : DME to HUC at VDP. NM to THR at VDP.



INSTRUMENT APPROACH CHART


RJAH / HYAKURI TACAN Y RWY03L

HYAKURI APP 120.1 - 123.875 305.7 - 362.3	HYAKURI VORTAC 113.3 HUC CH-80X 36°11'13"N/140°24'49"E	HYAKURI TWR 118.025- 126.2 236.8 - 323.8 119.5G - 275.8G	RADAR AVBL
---	---	---	------------



MISSED APPROACH

2.1DME prior to HUC TACAN, right climbing turn to 3000FT via HUC R070, via HUC 26.0DME clockwise ARC to TAIYO and hold. Contact HYAKURI APP.



MINIMA		THR elev. 107	AD elev. 107
CAT	CIRCLING		
	MDA(H)	RVR/CMV	MDA(H) VIS
A	540 (433)	1400	580 (473) 1600
B		1500	
C		1600	2400
D		1800	3200

CHANGE : DME to HUC at VDP. NM to THR at VDP.

INSTRUMENT APPROACH CHART

RJAH / HYAKURI


TACAN Z RWY21L

HYAKURI APP 120.1 - 123.875 305.7 - 362.3	HYAKURI VORTAC 113.3 HUC Ⅲ CH-80X 36°11'13"N/140°24'49"E	HYAKURI TWR 118.025- 126.2 236.8 - 323.8 119.5G - 275.8G	RADAR AVBL
---	---	---	------------



MISSED APPROACH


1.0DME prior to HUC TACAN, left climbing turn to 3000FT via HUC R070, via HUC 26.0DME clockwise ARC to TAIYO and hold.  
Contact HYAKURI APP.



MINIMA THR elev. 107 AD elev. 107

CAT			CIRCLING	
	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	500 (393)	900	580 (473)	1600
B		1000		660 (553)
C			1400	
D				

INSTRUMENT APPROACH CHART




## RJAH / HYAKURI

HYAKURI APP  
120.1 - 123.875  
305.7 - 362.3


HYAKURI VORTAC  
113.3 HUC   
CH-80X  
*36°11'13"N/140°24'49"E*

HYAKURI TWR  
118.025- 126.2  
236.8 - 323.8  
119.5G - 275.8G

RADAR AVBL



1.0DME prior to HUC TACAN, left climbing turn to 3000FT via HUC R070, via HUC 26.0DME clockwise ARC to TAIYO and hold.  
Contact HYAKURI APP.



MINIMA		THR elev. 107	AD elev. 107	
CAT			CIRCLING	
	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	500 (393)	1500	580 (473)	1600
B				
C		1800	660 (553)	2400
D		2000		3200

CHANGE : DME to HUC at VDP. NM to THR at VDP.

INSTRUMENT APPROACH CHART

RJAH / HYAKURI TACAN Y RWY21R



INSTRUMENT APPROACH CHART

RJAH / HYAKURI

TACAN A

HYAKURI APP  
120.1 - 123.875  
305.7 - 362.3


HYAKURI VORTAC  
113.3 HUC  
CH-80X  
36°11'13"N/140°24'49"E

HYAKURI TWR  
118.025- 126.2  
236.8 - 323.8  
119.5G - 275.8G

RADAR AVBL

VAR 8°W (2018)

EQPT REQUIRED  
—








MINIMA

AD elev. 107

CAT	CIRCLING	
	MDA(H)	VIS
A	580 (473)	1600
B		
C	660 (553)	2400
D		3200

## RJAH / HYAKURI


<b>HYAKURI APP</b> 120.1 - 123.875 305.7 - 362.3		<b>RNP APCH</b>		<b>HYAKURI TWR</b> 118.025 - 126.2 236.8 - 323.8 119.5G - 275.8G		<b>RADAR AVBL</b>																																					
Baro-VNAV not authorized below -10°C																																											
<b>VAR 8°W</b>  ARP: 361054N / 1402453E						<table border="1"> <tr> <td>NAKAH</td> <td>362609.88N</td> </tr> <tr> <td>(IAF/MAHF)</td> <td>1402250.78E</td> </tr> <tr> <td>H3L50</td> <td>361105.04N</td> </tr> <tr> <td></td> <td>1402849.68E</td> </tr> <tr> <td>TOMOE</td> <td>360720.65N</td> </tr> <tr> <td></td> <td>1403018.30E</td> </tr> <tr> <td>MEGAT</td> <td>360158.50N</td> </tr> <tr> <td></td> <td>1402754.58E</td> </tr> <tr> <td>SUMIG</td> <td>360348.81N</td> </tr> <tr> <td>(IF)</td> <td>1402138.67E</td> </tr> <tr> <td>WAZKI</td> <td>360723.66N</td> </tr> <tr> <td>(FAF)</td> <td>1402314.20E</td> </tr> <tr> <td>H3L51</td> <td>360848.49N</td> </tr> <tr> <td>(SDF)</td> <td>1402351.96E</td> </tr> <tr> <td>RW03L</td> <td>361013.29N</td> </tr> <tr> <td>(MAPt)</td> <td>1402429.73E</td> </tr> </table>		NAKAH	362609.88N	(IAF/MAHF)	1402250.78E	H3L50	361105.04N		1402849.68E	TOMOE	360720.65N		1403018.30E	MEGAT	360158.50N		1402754.58E	SUMIG	360348.81N	(IF)	1402138.67E	WAZKI	360723.66N	(FAF)	1402314.20E	H3L51	360848.49N	(SDF)	1402351.96E	RW03L	361013.29N	(MAPt)	1402429.73E				
NAKAH	362609.88N																																										
(IAF/MAHF)	1402250.78E																																										
H3L50	361105.04N																																										
	1402849.68E																																										
TOMOE	360720.65N																																										
	1403018.30E																																										
MEGAT	360158.50N																																										
	1402754.58E																																										
SUMIG	360348.81N																																										
(IF)	1402138.67E																																										
WAZKI	360723.66N																																										
(FAF)	1402314.20E																																										
H3L51	360848.49N																																										
(SDF)	1402351.96E																																										
RW03L	361013.29N																																										
(MAPt)	1402429.73E																																										
NOT TO SCALE  NAKAH 208° 028° 1MIN MHA 4000 MAX 210KIAS		 2100 1600 1100 600 AD elev. 107 Contour Intervals				 NM 1 2 3 4 5 6 7 8 9 10 KM 1 2 3 4 5 6 7 8 9 10																																					
		NM to Next Fix ALT (3.0° APCH Path)		FAF 1112		2 793																																					
						MAPt -																																					
<b>NAKAH (IAF) H3L50</b> 7000 4000 170° 5000 3000 <b>TOMOE</b> 170° 2000 1400 208° 1800 1300 <b>MEGAT SUMIG (IF)</b> 298° 1300 <b>WAZKI (FAF)</b> 1112 028° 800 (693) <b>H3L51 (SDF) (LNAV)</b> 634 3.00° 520 (413) <b>RW03L (MAPt)</b> 028° MDA RDH 50 NM to THR																																											
<b>MISSED APPROACH</b> Turn left direct to NAKAH and hold at 4000FT. Contact HYAKURI APP. PAPI and descent angles not coincident.																																											
<table border="1"> <tr> <th>MINIMA</th> <th colspan="2">THR elev. 107</th> <th colspan="2">AD elev. 107</th> <th colspan="2"></th> </tr> <tr> <th rowspan="2">CAT</th> <th colspan="2">LNAV/VNAV</th> <th colspan="2">LNAV</th> <th colspan="2">CIRCLING</th> </tr> <tr> <th>DA(H)</th> <th>RVR/CMV</th> <th>MDA(H)</th> <th>RVR/CMV</th> <th>MDA(H)</th> <th>VIS</th> </tr> <tr> <td>A</td> <td rowspan="4">490(383)</td> <td>1200</td> <td rowspan="4">490(383)</td> <td>1200</td> <td rowspan="4">580(473)</td> <td rowspan="4">1600</td> </tr> <tr> <td>B</td> <td>1300</td> <td>1300</td> </tr> <tr> <td>C</td> <td>1400</td> <td>1400</td> </tr> <tr> <td>D</td> <td>1600</td> <td>1600</td> </tr> </table>								MINIMA	THR elev. 107		AD elev. 107				CAT	LNAV/VNAV		LNAV		CIRCLING		DA(H)	RVR/CMV	MDA(H)	RVR/CMV	MDA(H)	VIS	A	490(383)	1200	490(383)	1200	580(473)	1600	B	1300	1300	C	1400	1400	D	1600	1600
MINIMA	THR elev. 107		AD elev. 107																																								
CAT	LNAV/VNAV		LNAV		CIRCLING																																						
	DA(H)	RVR/CMV	MDA(H)	RVR/CMV	MDA(H)	VIS																																					
A	490(383)	1200	490(383)	1200	580(473)	1600																																					
B		1300		1300																																							
C		1400		1400																																							
D		1600		1600																																							

## INSTRUMENT APPROACH CHART

RJAH / HYAKURI

RNP RWY21R

CHANGE : Missed APCH PROC for using VORTAC abolished. RNAV HLDG established. HLDG for using NAVAID abolished.





RJAH / HYAKURI

Minimum Vectoring Altitude CHART

VAR 7°W (2010)



CENTER : 361108N/1402547E (RADAR SITE)

- ① 2500
- ② 1500
- ③ 2200
- ④ 3000
- ⑤ 3500