


RJNF / FUKUI


AD CHART

FUKUI AP

CHANGE : CEILOMETER added.



LONGITUDINAL PROFILE OF RWY





STANDARD DEPARTURE CHART -INSTRUMENT

RJNF / FUKUI		RNAV SID																																																																												
AWARA ONE DEPARTURE		RNP1																																																																												
Note GNSS required.																																																																														
<p>VAR 9° W</p>																																																																														
<p>AWARA</p> <p>500</p> <p>004°</p> <p>184°</p> <p>800</p> <p>RWY18: Climb on HDG184° at or above 800FT, turn right direct to AWARA. RWY36: Climb on HDG004° at or above 500FT, turn left direct to AWARA. Note RWY18: 5.0% climb gradient required up to 1100FT.</p>																																																																														
<p>RWY18</p> <table border="1"> <thead> <tr> <th>Serial Number</th><th>Path Descriptor</th><th>Waypoint Identifier</th><th>Fly Over</th><th>Course °M(°T)</th><th>Magnetic Variation</th><th>Distance (NM)</th><th>Turn Direction</th><th>Altitude (FT)</th><th>Speed (KIAS)</th><th>Vertical Angle</th><th>Navigation Specification</th></tr> </thead> <tbody> <tr> <td>001</td><td>VA</td><td>—</td><td>—</td><td>184 (175.9)</td><td>-8.5</td><td>—</td><td>—</td><td>+800</td><td>—</td><td>—</td><td>RNP1</td></tr> <tr> <td>002</td><td>DF</td><td>AWARA</td><td>—</td><td>—</td><td>-8.5</td><td>—</td><td>R</td><td>—</td><td>—</td><td>—</td><td>RNP1</td></tr> </tbody> </table> <p>RWY36</p> <table border="1"> <thead> <tr> <th>Serial Number</th><th>Path Descriptor</th><th>Waypoint Identifier</th><th>Fly Over</th><th>Course °M(°T)</th><th>Magnetic Variation</th><th>Distance (NM)</th><th>Turn Direction</th><th>Altitude (FT)</th><th>Speed (KIAS)</th><th>Vertical Angle</th><th>Navigation Specification</th></tr> </thead> <tbody> <tr> <td>001</td><td>VA</td><td>—</td><td>—</td><td>004 (355.9)</td><td>-8.5</td><td>—</td><td>—</td><td>+500</td><td>—</td><td>—</td><td>RNP1</td></tr> <tr> <td>002</td><td>DF</td><td>AWARA</td><td>—</td><td>—</td><td>-8.5</td><td>—</td><td>L</td><td>—</td><td>—</td><td>—</td><td>RNP1</td></tr> </tbody> </table> <p>Waypoint Coordinates</p> <table border="1"> <thead> <tr> <th>Waypoint Identifier</th><th>Coordinates</th></tr> </thead> <tbody> <tr> <td>AWARA</td><td>361759.4N / 1360547.2E</td></tr> </tbody> </table>			Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification	001	VA	—	—	184 (175.9)	-8.5	—	—	+800	—	—	RNP1	002	DF	AWARA	—	—	-8.5	—	R	—	—	—	RNP1	Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification	001	VA	—	—	004 (355.9)	-8.5	—	—	+500	—	—	RNP1	002	DF	AWARA	—	—	-8.5	—	L	—	—	—	RNP1	Waypoint Identifier	Coordinates	AWARA	361759.4N / 1360547.2E
Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification																																																																			
001	VA	—	—	184 (175.9)	-8.5	—	—	+800	—	—	RNP1																																																																			
002	DF	AWARA	—	—	-8.5	—	R	—	—	—	RNP1																																																																			
Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification																																																																			
001	VA	—	—	004 (355.9)	-8.5	—	—	+500	—	—	RNP1																																																																			
002	DF	AWARA	—	—	-8.5	—	L	—	—	—	RNP1																																																																			
Waypoint Identifier	Coordinates																																																																													
AWARA	361759.4N / 1360547.2E																																																																													

CHANGE : VAR. Waypoint Coordinates added.

INSTRUMENT APPROACH CHART





※図中に標高を示す数字がある場合、単位はメートル(m)である。The unit of measurement used to express elevation is meter(m).

Call sign	BRG / DIST from ARP	Remarks
山代 Yamashiro	037°T / 11.1NM	山代温泉街 Town of the Yamashiro hot-spring
金津 Kanazu	007°T / 4.4NM	JR芦原温泉駅 Station
勝山 Katsuyama	112°T / 14.0NM	えちぜん鉄道駅 Station
武生 Takefu	190°T / 14.6NM	JR駅 Station
亀島 Kamejima	263°T / 8.5NM	岩礁 Reef
東尋坊 Tojinbo	320°T / 7.3NM	タワー Tower
福井駅 Fukui eki	180°T / 4.8NM	JR駅 Station

CHANGE : VAR.