

STANDARD DEPARTURE CHART -INSTRUMENT

RJSH / HACHINOHE

SID

HACHINOHE THREE DEPARTURE

RWY07 : Climb via HVT R070 to 1000FT within HVT 8DME, turn right, ...

RWY25 : Climb via HVT R250 to 1000FT within HVT 8DME, turn left, ...


... direct to HVT, cross HVT at or above 3000FT.

HACHINOHE REVERSAL TWO DEPARTURE

RWY07 : Turn right, ...

RWY25 : Turn left, ...

... climb via HVT R190 until reaching at or above 1/2 of assigned altitude, turn right, direct to HVT within HVT 15DME, cross HVT at assigned altitude.




CHANGE : PROC renamed. NDB(JC) abolished.

INTENTIONALLY LEFT BLANK

INSTRUMENT APPROACH CHART


RJSH / HACHINOHE

ILS Z or LOC Z RWY25



MISSED APPROACH

Climb to 3000FT via HVT R250 to
HVT 10.0DME and hold.
Contact MISAWA APP.




CHANGE : ALT restriction at FAF established.

MINIMA		THR elev. 97		AD elev. 152		
CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/ CMV	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	320 (223)	750	460 (363)	1200	580 (428)	1600
B				1300	660 (508)	
C				1400	740 (588)	2400
D				1600		3200

INSTRUMENT APPROACH CHART


RJSH / HACHINOHE

ILS Y or LOC Y RWY25



MISSED APPROACH

Climb to 3000FT via HVT R250 to
HVT 10.0DME and hold.
Contact MISAWA APP.



MINIMA

THR elev. 97

AD elev. 152

CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/CMV	MDA(H)	RVR/CMV	MDA(H)	VIS
A	320 (223)	750	460 (363)	1200	580 (428)	1600
B				1300	660 (508)	
C				1400	740 (588)	2400
D				1600		3200

CHANGE : ALT restriction at FAF established.


INSTRUMENT APPROACH CHART

RJSH / HACHINOHE

TACAN RWY25



INTENTIONALLY LEFT BLANK



INTENTIONALLY LEFT BLANK