AD 2 AERODROMES

RJSD AD 2.1 AERODROME LOCATION INDICATOR AND NAME

RJSD - SADO

RJSD AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

ARP coordinates and site at AD 380338N 1382454E 97°/0.6km from RWY10 THR 2 Direction and distance from (city) 4km SW of Ryotsu in Sado city 3 Elevation/ Reference temperature 75ft / 35.9°C(2004-2008) Geoid undulation at AD ELEV 4 125FT PSN 5 7°W(2008)/1.56'W MAG VAR/ Annual change 6 AD Administration, address, Niigata Pref. 1814-3 Akitsu Sado-city Niigata telephone, telefax, telex, AFS, Tel: 0259-27-3041 Fax: 0259-27-3041 e-mail and/or Web-site addresses e-mail: ngt111141@pref.niigata.lg.jp 7 Types of traffic permitted VFR (IFR/VFR) 8 Remarks Nil

RJSD AD 2.3 OPERATIONAL HOURS

1	AD Administration	2345 - 0815
2	Customs and immigration	On request Customs: 0259-23-4870 Immigration: 025-275-4735
3	Health and sanitation	Quarantine(human): On request(025-275-4615) Quarantine(animal, plant): Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office(ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	Nil
8	Fuelling	Nil
9	Handling	Nil
10	Security	2345 - 0815
11	De-icing	Nil
12	Remarks	Nil

RJSD AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil
2	Fuel/ oil types	Nil
3	Fuelling facilities/ capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

RJSD AD 2.5 PASSENGER FACILITIES

1	Hotels	Nil
2	Restaurants	Nil
3	Transportation	Nil
4	Medical facilities	Nil
5	Bank and Post Office	Nil
6	Tourist Office	Nil
7	Remarks	Nil

RJSD AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 4
2	Rescue equipment	Chemical fire fighting truck x 2
3	Capability for removal of disabled aircraft	Crane(small type)
4	Remarks	Nil

RJSD AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	Snow Removal Equipments : graders x 1 , dozer x 1
2	Clearance priorities	1.RWY 2.TWY 3.Apron
3	Remarks	Nil

RJSD AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: Asphalt-concrete Strength: PCN 12/F/C/X/T
2	Taxiway width, surface and strength	WIDTH: 9m Surface: Asphalt-concrete Strength: PCN 12/F/C/X/T
3	ACL and elevation	Not available
4	VOR checkpoints	Not available
5	INS checkpoints	Not available
6	Remarks	Nil

RJSD AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and Visual docking/ parking guidance system of aircraft stands	Nil
2	RWY and TWY markings and LGT	RWY:10/28 (Marking)RWY designation, RWY THR, RWY Middle Point, Aiming point, RWY side stripe TWY: (Marking)TWY CL, TWY side stripe
3	Stop bars	Nil
4	Remarks	(Marking)Overrun area

RJSD AD 2.10 AERODROME OBSTACLES

RWY/Area affected Obstacle type Co		Coordinates	Coordinates Elevation		Remarks		
Nil							

RJSD AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Nil
2	Hours of service MET Office outside hours	Nil
3	Office responsible for TAF preparation Periods of validity	Nil
4	Trend forecast Interval of issuance	Nil
5	Briefing/ consultation provided	Nil
6	Flight documentation Language(s) used	Nil
7	Charts and other information available for briefing or consultation	Nil
8	Supplementary equipment available for providing information	Nil
9	ATS units provided with information	Nil
10	Additional information(limitation of service, etc.)	Nil

RJSD AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR TRUE BRG		Dimensions of RWY(M)	Strength(PCN) and Surface of RWY	THR coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	
1	1 2 3		4	5	6	
10			PCN 12/F/C/X/T Asphalt-Concret	380339.36N1382436.21E 125FT	THR ELEV: 97FT	
28 277.33°		890×25	PCN 12/F/C/X/T Asphalt-Concrete	380335.71N1382512.43E 125FT	THR ELEV: 53FT	
			Strip	RESA (Overrun)		
Slope	of RWY	Dime	ensions(M)	Dimensions(M)	Remarks	
7	7		10	11	14	
See RJSD AD2.24 AD Chart			010×60	Nil	RWY grooving:890×25m	
			010×60	210 × 60		

RJSD AD 2.13 DECLARED DISTANCES

RWY	TORA	TODA	ASDA	LDA	Remarks
Designator	(m)	(m)	(m)	(m)	
1	2	3	4	5	6
10	890	890	890	890	Nil
28	890	890	890	890	Nil

RJSD AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	RTHL Color WBAR	PAPI (VASIS) Angle DIST FM THR MEHT	RTZL LEN	RCLL LEN Spacing Color INTST	REDL LEN Spacing Color INTST	RENL Color WBAR	STWL LEN Color
1	2	3	4	5	6	7	8	9
10	Nil	Nil	PAPI(*1) 4.5°/Left 79.4m 18ft	Nil	Nil	Nil	Nil	Nil
28	Nil	Nil	PAPI 3.0°/Left 90.5m 18ft	Nil	Nil	Nil	Nil	Nil
				Remarks				
				10				
PAPI for RWY RWY THR ID			5NM(*1) R(Color:White)					-

RJSD AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	Nil
	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and center line lighting	Nil
4	Secondary power supply/ switch-over time	Within 15sec:PAPI,RWY THR ID LGT
5	Remarks	Nil

RJSD AD 2.16 HELICOPTER LANDING AREA



RJSD AD 2.17 ATS AIRSPACE

Designation and lateral limits	Vertical limits (ft)	Airspace classification	ATS unit call sign Language	Remarks
1	2	3	4	6
Nil				

AIP Japan SADO

RJSD AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
		Ni	il	

RJSD AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks	
1	2	3	4	5	6	7	
				Nil			

RJSD AD 2.20 LOCAL TRAFFIC REGULATIONS

	RJSD AD 2.20 LOCAL TRAFFIC REGULATIONS	
Airport regulations		
	Nil	
2. Taxiing to and from stands		
	Nil	
3. Parking area for small aircra	ft(General aviation)	
	Nil	
4. Parking area for helicopters		
	Nil	
5. Apron - taxiing during winter	conditions	
	Nil	
6. Taxiing - limitations		
	Nil	
7. School and training flights -	technical test flights - use of runways	
	Nil	
8. Helicopter traffic - limitation		
	Nil	

Nil
RJSD AD 2.21 NOISE ABATEMENT PROCEDURES
Nil
RJSD AD 2.22 FLIGHT PROCEDURES
RJSD AD 2.22 FLIGHT PROCEDURES
Nil
RJSD AD 2.23 ADDITIONAL INFORMATION
Nil
RJSD AD 2.24 CHARTS RELATED TO AN AERODROME



