


RJAN / NIIJIMA

AD CHART


CHANGE : WIND SPEED METER, CEILOMETER added.

NIIJIMA AP



REMARKS :
RWY STRENGTH PCR 101/F/C/Y/T
WIDTH & STRENGTH OF TAXIWAY 9m PCR 101/F/C/Y/T
DIMENSION & STRENGTH OF APRON 40m×75m PCR 101/F/C/Y/T

LONGITUDINAL PROFILE OF RWY



INTENTIONALLY LEFT BLANK

STANDARD DEPARTURE CHART - INSTRUMENT

RJAN / NIIJIMA


SID

OSHIMA ONE DEPARTURE

RWY11 : Climb RWY HDG to 3000FT, turn left, via XAC R185 to XAC VORTAC.

RWY29 : Climb RWY HDG to 3000FT, turn right HDG080° to intercept and proceed via XAC R215 to XAC VORTAC.

Note RWY11: 5.0% climb gradient required up to 3000FT due to airspace restrictions only.
RWY29: 5.0% climb gradient required up to 3000FT due to airspace restrictions only.




INTENTIONALLY LEFT BLANK

INSTRUMENT APPROACH CHART

RJAN / NIIJIMA

RNP RWY11



CHANGE:PROC renamed. Requirement for RNP.

INSTRUMENT APPROACH CHART

RJAN / NIIJIMA

RNP RWY29



CHANGE:PROC renamed. Requirement for RNP.

RJAN / NIIJIMA

Visual REP



※図中に標高を示す数字がある場合、単位はメートル(m)である。The unit of measurement used to express elevation is meter(m).

CHANGE : VAR.	Call sign	BRG / DIST from ARP	Remarks
	利島 Toshima	003°T / 9.0NM	宮塚山 Mt. Miyatsuka
	10NM NW	315°T / 10.0NM	海上 Over the sea
	式根島 Shikinejima	227°T / 4.4NM	御釜湾 Mikawa Bay
	10NM SE	135°T / 10.0NM	海上 Over the sea

RJAN / NIIJIMA

Minimum Vectoring Altitude CHART

VAR8°W(2019)



- CENTER : 342210N/1391607E(ARP)
- 342210N/1391607E RADIUS : 30NM
- RADIAL & DISTANCE FM 353312N/1394652E(TOKYO ARP)

CHANGE : VAR.