


## AD CHART

YONAGUNI AIRPORT



## STANDARD DEPARTURE CHART -INSTRUMENT

ROYN / YONAGUNI

SID

TAKZO TWO DEPARTURE

RWY 08 : Climb RWY HDG until 3NM from RWY end/YNE 2.7DME, turn left,...

RWY 26 : Climb RWY HDG until 700FT, turn right,...

...climb via YNE R022 to TAKZO.

Note RWY08 : 6.7% climb gradient required up to 700FT.

OBST ALT 89FT located at 0.1NM 126° FM end of RWY08.

RWY26 : No turn before DER.

In case of climbing with 9.0 % gradient up to 900FT, another TKOF WX MINIMA is applicable.

OBST ALT 358FT located at 0.6NM 236° FM end of RWY26,

OBST ALT 912FT located at 2.1NM 115° FM end of RWY26.

ABASA TWO DEPARTURE

RWY 08 : Climb RWY HDG until 3NM from RWY end/YNE 2.7DME, turn right,...

RWY 26 : Climb RWY HDG until 700FT, turn right,...

...climb via YNE R101 to ABASA.

Note RWY08 : 6.7% climb gradient required up to 700FT.

OBST ALT 89FT located at 0.1NM 126° FM end of RWY08.

RWY26 : No turn before DER.

In case of climbing with 9.0 % gradient up to 900FT, another TKOF WX MINIMA is applicable.

OBST ALT 358FT located at 0.6NM 236° FM end of RWY26,

OBST ALT 912FT located at 2.1NM 115° FM end of RWY26.



CHANGE : PROC renamed. Radial FM YNE. Note RWY08 added. OBST chart added.

STANDARD DEPARTURE CHART -INSTRUMENT

ROYN / YONAGUNI

RNAV SID



CHANGE : New PROC

## STANDARD DEPARTURE CHART -INSTRUMENT

ROYN / YONAGUNI

RNAV SID

AYAKA ONE DEPARTURE

## RWY08

| Serial Number | Path Descriptor | Waypoint Identifier | Fly Over | Course °M(°T)  | Magnetic Variation | Distance (NM) | Turn Direction | Altitude (FT) | Speed (KIAS) | Vertical Angle | Navigation Specification |
|---------------|-----------------|---------------------|----------|----------------|--------------------|---------------|----------------|---------------|--------------|----------------|--------------------------|
| 001           | VA              | —                   | —        | 080<br>(075.2) | -4.6               | —             | —              | +700          | —            | —              | Basic RNP1               |
| 002           | DF              | AYAKA               | —        | —              | -4.6               | —             | R              | —             | —            | —              | Basic RNP1               |

## RWY26

| Serial Number | Path Descriptor | Waypoint Identifier | Fly Over | Course °M(°T)  | Magnetic Variation | Distance (NM) | Turn Direction | Altitude (FT) | Speed (KIAS) | Vertical Angle | Navigation Specification |
|---------------|-----------------|---------------------|----------|----------------|--------------------|---------------|----------------|---------------|--------------|----------------|--------------------------|
| 001           | VA              | —                   | —        | 260<br>(255.2) | -4.6               | —             | —              | +600          | —            | —              | Basic RNP1               |
| 002           | DF              | YN600               | —        | —              | -4.6               | —             | R              | —             | —            | —              | Basic RNP1               |
| 003           | TF              | AYAKA               | —        | 111<br>(106.1) | -4.6               | 36.3          | —              | —             | —            | —              | Basic RNP1               |

CHANGE : New PROC

STANDARD ARRIVAL CHART-INSTRUMENT

ROYN / YONAGUNI

RNAV STAR RWY26



CHANGE : New PROC

**INTENTIONALLY LEFT BLANK**

## ROYN / YONAGUNI

LOC RWY26

**MISSED APPROACH**

Turn right, climb to 3000FT via YNE R046, via YNE 10.0DME clockwise ARC to intercept and proceed via YNE R101 to ABASA and hold.

Contact YONAGUNI RADIO.

Timing not authorized for defining the MAPt.

|            | 2.2 | 2.8 | 7.2 | 12.6 |
|------------|-----|-----|-----|------|
| DME to IYN | 2.2 | 2.8 | 7.2 | 12.6 |
| NM to THR  | 0   | 1.0 | 1.6 | 6.0  |

CHANGE : ATC call sign.


|                                     |           |              |            |             |      |
|-------------------------------------|-----------|--------------|------------|-------------|------|
| Missed APCH climb gradient MNM 5.0% |           |              |            |             |      |
| MINIMA                              |           | THR elev. 42 |            | AD elev. 49 |      |
| CAT                                 |           |              | CIRCLING   |             |      |
|                                     | MDA(H)    | CMV          | MDA(H)     | VIS         |      |
| A                                   | 570 (521) | 1000         | 1020 (971) | 1600        |      |
| B                                   |           | 1200         |            |             |      |
| C                                   |           |              |            | 1600        | 2400 |
| D                                   |           |              |            |             | 3200 |

MINIMA with Missed APCH climb gradient of 2.5% are not established.  
Circling to **NORTH** side of RWY only.

INSTRUMENT APPROACH CHART

ROYN / YONAGUNI


VOR RWY26



**MISSED APPROACH**

Turn right, climb to 3000FT via HDG 131° to intercept and proceed via YNE R101 to ABASA and hold.  
Contact YONAGUNI RADIO.

Timing not authorized for defining the MAPt.



Missed APCH climb gradient MNM 5.0%

| MINIMA |           | THR elev. 42 | AD elev. 49 |      |
|--------|-----------|--------------|-------------|------|
| CAT    |           |              | CIRCLING    |      |
|        | MDA(H)    | CMV          | MDA(H)      | VIS  |
| A      | 880 (831) | 1200         | 1020 (971)  | 1600 |
| B      |           | 1400         |             | 2400 |
| C      |           | 1800         |             | 3200 |
| D      |           |              |             |      |

MINIMA with Missed APCH climb gradient of 2.5% are not established.  
Circling to NORTH side of RWY only.


CHANGE : ATC call sign.



INSTRUMENT APPROACH CHART

ROYN/YONAGUNI

RNAV(GNSS) RWY26




CHANGE : VDP. MINIMA(DA(H), MDA(H) for LNAV). ATC call sign. Sensor for RNAV.

**INTENTIONALLY LEFT BLANK**

ROYN / YONAGUNI

Visual REP



| Call sign | BRG / DIST from ARP | Remarks            |
|-----------|---------------------|--------------------|
| 10NM EAST | 090°/10NM           | 海上<br>Over the sea |

ROYN / YONAGUNI

Minimum Vectoring Altitude CHART

