

AD 2 AERODROMES

RORA AD 2.1 AERODROME LOCATION INDICATOR AND NAME

RORA - AGUNI

RORA AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

| | | |
|---|--|--|
| 1 | ARP coordinates and site at AD | 263534N 1271425E 004°/400m from RWY 01 THR |
| 2 | Direction and distance from (city) | |
| 3 | Elevation/ Reference temperature | 38ft / 32°C(2004-2008) |
| 4 | Geoid undulation at AD ELEV PSN | 108ft |
| 5 | MAG VAR/ Annual change | 5°W (2009) / 3.2°W |
| 6 | AD Administration, address, telephone, telefax, telex, AFS, e-mail and/or Web-site addresses | Okinawa Pref. Public AP. 4550 Aza Hama Aguni-son Shimajiri-gun Okinawa Tel 098-988-2313 Fax 098-988-2481 |
| 7 | Types of traffic permitted(IFR/ VFR) | VFR |
| 8 | Remarks | Nil |

RORA AD 2.3 OPERATIONAL HOURS

| | | |
|----|---------------------------|---|
| 1 | AD Administration | 2300 - 0900 |
| 2 | Customs and immigration | On request Customs: 098-862-8529 Immigration: 098-832-4185 |
| 3 | Health and sanitation | Quarantine(human): On request(098-868-1674) Quarantine(animal, plant): Nil |
| 4 | AIS Briefing Office | Nil |
| 5 | ATS Reporting Office(ARO) | Nil |
| 6 | MET Briefing Office | Nil |
| 7 | ATS | Nil |
| 8 | Fuelling | Nil |
| 9 | Handling | Ask AD administration |
| 10 | Security | Ask AD administration |
| 11 | De-icing | Nil |
| 12 | Remarks | Nil |

RORA AD 2.4 HANDLING SERVICES AND FACILITIES

| | | |
|---|---|-----|
| 1 | Cargo-handling facilities | Nil |
| 2 | Fuel/ oil types | Nil |
| 3 | Fuelling facilities/ capacity | Nil |
| 4 | De-icing facilities | Nil |
| 5 | Hangar space for visiting aircraft | Nil |
| 6 | Repair facilities for visiting aircraft | Nil |
| 7 | Remarks | Nil |

RORA AD 2.5 PASSENGER FACILITIES

| | | |
|---|----------------------|--|
| 1 | Hotels | Hotels in Aguni village |
| 2 | Restaurants | In Aguni village |
| 3 | Transportation | Nil |
| 4 | Medical facilities | Clinic 2km from airport |
| 5 | Bank and Post Office | Bank in Aguni village / Post Office in Aguni village |
| 6 | Tourist Office | Nil |
| 7 | Remarks | Nil |

RORA AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

| | | |
|---|---|----------------------------------|
| 1 | AD category for fire fighting | CAT 3 |
| 2 | Rescue equipment | Chemical fire fighting truck x 1 |
| 3 | Capability for removal of disabled aircraft | Incapable |
| 4 | Remarks | Nil |

RORA AD 2.7 SEASONAL AVAILABILITY-CLEARING

| | | |
|---|-----------------------------|----------------|
| 1 | Types of clearing equipment | Not Applicable |
| 2 | Clearance priorities | Not Applicable |
| 3 | Remarks | Nil |

RORA AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

| | | |
|---|-------------------------------------|---|
| 1 | Apron surface and strength | Surface : Asphalt-concrete Strength : AUW 5700kg/0.28Mpa |
| 2 | Taxiway width, surface and strength | Width : 9m Surface : Asphalt-concrete Strength : AUW 5700kg/0.28Mpa |
| 3 | ACL and elevation | Not available |
| 4 | VOR checkpoints | Not available |
| 5 | INS checkpoints | (Spot NR) 1: 263534.79N 1271422.87E 2: 263533.89N 1271422.78E |
| 6 | Remarks | Nil |

RORA AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

| | | |
|---|--|--|
| 1 | Use of aircraft stand ID signs, TWY guide lines and Visual docking/ parking guidance system of aircraft stands | Nil |
| 2 | RWY and TWY markings and LGT | RWY:01/19 (Marking) RWY designation, RWY CL, RWY side stripe, RWY middle point, RWY THR, Aiming point TWY: (Marking)TWY CL, TWY side stripe |
| 3 | Stop bars | Nil |
| 4 | Remarks | (Marking) Overrun area |

RORA AD 2.10 AERODROME OBSTACLES

- In Area2 Nil
- In Area3 To be developed

RORA AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

| | | |
|----|--|-----|
| 1 | Associated MET Office | Nil |
| 2 | Hours of service MET Office outside hours | Nil |
| 3 | Office responsible for TAF preparation Periods of validity | Nil |
| 4 | Trend forecast Interval of issuance | Nil |
| 5 | Briefing/ consultation provided | Nil |
| 6 | Flight documentation Language(s) used | Nil |
| 7 | Charts and other information available for briefing or consultation | Nil |
| 8 | Supplementary equipment available for providing information | Nil |
| 9 | ATS units provided with information | Nil |
| 10 | Additional information(limitation of service, etc.) | Nil |

RORA AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations RWY NR | TRUE BRG | Dimensions of RWY(M) | Strength(PCN) and surface of RWY | THR coordinates THR geoid undulation | THR elevation and highest elevation of TDZ of precision APP RWY |
|------------------------|-------------|-------------------------|--|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 01 | 004.88° | 800x25 | AUW 5700kg /0.28MPa Asphalt-concret | 263521.01N 1271424.02E 108ft | THR ELEV: 44ft |
| 19 | 184.88° | 800x25 | AUW 5700kg /0.28MPa Asphalt-concrete | 263546.91N 1271426.48E 108ft | THR ELEV: 26ft |
| Slope of RWY | | Strip Dimensions(M) | RESA (Overrun) Dimensions(M) | | Remarks |
| 7 | | 10 | 11 | | 14 |
| See AD2.24 AD chart | | 920x60 | 50 × 80 | | Nil |
| | | 920x60 | 50 × 80 | | |

RORA AD 2.13 DECLARED DISTANCES

| RWY Designator | TORA (m) | TODA (m) | ASDA (m) | LDA (m) | Remarks |
|----------------|-------------|-------------|-------------|------------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 01 | 800 | 800 | 800 | 800 | Nil |
| 19 | 800 | 800 | 800 | 800 | Nil |

RORA AD 2.14 APPROACH AND RUNWAY LIGHTING

| RWY Designator | APCH LGT type LEN INTST | RTHL Color WBAR | PAPI (VASIS) Angle DIST FM THR MEHT | RTZL LEN | RCLL LEN Spacing Color INTST | REDL LEN Spacing Color INTST | RENL Color WBAR | STWL LEN Color |
|--|-------------------------------------|-----------------------|--|-------------|--|--|-----------------------|----------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 01 | Nil | Nil | PAPI 3.0°/Left 183.7m 28ft | Nil | Nil | Nil | Nil | Nil |
| 19 | Nil | Nil | PAPI 3.0°/Left 142.7m 28ft | Nil | Nil | Nil | Nil | Nil |
| Remarks | | | | | | | | |
| 10 | | | | | | | | |
| RWY THR ID LGT for RWY 01/19 THR (Color:White) | | | | | | | | |

RORA AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

| | | |
|---|--|-------------------------|
| 1 | ABN/IBN location, characteristics and hours of operation | Nil |
| 2 | LDI location and LGT Anemometer location and LGT | Nil |
| 3 | TWY edge and center line lighting | Nil |
| 4 | Secondary power supply / switch-over time | ALL LGT / Within 15 sec |
| 5 | Remarks | Nil |

RORA AD 2.16 HELICOPTER LANDING AREA

| |
|-----|
| Nil |
|-----|

RORA AD 2.17 ATS AIRSPACE

| Designation and lateral limits | Vertical limits (ft) | Airspace classification | ATS unit call sign Language | Remarks |
|--------------------------------|----------------------|-------------------------|-----------------------------|---------|
| 1 | 2 | 3 | 4 | 6 |
| Nil | | | | |

RORA AD 2.18 ATS COMMUNICATION FACILITIES

| Service designation | Call sign | Frequency | Hours of operation | Remarks |
|---------------------|-----------|-----------|--------------------|---------|
| 1 | 2 | 3 | 4 | 5 |
| Nil | | | | |

RORA AD 2.19 RADIO NAVIGATION AND LANDING AIDS

| Type of aid | ID | Frequency | Hours of operation | Position of transmitting antenna coordinates | Elevation of DME transmitting antenna | Remarks |
|-------------|----|-----------|--------------------|--|---------------------------------------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| Nil | | | | | | |

RORA AD 2.20 LOCAL TRAFFIC REGULATIONS

1. Airport regulations

| |
|-----|
| Nil |
|-----|

2. Taxiing to and from stands

| |
|-----|
| Nil |
|-----|

3. Parking area for small aircraft(General aviation)

| |
|-----|
| Nil |
|-----|

4. Parking area for helicopters

| |
|-----|
| Nil |
|-----|

5. Apron - taxiing during winter conditions

| |
|-----|
| Nil |
|-----|

6. Taxiing - limitations

| |
|-----|
| Nil |
|-----|

7. School and training flights - technical test flights - use of runways

| |
|-----|
| Nil |
|-----|

8. Helicopter traffic - limitation

| |
|-----|
| Nil |
|-----|

9. Removal of disabled aircraft from runways

| |
|-----|
| Nil |
|-----|

RORA AD 2.21 NOISE ABATEMENT PROCEDURES

| |
|-----|
| Nil |
|-----|

RORA AD 2.22 FLIGHT PROCEDURES

Nil

RORA AD 2.23 ADDITIONAL INFORMATION

Nil

RORA AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome/Heliport Chart

Other Chart (LDG CHART)

RORA / AGUNI

AD CHART



INTENTIONALLY LEFT BLANK

RORA / AGUNI

LDG CHART

