

STANDARD DEPARTURE CHART -INSTRUMENT

RJSH / HACHINOHE

SID

HACHINOHE THREE DEPARTURE

RWY07 : Climb via HVT R070 to 1000FT within HVT 8DME, turn right, ...

RWY25 : Climb via HVT R250 to 1000FT within HVT 8DME, turn left, ...


... direct to HVT, cross HVT at or above 3000FT.

HACHINOHE REVERSAL TWO DEPARTURE

RWY07 : Turn right, ...

RWY25 : Turn left, ...

... climb via HVT R190 until reaching at or above 1/2 of assigned altitude, turn right, direct to HVT within HVT 15DME, cross HVT at assigned altitude.




CHANGE : PROC renamed. NDB(JC) abolished.

**INTENTIONALLY LEFT BLANK**

INSTRUMENT APPROACH CHART


RJSH / HACHINOHE

ILS Z or LOC Z RWY25



MISSED APPROACH

Climb to 3000FT via HVT R250 to  
HVT 10.0DME and hold.  
Contact MISAWA APP.




CHANGE : ALT restriction at FAF established.

| MINIMA |           | THR elev. 97 |           | AD elev. 152 |           |      |
|--------|-----------|--------------|-----------|--------------|-----------|------|
| CAT    | CAT I     |              | LOC       |              | CIRCLING  |      |
|        | DA(H)     | RVR/<br>CMV  | MDA(H)    | RVR/<br>CMV  | MDA(H)    | VIS  |
| A      | 320 (223) | 750          | 460 (363) | 1200         | 580 (428) | 1600 |
| B      |           |              |           | 1300         | 660 (508) |      |
| C      |           |              |           | 1400         | 740 (588) | 2400 |
| D      |           |              |           | 1600         |           | 3200 |

## INSTRUMENT APPROACH CHART


RJSH / HACHINOHE

ILS Y or LOC Y RWY25



## MISSED APPROACH

Climb to 3000FT via HVT R250 to  
HVT 10.0DME and hold.  
Contact MISAWA APP.



MINIMA

THR elev. 97

AD elev. 152

| CAT | CAT I     |         | LOC       |         | CIRCLING  |      |
|-----|-----------|---------|-----------|---------|-----------|------|
|     | DA(H)     | RVR/CMV | MDA(H)    | RVR/CMV | MDA(H)    | VIS  |
| A   | 320 (223) | 750     | 460 (363) | 1200    | 580 (428) | 1600 |
| B   |           |         |           | 1300    | 660 (508) |      |
| C   |           |         |           | 1400    | 740 (588) | 2400 |
| D   |           |         |           | 1600    |           | 3200 |

CHANGE : ALT restriction at FAF established.


INSTRUMENT APPROACH CHART

RJSH / HACHINOHE

TACAN RWY25



**INTENTIONALLY LEFT BLANK**



**INTENTIONALLY LEFT BLANK**