


RJTC / TACHIKAWA

AD CHART



INTENTIONALLY LEFT BLANK

STANDARD DEPARTURE CHART-INSTRUMENT

RJTC/TACHIKAWA

SID

EDARR ONE DEPARTURE

RWY01 : Climb RWY HDG to 800FT, turn right HDG197°...


RWY19 : Climb RWY HDG to 900FT, turn left...

...to intercept and proceed via TNT R152 to EDARR.

Cross EDARR at assigned altitude.

Note RWY01/19 : 5.0% climb gradient required up to 3000FT due to noise abatement.

CHANGE : New PROC.



STANDARD DEPARTURE CHART-INSTRUMENT

RJTC/TACHIKAWA

SID

OMIYA ONE DEPARTURE


RWY01 : Climb RWY HDG to 800FT, turn right...

RWY19 : Climb RWY HDG to 900FT, turn left HDG 001°...


...to intercept and proceed via TNT R046 to OMIYA.

Cross OMIYA at assigned altitude.

Note RWY01/19 : 5.0% climb gradient required up to 3000FT due to noise abatement.



INSTRUMENT APPROACH CHART




INSTRUMENT APPROACH CHART


RJTC/TACHIKAWA

TACAN A

YOKOTA APP 123.8 - 118.3 261.4 - 270.6	TACHIKAWA TACAN 1192 TNT CH-105X 35°43'00"N 139°23'58"E	TACHIKAWA TOWER 118.85 - 126.2 298.8 - 236.8	RADAR AVAILABLE CALL YOKOTA APP
--	--	--	---------------------------------------



TAVAX (FAF) : 354317.56N/1392738.17E



			DME to TNT	3.0	8.0
MINIMA		AD elev.313			
CAT	CIRCLING				
	MDA(H)	VIS			
A	990(677)	1600			
B					

CHANGE : New PROC.