

STANDARD DEPARTURE CHART -INSTRUMENT

RJSH / HACHINOHE

SID

HACHINOHE THREE DEPARTURE

RWY07 : Climb via HVT R070 to 1000FT within HVT 8DME, turn right, ...

RWY25 : Climb via HVT R250 to 1000FT within HVT 8DME, turn left, ...


... direct to HVT, cross HVT at or above 3000FT.

HACHINOHE REVERSAL TWO DEPARTURE

RWY07 : Turn right, ...

RWY25 : Turn left, ...

... climb via HVT R190 until reaching at or above 1/2 of assigned altitude, turn right, direct to HVT within HVT 15DME, cross HVT at assigned altitude.




CHANGE : PROC renamed. NDB(JC) abolished.

INTENTIONALLY LEFT BLANK

INSTRUMENT APPROACH CHART


RJSH / HACHINOHE

ILS Z or LOC Z RWY25



MISSED APPROACH

Climb to 3000FT via HVT R250 to
HVT 10.0DME and hold.
Contact MISAWA APP.




CHANGE : ALT restriction at FAF established.

| MINIMA | | THR elev. 97 | | AD elev. 152 | | |
|--------|-----------|--------------|-----------|--------------|-----------|------|
| CAT | CAT I | | LOC | | CIRCLING | |
| | DA(H) | RVR/ CMV | MDA(H) | RVR/ CMV | MDA(H) | VIS |
| A | 320 (223) | 750 | 460 (363) | 1200 | 580 (428) | 1600 |
| B | | | | 1300 | 660 (508) | |
| C | | | | 1400 | 740 (588) | 2400 |
| D | | | | 1600 | | 3200 |

INSTRUMENT APPROACH CHART


RJSH / HACHINOHE

ILS Y or LOC Y RWY25



MISSED APPROACH

Climb to 3000FT via HVT R250 to
HVT 10.0DME and hold.
Contact MISAWA APP.



MINIMA

THR elev. 97

AD elev. 152

| CAT | CAT I | | LOC | | CIRCLING | |
|-----|-----------|---------|-----------|---------|-----------|------|
| | DA(H) | RVR/CMV | MDA(H) | RVR/CMV | MDA(H) | VIS |
| A | 320 (223) | 750 | 460 (363) | 1200 | 580 (428) | 1600 |
| B | | | | 1300 | 660 (508) | |
| C | | | | 1400 | 740 (588) | 2400 |
| D | | | | 1600 | | 3200 |

CHANGE : ALT restriction at FAF established.


INSTRUMENT APPROACH CHART

RJSH / HACHINOHE

TACAN RWY25



INTENTIONALLY LEFT BLANK



INTENTIONALLY LEFT BLANK