#### **AD 2 AERODROMES**

# **RORH AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

# **RORH - HATERUMA**

#### RORH AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	240330N/1234814E 021°/0.4km from RWY 03 THR
2	Direction and distance from (city)	
3	Elevation/ Reference temperature	43ft / 32°C(2004-2008)
4	Geoid undulation at AD ELEV PSN	76ft
5	MAG VAR/ Annual change	5°W(2024) / 6'W
6	AD Administration, address, telephone, telefax, telex, AFS, e-mail and/or Web-site addresses	OKINAWA PREF. PUBLIC AP. 4566-27, Aza-Hateruma, Taketomi-cho, Yaeyama-gun, Okinawa Pref. TEL:0980-85-8375 FAX:0980-85-8113 E-MAIL:hatekuko@joy.ocn.ne.jp
7	Types of traffic permitted(IFR/VFR)	VFR
8	Remarks	Nil

# **RORH AD 2.3 OPERATIONAL HOURS**

1	AD Administration	2300 - 0900
2	Customs and immigration	On request Customs: 0980-82-4519 Immigration: 0980-82-2333
3	Health and sanitation	Quarantine (human): On request (0980-82-4940) Quarantine (animal, plant): Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office(ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	Nil
8	Fuelling	Nil
9	Handling	Ask AD Administration
10	Security	Ask AD Administration
11	De-icing	Nil
12	Remarks	Nil

# **RORH AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo-handling facilities	Nil
2	Fuel/ oil types	Nil
3	Fuelling facilities/ capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

#### **RORH AD 2.5 PASSENGER FACILITIES**

1	Hotels	Nil
2	Restaurants	Nil
3	Transportation	Nil
4	Medical facilities	Clinic 3km from airport
5	Bank and Post Office	Nil
6	Tourist Office	Nil
7	Remarks	Nil

#### **RORH AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

1	AD category for fire fighting	CAT 3
2	Rescue equipment	Chemical fire fighting truck x 1
3	Capability for removal of disabled aircraft	Incapable
4	Remarks	Nil

#### **RORH AD 2.7 SEASONAL AVAILABILITY-CLEARING**

	1	1 Types of clearing equipment Not Applicable				
	2	Clearance priorities	Not Applicable			
Ī	3	Remarks	Nil			

# **RORH AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

1	Apron surface and strength	Surface : Asphalt-concrete, Strength : AUW 5700kg/0.28MPa
2	Taxiway width, surface and strength	Width: 9m Surface: Asphalt-concrete Strength: AUW 5700kg/0.28MPa
3	ACL and elevation	Not available
4	VOR checkpoints	Not available
5	INS checkpoints	Not available
6	Remarks	Nil

#### RORH AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and Visual dock- ing/ parking guidance system of aircraft stands	Nil
2	RWY and TWY markings and LGT	RWY:(RWY03/21) (Marking) RWY designation, RWY CL, Aiming point, RWY middle point, RWY side stripe TWY: (Marking) TWY CL, TWY side stripe
3	Stop bars	Nil
4	Remarks	(Marking) Overrun area

#### **RORH AD 2.10 AERODROME OBSTACLES**

- In Area2 Nil
- In Area3 To be developed

# **RORH AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	Associated MET Office	Nil
2	Hours of service	Nil
	MET Office outside hours	
3	Office responsible for TAF preparation	Nil
	Periods of validity	
4	Trend forecast	Nil
	Interval of issuance	
5	Briefing/ consultation provided	Nil
6	Flight documentation	Nil
	Language(s) used	
7	Charts and other information available	Nil
	for briefing or consultation	
8	Supplementary equipment	Nil
	available for providing information	
9	ATS units provided with information	Nil
10	Additional information(limitation of ser-	Nil
	vice, etc.)	

# **RORH AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

Designations TRUE RWY NR BRG		Dimensions of RWY(M)	Strength(PCN) and surface of RWY	THR coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	1 2 3		4 5		6
03		800×25	AUW	Nil	THR ELEV : 45FT
			5700kg/0.28MPa		
21 8		800×25	Asphalt Concrete	Nil	THR ELEV : 29FT
Slope of	Slope of RWY		RESA (Overrun) Dimensions(M)		Remarks
7		10	11		14
See AD2.24 AD chart		920×60	50 × 80		RWY grooving : 800m × 17m
		920×60	48 × (MNM:41 MAX:80)* *For detail, ask airport administrator		

# **RORH AD 2.13 DECLARED DISTANCES**

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
03	800	800	800	800	Nil
21	800	800	800	800	Nil

#### **RORH AD 2.14 APPROACH AND RUNWAY LIGHTING**

RWY Designator	APCH LGT type LEN INTST	RTHL Color WBAR	PAPI (VASIS) Angle DIST FM THR MEHT	RTZL LEN	RCLL LEN Spacing Color INTST	REDL LEN Spacing Color INTST	RENL Color WBAR	STWL LEN Color
1	2	3	4	5	6	7	8	9
03	Nil	Nil	PAPI 3.0°/LEFT 93.3M 18FT	Nil	Nil	Nil	Nil	Nil
21	Nil	Nil	PAPI 3.0°/LEFT 80.4M 18FT	Nil	Nil	Nil	Nil	Nil
				Remarks				
				10				
RWY THR ID	LGT for RV	VY 03/21 TH	R (Color:White)					

#### **RORH AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	ABN/IBN location, characteristics and hours of operation	Nil
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and center line lighting	Nil
4	Secondary power supply/ switch-over time	Within 15 sec : PAPI, RWY THR ID LGT
5	Remarks	Nil

#### **RORH AD 2.16 HELICOPTER LANDING AREA**

Nil

# **RORH AD 2.17 ATS AIRSPACE**

Designation and lateral limits	Vertical limits (ft)	Airspace classification	ATS unit call sign Language	Remarks
1	2	3	4	6
Nil				

#### **RORH AD 2.18 ATS COMMUNICATION FACILITIES**

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
		N	il	

# **RORH AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

Type of aid	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
				Nil		

# **RORH AD 2.20 LOCAL TRAFFIC REGULATIONS**

1. Airp	port regulations
	Nil
2. Tax	iing to and from stands
	Nil
3. Par	king area for small aircraft(General aviation)
	Nil
4. Par	king area for helicopters
	Nil
5. Apr	on - taxiing during winter conditions
	Nil
6. Tax	iing - limitations
	Nil
7. Sch	nool and training flights - technical test flights - use of runways
	Nil
8. Hel	icopter traffic - limitation
	Nil
9. Rer	moval of disabled aircraft from runways
	Nil

RORH AD 2.21 NOISE ABATEMENT PROCEDURES
Nil
RORH AD 2.22 FLIGHT PROCEDURES
Nil
RORH AD 2.23 ADDITIONAL INFORMATION
Nil
RORH AD 2.24 CHARTS RELATED TO AN AERODROME
Aerodrome/Heliport Chart

