

ROKJ / KUMEJIMA

AD CHART



INTENTIONALLY LEFT BLANK

STANDARD DEPARTURE CHART -INSTRUMENT

ROKJ / KUMEJIMA

SID and TRANSITION

DUFFY TWO DEPARTURE

RWY03 : Turn left....
RWY21 : Turn right....
....Climb via KXC R224 to DUFFY.
Cross DUFFY at or above 5000FT.

BISIS TRANSITION

After DUFFY, turn right KXC 18DME clockwise arc to intercept and proceed via KXC R337 to 25DME, then turn right to intercept via ONC R257 to BISIS.
Cross KXC R337/25DME at or above FL160.

SOUTH THREE DEPARTURE

RWY03 : Turn left....
RWY21 : Turn left....
....Climb via KXC R189 to DORIS.
Cross DORIS at or above 3000FT.



CHANGE : Correction of misdescription (BISIS)

INTENTIONALLY LEFT BLANK

STANDARD ARRIVAL CHART-INSTRUMENT

ROKJ / KUMEJIMA

STAR

DUFFY ARRIVAL

From over BISIS, turn left to intercept and proceed via KXC R-337 to 18DME, then turn right KXC 18DME counterclockwise arc to DUFFY.

Cross DUFFY at or above 5,000ft.

CHANGE : Correction of misdescription (BISIS)




INTENTIONALLY LEFT BLANK

INSTRUMENT APPROACH CHART

ROKJ / KUMEJIMA

VOR RWY 03



CHANGE : Editorial(Description of radial FM KXC).

ROKJ / KUMEJIMA

NAHA APP
119.1 - 335.8

LOC
110.95 IKX
LOC-DME CH-46Y

KUMEJIMA RADIO
122.7
AFIS provided
by Naha Airport Office

RADAR AVBL

VAR 5°W (2008)

MSA 25NM


MISSED APPROACH

At IKX 1.5DME turn left climb via KXC R189 to 3000FT, proceed to DORIS and hold. Contact KUMEJIMA RADIO.

MINIMA		THR elev. 22	AD elev. 23	
CAT			CIRCLING	
	MDA(H)	CMV	MDA(H)	VIS
A	360 (337)	1500	380 (357)	1600
B			480 (457)	
C		1800	2400	
D		2000	3200	

Circling to WEST side of RWY only.

CHANGE : Editorial(Description of radial FM KXC).



ROKJ / KUMEJIMA

Minimum Vectoring Altitude CHART

