


#### RJTY / YOKOTA

# BREEE FOUR DEPARTURE(OBSTACLE)



V

#### DEPARTURE ROUTE DESCRIPTION

<u>TAKE-OFF RWY 18:</u> Climb to 4000, turn right to intercept YOK TACAN R-178 to BREEE. Cross BREEE at or below 11,000. Continue as assigned by ATC.

CHANGE: Update.

# TIMAP FOUR DEPARTURE(OBSTACLE) **RJTY / YOKOTA** ATIS\* 128.4 281.0 CLNC DEL 131.4 279.9 GND CON 133.2 308.6 TOWER★ 134.3 315.8 DEP CON 122.1 363.8 TIMAP 13,000 •5577 YOKOTA Chan 85 YOK TA 14,000 V DEPARTURE ROUTE DESCRIPTION TAKE-OFF RWY 36: Climb to 4000, turn right to intercept YOK TACAN R-003 to TIMAP. Cross TIMAP at or below 13,000. Continue as assigned by ATC. CHANGE: Update.

#### RJTY / YOKOTA **BUSYU ONE DEPARTURE** ATIS ★ 128.4 281.0 Rwy 180 Knots 60 120 240 300 360 CLNC DEL 131.4 279.9 GND CON \* 18 @ V/V(fpm) 360 720 1080 1440 1800 2160 † 18 (b) V/V(fpm) \* 36 (c) V/V(fpm) † 36 (b) V/V(fpm) 2790 465 930 1395 1860 2325 133.2 308.6 766 1149 1915 2298 383 1532 TOWER\* 2856 952 1428 1904 2380 476 134.3 315.8 DEP CON 122.1 363.8 \* Minimum † ATC Climb Rate (a) to 8000 (b) to 13,400 © to 7900 6890 BUSYU 1 **BUSYU** 283° R-283 13,400 YOKOTA Chan 85 YOK TLv FL140 TA 14,000

V

#### DEPARTURE ROUTE DESCRIPTION

<u>TAKE-OFF RWY 18:</u> Climbing right turn to intercept YOK TACAN R-283 to BUSYU. Cross BUSYU at or above 13,400. Maintain ATC assigned altitude.

<u>TAKE-OFF RWY 36:</u> Climbing left turn to intercept YOK TACAN R-283 to BUSYU. Cross BUSYU at or above 13,400. Maintain ATC assigned altitude.

CHANGE: Update.


#### RJTY / YOKOTA

#### FISAB TWO DEPARTURE(RNAV)

ATIS\*128.4 281.0 CLNC DEL 131.4 279.9 GND CON 133.2 308.6 TOWER\* 134.3 315.8 DEP CON 122.1 363.8

TAKE-OFF OBSTACLES:

- (1) RWY 36, building 3043' from DER, 1311' left of centerline, 53' AGL/527' MSL.
- (2) RWY 36, building with antenna 2153' from DER, 1095' right of centerline, 76' AGL/532' MSL.
- (3) RWY 36, misc natural 1583' from DER, 640' left of centerline, 53' AGL/522' MSL.



• 5577

RNAV 1 DME/DME RNP-0.3 NA

# RADAR REQUIRED

(for non-GPS Equipped Aircraft)

# **GPS REQUIRED**

TA 14,000



# DEPARTURE ROUTE DESCRIPTION

<u>TAKE-OFF RWY 36</u>: Climb direct FISAB, then track 005° to TIMAP. Cross TIMAP at or below 13,000 or as assigned by ATC.

CHANGE : Update.

GERGE TWO DEPARTURE(RNAV)

#### STANDARD DEPARTURE CHART - INSTRUMENT


# RJTY / YOKOTA ATIS ★ 128.4 281.0 CLNC DEL 131.4 279.9 GND CON 133.2 308.6

TOWER★

134.3 315.8 DEP CON 122.1 363.8

# TAKE-OFF OSBTACLES:

- TAKE-OFF OSBTACLES:
  (1) RWY 18, terrain within 15' from DER, 500' right of centerline, up to 417'MSL.
  (2) RWY 18, building 3492' from DER, 1415' right of centerline, 90' AGL/512' MSL.
  (3) RWY 18, building 6006' from DER, 1744' right of centerline, 145' AGL/529' MSL.
  (4) RWY 18, pylon 4436' from DER 1410' right of centerline, 100' AGL/492' MSL.
  (5) RWY 18, pylon 4870' from DER 1312' right of centerline, 100' AGL/502' MSL.
  (6) RWY 18, MSL tree 2217' from DER 755' left of centerline, 90' AGL/494' MSL.



5249

RNAV 1 DME/DME RNP-0.3 NA

# RADAR REQUIRED

(for non-GPS Equipped Aircraft)

# **GPS REQUIRED**

TA 14,000




# DEPARTURE ROUTE DESCRIPTION

TAKE-OFF RWY 18: Climb direct GERGE, then track 178° to BREEE. Cross BREEE at or below 11,000.

CHANGE: Update.



#### RJTY / YOKOTA



**NOTE: REPRINTING DOD FLIP** 

