

## AD 2 AERODROMES

## RJDK AD 2.1 AERODROME LOCATION INDICATOR AND NAME

## RJDK - KAMIGOTO

## RJDK AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	330049N 1291133E APRX 300m SE of AP administration office
2	Direction and distance from (city)	APRX 8km NE of Kamigoto town office
3	Elevation/ Reference temperature	263ft / 32°C (2003-2007)
4	Geoid undulation at AD ELEV PSN	101ft
5	MAG VAR/ Annual change	7°W(2009) / 2.7°W
6	AD Administration, address, telephone, telefax, telex, AFS, e-mail and/or Web-site addresses	Kamigoto Airport Administration Office, Nagasaki Prefectural Government 744-I Tomozumi-go, Shinkaigotou-cho, Minamimatsuura-gun, Nagasaki, 857-4102 JAPAN Tel: 0959-42-8844 e-mail: kuukou@town.shinkamigoto.nagasaki.jp
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	Nil

## RJDK AD 2.3 OPERATIONAL HOURS

1	AD Administration	0100 - 0700
2	Customs and immigration	On request Customs: 095-828-8641 Immigration: 095-822-5289
3	Health and sanitation	Quarantine(human): On request(095-826-8081) Quarantine(animal, plant): Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office(ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	Nil
8	Fuelling	Nil
9	Handling	Nil
10	Security	0100 - 0700
11	De-icing	Nil
12	Remarks	Nil

**RJDK AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo-handling facilities	Nil
2	Fuel/ oil types	Nil
3	Fuelling facilities/ capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

**RJDK AD 2.5 PASSENGER FACILITIES**

1	Hotels	in Shinkamigoto town 12km
2	Restaurants	in Shinkamigoto town 12km
3	Transportation	Taxis
4	Medical facilities	in Shinkamigoto town 12km
5	Bank and Post Office	in Shinkamigoto town 12km
6	Tourist Office	in Shinkamigoto town 12km
7	Remarks	Nil

**RJDK AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

1	AD category for fire fighting	CAT 1
2	Rescue equipment	Chemical fire fighting truck X 1
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

**RJDK AD 2.7 SEASONAL AVAILABILITY-CLEARING**

1	Types of clearing equipment	Not AVBL
2	Clearance priorities	Nil
3	Remarks	Nil

**RJDK AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

1	Apron surface and strength	Surface: Asphalt    Strength: AUW5700kg/0.28MPa
2	Taxiway width, surface and strength	Width: 9m Surface: Asphalt    Strength: AUW5700kg/0.28MPa
3	ACL and elevation	Not available
4	VOR checkpoints	Not available
5	INS checkpoints	Spot NR 1: 330039.62N 1291131.52E 2: 330040.48N 1291131.30E 3: 330041.37N 1291131.07E
6	Remarks	Nil

**RJDK AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guide lines and Visual docking/ parking guidance system of aircraft stands	Nil
2	RWY and TWY markings and LGT	RWY: RWY 17/35 (Marking) RWY designation, RWY CL, RWY THR, RWY middle point, Aiming point, RWY side stripe  TWY: (Marking) TWY CL, TWY side stripe
3	Stop bars	Nil
4	Remarks	(Marking) Overrun area

**RJDK AD 2.10 AERODROME OBSTACLES**

RWY/Area affected	Obstacle type	Coordinates	Elevation	Markings/ LGT	Remarks
Nil					

**RJDK AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	Associated MET Office	Nil
2	Hours of service MET Office outside hours	Nil
3	Office responsible for TAF preparation Periods of validity	Nil
4	Trend forecast interval of issuance	Nil
5	Briefing/ consultation provided	Nil
6	Flight documentation Language(s) used	Nil
7	Charts and other information available for briefing or consultation	Nil
8	Supplementary equipment available for providing information	Nil
9	ATS units provided with information	Nil
10	Additional information (limitation of service, etc.)	Nil

**RJDK AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

Designations RWY NR	TRUE BRG	Dimensions of RWY(M)	Strength(PCN) and surface of RWY	THR coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
17	167.81°	800 × 25	AUW	330101.64N1291129.35E	THR ELEV:251FT
35	347.81°	800 × 25	5700kg/0.28MPa Asphalt Concrete	351ft 330036.26N1291135.85E 377ft	THR ELEV:277FT
Slope of RWY		Strip Dimensions(M)		RESA (Overrun) Dimensions(M)	Remarks
7		10		11	14
See AD2.24 AD Chart		920x60		40 × 60	Nil
		920x60		40 × 60	

**RJDK AD 2.13 DECLARED DISTANCES**

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
17	800	800	800	800	Nil
35	800	800	800	800	Nil

## RJDK AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	RTHL Color WBAR	PAPI (VASIS) Angle DIST FM THR MEHT	RTZL LEN	RCLL LEN Spacing Color INTST	REDL LEN Spacing Color INTST	RENL Color WBAR	STWL LEN Color
1	2	3	4	5	6	7	8	9
17	Nil	Nil	PAPI 3.0° / LEFT 89m 18FT	Nil	Nil	Nil	Nil	Nil
35	Nil	Nil	PAPI 3.0° /LEFT 129m 18FT	Nil	Nil	Nil	Nil	Nil
Remarks								
10								
RWY THR ID LGT for RWY 17/35 THR (Color: White)								

## RJDK AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	Nil
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and center line lighting	Nil
4	Secondary power supply/ switch-over time	Within 15 sec : All lights
5	Remarks	Nil

## RJDK AD 2.16 HELICOPTER LANDING AREA

Nil
-----

## RJDK AD 2.17 ATS AIRSPACE

Designation and lateral limits	Vertical limits (ft)	Airspace classification	ATS unit call sign Language	Remarks
1	2	3	4	6
Nil				

**RJDK AD 2.18 ATS COMMUNICATION FACILITIES**

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
Nil				

**RJDK AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

Type of aid	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
Nil						

**RJDK AD 2.20 LOCAL TRAFFIC REGULATIONS**

## 1. Airport regulations

Aircraft operations other than scheduled flights or in an emergency  
On use of KAMIGOTO airport, aircraft operator is required to obtain the permission of airport authority.

## 2. Taxiing to and from stands

Nil

## 3. Parking area for small aircraft(General aviation)

Nil

## 4. Parking area for helicopters

Nil

## 5. Apron - taxiing during winter conditions

Nil

## 6. Taxiing - limitations

Nil

## 7. School and training flights - technical test flights - use of runways

Nil

## 8. Helicopter traffic - limitation

Nil

## 9. Removal of disabled aircraft from runways

Nil

---

**RJDK AD 2.21 NOISE ABATEMENT PROCEDURES**

Nil
-----

**RJDK AD 2.22 FLIGHT PROCEDURES**

Nil
-----

**RJDK AD 2.23 ADDITIONAL INFORMATION**

Nil
-----

**RJDK AD 2.24 CHARTS RELATED TO AN AERODROME**

Aerodrome/Heliport Chart
--------------------------

**INTENTIONALLY LEFT BLANK**



RJDK / KAMIGOTO

AD CHART

