




STANDARD DEPARTURE CHART - INSTRUMENT

RJDA / AMAKUSA

SID

AMAKUSA REVERSAL THREE DEPARTURE

RWY13 : Climb RWY HDG to 800FT, turn left HDG051°...

RWY31 : Climb on HDG322° to 1100FT, turn right HDG141°...

... to intercept and proceed via AKE R096 to 4000FT, turn right, direct to AKE VOR/DME.


Note RWY13 : 5.0% climb gradient required up to 1200FT.

OBST ALT 1994FT located at 9.0NM 098° FM end of RWY13.

RWY31 : 6.0% climb gradient required up to 1100FT.

OBST ALT 591FT located at 0.8NM 294° FM end of RWY31.

CHANGE : Description of PROC name.



RJDA / AMAKUSA

HABOH FOUR DEPARTURE
NORTH TRANSITION
EAST TRANSITION

RNP1

The map displays the Hainan Strait and surrounding landmasses. Key locations include HONOK, OSTEP, OMUTA, MISMI, FUGEN, HABOH, and HOBOK. The flight path is marked with a line connecting these points. A scale bar at the bottom left shows distances in KM (0 to 20) and NM (0 to 12). A legend on the right indicates contour intervals (4000, 3000, 2000, 1000) and AD elev. 340. A box labeled 'VAR 8°W' is present in the top left corner.

Note RWY13 : 3.5% climb gradient required up to 800FT.
OBST ALT 919FT located at 4.2NM 126° FM end of RWY13.
RWY31 : 6.1% climb gradient required up to 1400FT.
OBST ALT 591FT located at 0.8NM 293° FM end of RWY31.

From FUGEN, to OMUTA at or above 8000FT, to OSTEP, to HONOK.

From FUGEN, to MISMI.

20/2/25

CHANGE : PROC renamed. ALT restriction at HABOH. PROC course(OSTEP, HONOK). Waypoint Coordinates added.

RNAV SID and TRANSITION

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	-	-	132 (124.7)	-7.7	-	-	+800	-	-	RNP1
002	DF	HABOH	-	-	-7.7	-	L	-6000	-	-	RNP1
003	TF	FUGEN	-	066 (058.0)	-7.7	7.5	-	-	-	-	RNP1

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	-	-	312 (304.7)	-7.7	-	-	+1400	-	-	RNP1
002	DF	HABOH	-	-	-7.7	-	R	-6000	-	-	RNP1
003	TF	FUGEN	-	066 (058.0)	-7.7	7.5	-	-	-	-	RNP1

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	IF	FUGEN	-	-	-7.7	-	-	-	-	-	RNP1
002	TF	OMUTA	-	003 (355.2)	-7.7	24.3	-	+8000	-	-	RNP1
003	TF	OSTEP	-	003 (355.3)	-7.7	5.0	-	-	-	-	RNP1
004	TF	HONOK	-	333 (324.9)	-7.7	14.2	-	-	-	-	RNP1


Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	IF	FUGEN	-	-	-7.7	-	-	-	-	-	RNP1
002	TF	MISMI	-	061 (053.7)	-7.7	10.3	-	-	-	-	RNP1

Waypoint Identifier	Coordinates	Waypoint Identifier	Coordinates
HABOH	323521.5N / 1302152.9E	OMUTA	330332.2N / 1302701.4E
FUGEN	323919.5N / 1302925.5E	OSTEP	330831.8N / 1302632.1E
MISMI	324524.1N / 1303916.7E	HONOK	332006.3N / 1301647.8E

STANDARD ARRIVAL CHART - INSTRUMENT


RJDA / AMAKUSA

RNAV STAR




CHANGE : Course FM FUGEN to IRUKA. VAR.

INSTRUMENT APPROACH CHART



CHANGE : ATS unit changed (KUMAMOTO APP → FUKUOKA APP).


INSTRUMENT APPROACH CHART



CHANGE : ATS unit changed(KUMAMOTO APP→FUKUOKAAPP).

RJDA / AMAKUSA

RNP X RWY13(LP only)



MINIMA				
THR elev. 330		AD elev. 340		
CAT	LP		CIRCLING	
	MDA(H)	CMV	MDA(H)	VIS
A	1240(910)	1500	1240(900)	1600
B				
C				
D				

MINIMA with Missed APCH climb gradient of 2.5% are not established.
Circling to NORTH side of RWY only.

INSTRUMENT APPROACH CHART

RJDA / AMAKUSA

RNP X RWY13(LP only)

FAS DATA BLOCK


Operation type	0	LTP/FTP ellipsoidal height	+01335
SBAS service provider identifier	2	FPAP latitude	322834.9695N
Airport identifier	RJDA	FPAP longitude	1301009.6325E
Runway	13	Threshold crossing height	00012.2
Approach performance designator	0	TCH units selector	1
Route indicator	X	Glide path angle	03.00
Reference path data selector	0	Course width at threshold	105.00
Reference path ID	M13B	∟ length offset	0696
LTP/FTP latitude	322906.1830N	HAL	40.0
LTP/FTP longitude	1300916.1515E	VAL	0.0
CRC remainder	F4E11814		

Required additional data

LTP/FTP orthometric height	100.8
----------------------------	-------

CHANGE : Description of PROC name.

INSTRUMENT APPROACH CHART




CHANGE : ATS unit changed(KUMAMOTO APP→FUKUOKA APP).

RJDA / AMAKUSA


RNP X RWY31(LP only)

FUKUOKA APP 127.0 - 126.5 134.0 - 258.9	RNP APCH MSAS CH 90608 M31B	—	NO RADAR
---	-----------------------------------	---	----------



VDP

0.3NM to MAPt



Missed APCH climb gradient MNM 5.0%

MINIMA		THR elev. 330	AD elev. 340	
CAT	LP		CIRCLING	
	MDA(H)	CMV	MDA(H)	VIS
A	700(370)	1500	960(620)	1600
B			1020(680)	
C	-	-	-	-
D	-	-	-	-

MINIMA with Missed APCH climb gradient of 2.5% are not established.
Circling to NORTH side of RWY only.

INSTRUMENT APPROACH CHART

RJDA / AMAKUSA

RNP X RWY31(LP only)

FAS DATA BLOCK

Operation type	0	LTP/FTP ellipsoidal height	+01335
SBAS service provider identifier	2	FPAP latitude	322918.9855N
Airport identifier	RJDA	FPAP longitude	1300854.2095E
Runway	31	Threshold crossing height	00012.2
Approach performance designator	0	TCH units selector	1
Route indicator	X	Glide path angle	03.00
Reference path data selector	0	Course width at threshold	105.00
Reference path ID	M31B	∟ length offset	0696
LTP/FTP latitude	322847.7745N	HAL	40.0
LTP/FTP longitude	1300947.6955E	VAL	0.0
CRC remainder	1980097D		


Required additional data

LTP/FTP orthometric height	100.8
----------------------------	-------

CHANGE : Description of PROC name.

RJDA / AMAKUSA

Visual REP




※図中に標高を示す数字がある場合、単位はメートル(m)である。The unit of measurement used to express elevation is meter(m).

CHANGE : Map updated. BRG/DIST from ARP.

Call sign	BRG / DIST from ARP	Remarks
口之津 Kuchinotsu	013°T / 7.7NM	港 Port
湯島 Yushima	051°T / 11.6NM	島 Island
通詞島 Tsujiishima	331°T / 4.7NM	島 Island
富岡 Tomioka	294°T / 7.6NM	岬 Cape
島子 Shimago	094°T / 4.9NM	漁港 Port
横島 Yokoshima	150°T / 7.6NM	島 Island

RJDA / AMAKUSA

LDG CHART



RJDA / AMAKUSA

Minimum Vectoring Altitude CHART

