

STANDARD DEPARTURE CHART-INSTRUMENT

| RJOZ / OZUKI                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | SID |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <p><u>OZUKI REVERSAL FOUR DEPARTURE</u></p> <p>RWY 17: Climb via OCT R170, turn left to OCT TACAN within 10.0DME.<br/>Cross OCT TACAN at or above 4000FT.<br/>Then proceed via OCT R330, turn right to OCT TACAN within 5.0DME.<br/>Cross OCT TACAN at or above 5000FT or specified altitude.</p> <p>RWY 35: Not established.</p> <p><u>KUGA TRANSITION</u></p> <p>From over OCT TACAN, via OCT R170 to intercept and proceed via IWT R267 to IWT TACAN.</p> <p><u>FUKUOKA TRANSITION</u></p> <p>From over OCT TACAN, via OCT R170 to intercept and proceed via DGC R080 (MRA 11000FT) to DGC VORTAC.<br/>Note: This TRANSITION is for TACAN equipped aircraft only.</p> |     |


CHANGE : PROC course(OZUKI REVERSAL FOUR DEPARTURE). PROC renamed(OZUKI REVERSAL FOUR DEPARTURE). Note deleted.

## STANDARD DEPARTURE CHART-INSTRUMENT


RJOZ / OZUKI

SID

CHANGE : PROC course(OZUKI REVERSAL FOUR DEPARTURE). PROC renamed(OZUKI REVERSAL FOUR DEPARTURE).




INSTRUMENT APPROACH CHART



CHANGE : OBST. MHA. MINIMA for MDA(H). Circling restriction.


## RJOZ / OZUKI

TACAN B



RJOZ / OZUKI

LDG CHART



CHANGE : FREQ of OZUKI TOWER abolished(126.2,236.8) .

#### AERODROME LIGHTING

Aerodrome beacon : Alternating flashing  
white / green  
Runway edge lights : white  
Threshold lighting : green  
Other lighting : Blue taxiway edge lights,  
lighted wind direction in-  
dicator, obstruction light,  
take-off target light.  
angle of approach lights.

#### RADIO DATA

TWR 122.0, 228.2, 302.2, EU-EV

#### FACILITIES AVAILABLE

Weather, fuel (JETA-1 PLUS), Hangar