


AD CHART



INTENTIONALLY LEFT BLANK

STANDARD DEPARTURE CHART-INSTRUMENT

RJER / RISHIRI

SID

RISHIRI REVERSAL THREE DEPARTURE

RWY07 : Climb RWY HDG to 600FT, turn left...

RWY25 : Climb RWY HDG to 600FT, turn right HDG 080°...

... to intercept and proceed via RSE R035 to 4000FT,
turn left, direct to RSE VOR/DME.

Cross RSE VOR/DME at or above 8000FT.

Note RWY07 : 4.0% climb gradient required up to 600FT.


OBST ALT 152FT located at 0.2NM 104° FM end of RWY07.

RWY25 : 5.2% climb gradient required up to 1000FT.

OBST ALT 262FT located at 0.6NM 225° FM end of RWY25.

OBST ALT 722FT located at 1.3NM 158° FM end of RWY25.

CHANGE : PROC renamed. Note for RWY07 added. Description of direction of OBST for RWY25.



STANDARD DEPARTURE CHART-INSTRUMENT


RJER / RISHIRI

RNAV SID

LEDAX TWO DEPARTURE

RNP1

Note GNSS required.



RWY07 : Climb on HDG068° at or above 600FT, direct to ER700, to ER701, to LEDAX at or above 8000FT.

RWY25 : Climb on HDG248° at or above 600FT, turn right direct to ER500, to ER701, to LEDAX at or above 8000FT.

Note RWY07 : 4.0% climb gradient required up to 600FT.
OBST ALT 152FT located at 0.2NM 104°FM end of RWY07.

RWY25 : 5.2% climb gradient required up to 600FT.
OBST ALT 262FT located at 0.6NM 225°FM end of RWY25.

CHANGE : PROC renamed. VAR. PROC course. Note for RWY07 added.

STANDARD DEPARTURE CHART-INSTRUMENT


RJER / RISHIRI

RNAV SID

<u>LEDAX TWO DEPARTURE</u>											
RWY07											
Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	-	-	068 (056.9)	-10.6	-	-	+600	-	-	RNP1
002	DF	ER700	-	-	-10.6	-	-	-	-	-	RNP1
003	TF	ER701	-	158 (147.3)	-10.6	8.0	-	-	-	-	RNP1
004	TF	LEDAX	-	172 (161.1)	-10.6	8.4	-	+8000	-	-	RNP1
RWY25											
Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	-	-	248 (236.9)	-10.6	-	-	+600	-	-	RNP1
002	DF	ER500	-	-	-10.6	-	R	-	-	-	RNP1
003	TF	ER701	-	126 (115.9)	-10.6	15.0	-	-	-	-	RNP1
004	TF	LEDAX	-	172 (161.1)	-10.6	8.4	-	+8000	-	-	RNP1
<u>Waypoint Coordinates</u>											
Waypoint Identifier		Coordinates									
ER500		452013.4N / 1411105.6E									
ER700		452023.2N / 1412406.4E									
ER701		451339.6N / 1413014.7E									
LEDAX		450542.8N / 1413406.1E									

CHANGE : PROC renamed. VAR. PROC course. Waypoint Coordinates added.


INSTRUMENT APPROACH CHART



INSTRUMENT APPROACH CHART

RJER / RISHIRI


VOR A



INSTRUMENT APPROACH CHART

RJER / RISHIRI


RNP RWY25



MISSED APPROACH

Direct to ER553, turn right direct to ORISU and hold at 3000FT.
Contact RISHIRI RADIO.

(For using VOR/DME)
Climb via RSE R247 to 3.0DME, turn right HDG034° to intercept and proceed via RSE R349 to ORISU and hold at 3000FT.
Contact RISHIRI RADIO.



MINIMA		THR elev. 112				AD elev. 99		
CAT	LPV		LNAV/VNAV		LNAV		CIRCLING	
	DA(H)	CMV	DA(H)	CMV	MDA(H)	CMV	MDA(H)	VIS
A	397(285)	800	730(618)	1000	730(631)	1000	730(631)	1600
B	407(295)			1200		1200		2400
C	417(305)	1000	-	-	-	-	-	-
D	-	-	-	-	-	-	-	-

Circling to NORTH side of RWY only.

INSTRUMENT APPROACH CHART

RJER / RISHIRI

RNP RWY25

FAS DATA BLOCK

Operation type	0	LTP/FTP ellipsoidal height	+00632
SBAS service provider identifier	2	FPAP latitude	451415.3275N
Airport identifier	RJER	FPAP longitude	1411040.7490E
Runway	25	Threshold crossing height	00015.0
Approach performance designator	0	TCH units selector	1
Route indicator		Glide path angle	03.00
Reference path data selector	0	Course width at threshold	105.00
Reference path ID	M25A	∠ length offset	0000
LTP/FTP latitude	451447.0530N	HAL	40.0
LTP/FTP longitude	1411149.9960E	VAL	50.0
CRC remainder	9A7FDBC0		

Required additional data


LTP/FTP orthometric height	34.5
----------------------------	------

CHANGE : Description of FAS DATA BLOCK ITEM(CRC remainder).

INSTRUMENT APPROACH CHART

RJER / RISHIRI

RNP RWY07



INSTRUMENT APPROACH CHART

RJER / RISHIRI

RNP RWY07

FAS DATA BLOCK


Operation type	0	LTP/FTP ellipsoidal height	+00590
SBAS service provider identifier	2	FPAP latitude	451447.0530N
Airport identifier	RJER	FPAP longitude	1411149.9960E
Runway	07	Threshold crossing height	00015.0
Approach performance designator	0	TCH units selector	1
Route indicator		Glide path angle	03.00
Reference path data selector	0	Course width at threshold	105.00
Reference path ID	M07A	∠ length offset	0000
LTP/FTP latitude	451415.3275N	HAL	40.0
LTP/FTP longitude	1411040.7490E	VAL	50.0
CRC remainder	138B8808		

Required additional data


LTP/FTP orthometric height	30.2
----------------------------	------

CHANGE : Description of FAS DATA BLOCK ITEM(CRC remainder).

INSTRUMENT APPROACH CHART



RJER / RISHIRI Minimum Vectoring Altitude CHART



CHANGE : Description of VAR.