




STANDARD DEPARTURE CHART -INSTRUMENT

RJSR / ODATE-NOSHIRO

SID

ODATE REVERSAL TWO DEPARTURE

RWY11 : Climb RWY HDG to 1800FT, turn right HDG332° to intercept and proceed...

RWY29 : Climb RWY HDG to ODE 3.0DME,...

...via ODE R287 to 6.0DME, turn left, direct to ODE VOR/DME.

Cross ODE VOR/DME at or above 6000FT.

Note RWY11 : 5.0% climb gradient required up to 1800FT.


OBST ALT 1313FT located at 4.3NM 093° FM end of RWY11.

OBST ALT 2100FT located at 9.5NM 138° FM end of RWY11.

RWY29 : 4.0% climb gradient required up to 700FT.

OBST ALT 656FT located at 2.1NM 276° FM end of RWY29.

CHANGE : OBST.



STANDARD DEPARTURE CHART -INSTRUMENT

RJSR / ODATE-NOSHIRO

SID

LAGOON THREE DEPARTURE

RWY11 : Climb RWY HDG to 1800FT, turn right HDG332° to intercept and proceed...

RWY29 : Climb RWY HDG to ODE 3.0DME,...

...via ODE R287 to NOSSY, turn left, via UWE R360 to UWE VOR/DME.

Cross NOSSY at or above 3000FT.


Note RWY11 : 5.0% climb gradient required up to 1800FT.

OBST ALT 1313FT located at 4.3NM 093° FM end of RWY11.


OBST ALT 2100FT located at 9.5NM 138° FM end of RWY11.

RWY29 : 4.0% climb gradient required up to 700FT.

OBST ALT 656FT located at 2.1NM 276° FM end of RWY29.



STANDARD DEPARTURE CHART -INSTRUMENT



STANDARD DEPARTURE CHART -INSTRUMENT

RJSR / ODATE-NOSHIRO

RNAV SID

YUWA ONE DEPARTURE

RWY11

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	-	-	109 (100.0)	-9.2	-	-	+1600	-	-	RNP1
002	DF	LEGAM	-	-	-9.2	-	R	-	-	-	RNP1
003	TF	UKBAS	-	212 (203.0)	-9.2	10.0	-	-	-	-	RNP1
004	TF	UWE	-	181 (171.5)	-9.2	21.3	-	-	-	-	RNP1

RWY29

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	-	-	289 (280.1)	-9.2	-	-	+700	-	-	RNP1
002	DF	AKPAT	-	-	-9.2	-	-	-	-	-	RNP1
003	TF	UKBAS	-	212 (203.0)	-9.2	15.6	-	-	-	-	RNP1
004	TF	UWE	-	181 (171.5)	-9.2	21.3	-	-	-	-	RNP1

Waypoint Coordinates


Waypoint Identifier	Coordinates
LEGAM	400717.6N / 1401213.9E
AKPAT	401228.7N / 1401506.9E
UKBAS	395806.7N / 1400708.7E
UWE	393701.7N / 1401113.0E

CHANGE : New PROC.

STANDARD ARRIVAL CHART - INSTRUMENT

RJSR / ODATE-NOSHIRO

RNAV STAR RWY29



CHANGE : HLDG pattern for BONJI.

From BONJI at or above 6000FT, to TEBAR, to NOSSY at or above 4000FT.

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	IF	BONJI	-	-	-8.8	-	-	+6000	-	-	RNP1
002	TF	TEBAR	-	335 (326.0)	-8.8	10.0	-	-	-	-	RNP1
003	TF	NOSSY	-	357 (347.8)	-8.8	6.0	-	+4000	-	-	RNP1

Path	Waypoint Identifier	Inbound Course °M(°T)	Magnetic Variation	Outbound Time (MIN)	Turn Direction	Minimum Altitude (FT)	Maximum Altitude (FT)	Speed (KIAS)	Navigation Specification
Hold	BONJI	022 (013.0)	-9.2	1.0(-14000)	L	6000	FL 140	-230(-14000)	RNP1

STANDARD ARRIVAL CHART - INSTRUMENT

RJSR / ODATE-NOSHIRO


RNAV STAR RWY29

Waypoint Coordinates

Waypoint Identifier	Coordinates
BONJI	395913.4N / 1401752.5E
TEBAR	400729.7N / 1401034.6E
NOSSY	401321.8N / 1400854.6E

CHANGE : Waypoint Coordinates added.


INSTRUMENT APPROACH CHART




INSTRUMENT APPROACH CHART

RJSR / ODATE-NOSHIRO

ILS Y or LOC Y RWY11



CHANGE : SAGOM established. NEGMA abolished. ALT(3.0°APCH Path).



Missed APCH climb gradient MNM 5.0%

MINIMA		THR elev. 259		AD elev. 276		
CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/ CMV	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	459 (200)	550	870 (611)	1000	870 (594)	1600
B				1200		
C					890 (614)	2400
D				1600	920 (644)	3200

MINIMA with Missed APCH climb gradient of 2.5% are not established.
Circling to SOUTH side of RWY only.

RJSR / ODATE-NOSHIRO

VOR A



MINIMA AD elev. 276

CAT	CIRCLING	
	MDA(H)	VIS
A	870 (594)	1600
B		
C	890 (614)	2400
D	920 (644)	3200

MINIMA with Missed APCH climb gradient of 2.5% are not established.
Circling to SOUTH side of RWY only.

RJSR / ODATE-NOSHIRO

SHIRAKAMI APP
119.25 - 315.3 - 120.65

RNP APCH

ODATE RADIO
118.75
AFIS provided by
New Chitose Airport Office

RADAR AVBL

Baro-VNAV not authorized below -15°C

VAR 9°W

ATKES (IF)

OVLIR (FAF)

SR171

ODATE (ODE) (MAHF)

SR172 (MATF)

RW11 (MAPt)

BONJI (IAF)

BONJI

NOT TO SCALE

10NM

6.1 019° (009.8°T)

6.1 109° (099.9°T)

2.8 109° (099.9°T)

4.1 109° (100.0°T)

13.9 317° (308.2°T)

1344

1467

1458

1455

1429

1530

1315

1607

6600

ARP

ARP: 401131N / 1402218E

MSA 25NM

NOT TO SCALE

1MIN

086°

266°

ODATE(ODE)

MHA 4000

MAX 210KIAS

270°

202°

022°

1MIN

MHA 6000

MAX 230KIAS

BONJI (IAF)	395913.43N
SR170	400748.62N
ATKES (IF)	401350.33N
OVLIR (FAF)	401247.64N
SR171	401219.02N
RW11 (MAPt)	401136.37N
SR172 (MATF)	401103.96N
ODATE(ODE) (MAHF)	401154.03N

NM to Next Fix	FAF	6	5	4	3	2	MAPt
AI T(3 0°APCH Path)	2500	2224	1905	1587	1269	950	-

2300


1800

1300

800

AD elev.276

Contour Intervals



Missed APCH climb gradient MNM 5.0%						
MINIMA		THR elev. 259		AD elev. 276		
CAT	LNAV/VNAV		LNAV		CIRCLING	
	DA(H)	RVR/CMV	MDA(H)	RVR/CMV	MDA(H)	VIS
A	755(496)	1000	870(611)	1000	870(594)	1600
B	765(506)	1200		1200		
C	775(516)				890(614)	2400
D	785(526)	1600		1600	920(644)	3200


MINIMA with Missed APCH climb gradient of 2.5% are not established.
Circling to SOUTH side of RWY only.

CHANGE : New PROC.

INSTRUMENT APPROACH CHART

RJSR / ODATE-NOSHIRO

RNP Z RWY29(AR)



INSTRUMENT APPROACH CHART

RJSR / ODATE-NOSHIRO

RNP Z RWY29(AR)

Coding Table

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	VPA/ RDH (°/FT)	RNP Value
001	IF	MAGGY	-	-	-9.2	-	-	+6000	-	-	-
002	TF	SR960	-	035 (026.1)	-9.2	8.7	-	+3900	-	-	1.0
003	TF	SR961	-	035 (026.1)	-9.2	2.0	-	3500	-	-	1.0
004	TF	SR962	-	035 (026.1)	-9.2	3.8	-	2296	-	-3.00	0.27 0.30
005	RF Center: SRRF1 r=2.15NM	SR963	-	-	-9.2	4.0	L	1031	-	-3.00	0.27 0.30
006	TF	RW29	Y	289 (280.1)	-9.2	2.2	-	342	-	-3.00/50	0.27 0.30
007	TF	NOSSY	-	290 (280.3)	-9.2	10.9	-	4000	-	-	1.0

Path	Waypoint Identifier	Inbound Course °M(°T)	Magnetic Variation	Outbound Time (MIN)	Turn Direction	Minimum Altitude (FT)	Maximum Altitude (FT)	Speed (KIAS)	RNP Value
Hold	MAGGY	035 (026.0)	-9.2	1.0 (-14000)	R	6000	FL140	-230 (-14000)	1.0
Hold	NOSSY	087 (077.6)	-9.2	1.0 (-14000)	R	4000	FL140	-230 (-14000)	1.0

Waypoint Coordinates


Waypoint Identifier	Coordinates	RF Arc Center Identifier	Coordinates
MAGGY	395456.61N / 1401926.80E	SRRF1	400855.54N / 1402516.24E
SR960	400247.11N / 1402427.29E		
SR961	400434.91N / 1402536.32E		
SR962	400758.60N / 1402746.93E		
SR963	401102.48N / 1402545.54E		
RW29	401125.10N / 1402258.78E		
NOSSY	401321.82N / 1400854.64E		

CHANGE : VAR. PROC course FM RW29 to NOSSY. HLDG pattern for MAGGY, NOSSY.

INSTRUMENT APPROACH CHART

RJSR / ODATE-NOSHIRO

RNP Y RWY29(AR)



CHANGE : VAR. MSA(BTN 360°and 090°). PROC course. HLDG pattern for NOSSY.

INSTRUMENT APPROACH CHART

RJSR / ODATE-NOSHIRO

RNP Y RWY29(AR)

Coding Table

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	VPA/ RDH (°/FT)	RNP Value
001	IF	NOSSY	-	-	-9.2	-	-	+4000	-	-	-
002	TF	SR950	-	087 (077.7)	-9.2	15.2	-	+3500	-185	-	1.0
003	RF Center: SRRF2 r=3.00NM	SR951	-	-	-9.2	4.9	R	3500	-	-	1.0
004	RF Center: SRRF2 r=3.00NM	SR952	-	-	-9.2	5.7	R	1694	-	-3.00	0.27 0.30
005	TF	RW29	Y	289 (280.1)	-9.2	4.2	-	342	-	-3.00/50	0.27 0.30
006	TF	NOSSY	-	290 (280.3)	-9.2	10.9	-	4000	-	-	1.0

Path	Waypoint Identifier	Inbound Course °M(°T)	Magnetic Variation	Outbound Time (MIN)	Turn Direction	Minimum Altitude (FT)	Maximum Altitude (FT)	Speed (KIAS)	RNP Value
Hold	NOSSY	087 (077.6)	-9.2	1.0 (-14000)	R	4000	FL140	-230 (-14000)	1.0


Waypoint Coordinates

Waypoint Identifier	Coordinates	RF Arc Center Identifier	Coordinates
SR950	401634.48N / 1402818.75E	SRRF2	401338.11N / 1402908.01E
SR951	401403.14N / 1403301.06E		
SR952	401040.53N / 1402826.85E		
RW29	401125.10N / 1402258.78E		
NOSSY	401321.82N / 1400854.64E		

CHANGE : VAR. PROC course. HLDG pattern for NOSSY.

RJSR / ODATE-NOSHIRO

Visual REP




※図中に標高を示す数字がある場合、単位はメートル(m)である。The unit of measurement used to express elevation is meter(m).

CHANGE : Call sign(REMOTE→RADIO).

Call sign	BRG / DIST from ARP	Remarks
樹海ドーム Jyukai Dome	058°T / 11.6NM	大館市白色ドーム White Dome Odate City
藤琴 Fujikoto	314°T / 7.2NM	粕毛川・藤琴川交点 Intersection Kasuge and Fujikoto River
鷹巣 Takanosu	357°T / 2.5NM	JR駅北側 North of JR Station
能代 Noshiro	272°T / 17.3NM	能代港 Noshiro Harbor
米内沢 Yonaizawa	183°T / 4.2NM	内陸線米内沢駅南側米内沢橋 Bridge
阿仁 Ani	173°T / 11.6NM	内陸線阿仁合駅 Station

RJSR / ODATE-NOSHIRO

LDG CHART



RJSR / ODATE-NOSHIRO

Minimum Vectoring Altitude CHART

