

## AD 2 AERODROMES

## RJDO AD 2.1 AERODROME LOCATION INDICATOR AND NAME

## RJDO - OJKA

## RJDO AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

|   |                                                                                                   |                                                                                                                                                                                                                      |
|---|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | ARP coordinates and site at AD                                                                    | 331127N 1290525E<br>APRX 100m NE of AP administration office                                                                                                                                                         |
| 2 | Direction and distance from (city)                                                                | APRX 3km SE of Ojika town office                                                                                                                                                                                     |
| 3 | Elevation/ Reference temperature                                                                  | 25ft / 32°C(2003-2007)                                                                                                                                                                                               |
| 4 | Geoid undulation at AD ELEV<br>PSN                                                                | 100ft                                                                                                                                                                                                                |
| 5 | MAG VAR/ Annual change                                                                            | 7°W(2009) / 2.7°W                                                                                                                                                                                                    |
| 6 | AD Administration,address,<br>telephone, telefax, telex, AFS,<br>e-mail and/or Web-site addresses | Ojika Airport Administration Office, Nagasaki Prefectural Government<br>2074-1 Maegata-gou, Ojika-cho, Kitamatsuura-gun, Nagasaki,<br>850-4702 JAPAN<br>Tel: 0959-56-4110 e-mail: kukoukanrijimusyo@town.ojika.lg.jp |
| 7 | Types of traffic permitted(IFR/<br>VFR)                                                           | VFR                                                                                                                                                                                                                  |
| 8 | Remarks                                                                                           | Nil                                                                                                                                                                                                                  |

## RJDO AD 2.3 OPERATIONAL HOURS

|    |                           |                                                                               |
|----|---------------------------|-------------------------------------------------------------------------------|
| 1  | AD Administration         | 0100 - 0700                                                                   |
| 2  | Customs and immigration   | On request<br>Customs: 095-828-8641<br>Immigration: 095-822-5289              |
| 3  | Health and sanitation     | Quarantine(human): On request(095-826-8081)<br>Quarantine(animal, plant): Nil |
| 4  | AIS Briefing Office       | Nil                                                                           |
| 5  | ATS Reporting Office(ARO) | Nil                                                                           |
| 6  | MET Briefing Office       | Nil                                                                           |
| 7  | ATS                       | Nil                                                                           |
| 8  | Fuelling                  | Nil                                                                           |
| 9  | Handling                  | Nil                                                                           |
| 10 | Security                  | 0100 - 0700                                                                   |
| 11 | De-icing                  | Nil                                                                           |
| 12 | Remarks                   | Nil                                                                           |

**RJDO AD 2.4 HANDLING SERVICES AND FACILITIES**

|   |                                         |     |
|---|-----------------------------------------|-----|
| 1 | Cargo-handling facilities               | Nil |
| 2 | Fuel/ oil types                         | Nil |
| 3 | Fuelling facilities/ capacity           | Nil |
| 4 | De-icing facilities                     | Nil |
| 5 | Hangar space for visiting aircraft      | Nil |
| 6 | Repair facilities for visiting aircraft | Nil |
| 7 | Remarks                                 | Nil |

**RJDO AD 2.5 PASSENGER FACILITIES**

|   |                      |                   |
|---|----------------------|-------------------|
| 1 | Hotels               | in Ojika town 4km |
| 2 | Restaurants          | in Ojika town 4km |
| 3 | Transportation       | Taxis             |
| 4 | Medical facilities   | in Ojika town 4km |
| 5 | Bank and Post Office | in Ojika town 4km |
| 6 | Tourist Office       | in Ojika town 4km |
| 7 | Remarks              | Nil               |

**RJDO AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

|   |                                             |                                  |
|---|---------------------------------------------|----------------------------------|
| 1 | AD category for fire fighting               | CAT 2                            |
| 2 | Rescue equipment                            | Chemical fire fighting truck x 1 |
| 3 | Capability for removal of disabled aircraft | Nil                              |
| 4 | Remarks                                     | Nil                              |

**RJDO AD 2.7 SEASONAL AVAILABILITY-CLEARING**

|   |                             |          |
|---|-----------------------------|----------|
| 1 | Types of clearing equipment | Not AVBL |
| 2 | Clearance priorities        | Nil      |
| 3 | Remarks                     | Nil      |

**RJDO AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

|   |                                     |                                                                                                |
|---|-------------------------------------|------------------------------------------------------------------------------------------------|
| 1 | Apron surface and strength          | Surface: Asphalt      Strength : AUW 5700kg/0.28MPa                                            |
| 2 | Taxiway width, surface and strength | Width: 9m<br>Surface: Asphalt      Strength : AUW 5700kg/0.28MPa                               |
| 3 | ACL and elevation                   | Not available                                                                                  |
| 4 | VOR checkpoints                     | Not available                                                                                  |
| 5 | INS checkpoints                     | Spot NR<br>1: 331125.40N 1290521.73E<br>2: 331126.15N 1290522.09E<br>3: 331126.91N 1290522.41E |
| 6 | Remarks                             | Nil                                                                                            |

**RJDO AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

|   |                                                                                                                |                                                                                                                                     |
|---|----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Use of aircraft stand ID signs, TWY guide lines and Visual docking/ parking guidance system of aircraft stands | Nil                                                                                                                                 |
| 2 | RWY and TWY markings and LGT                                                                                   | RWY: RWY 03/21<br>(Marking) RWY designation, RWY CL, RWY middle point, RWY side stripe<br>TWY:<br>(Marking) TWY CL, TWY side stripe |
| 3 | Stop bars                                                                                                      | Nil                                                                                                                                 |
| 4 | Remarks                                                                                                        | (Marking) Overrun area                                                                                                              |

**RJDO AD 2.10 AERODROME OBSTACLES**

■ In Area2    See Obstacle data

■ In Area3    To be developed

## RJDO AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

|    |                                                                        |     |
|----|------------------------------------------------------------------------|-----|
| 1  | Associated MET Office                                                  | Nil |
| 2  | Hours of service<br>MET Office outside hours                           | Nil |
| 3  | Office responsible for TAF preparation<br>Periods of validity          | Nil |
| 4  | Trend forecast<br>Interval of issuance                                 | Nil |
| 5  | Briefing/ consultation provided                                        | Nil |
| 6  | Flight documentation<br>Language(s) used                               | Nil |
| 7  | Charts and other information available<br>for briefing or consultation | Nil |
| 8  | Supplementary equipment<br>available for providing information         | Nil |
| 9  | ATS units provided with information                                    | Nil |
| 10 | Additional information(limitation of service, etc.)                    | Nil |

## RJDO AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations<br>RWY NR | TRUE BRG | Dimensions of<br>RWY(M) | Strength(PCN) and<br>surface of RWY | THR coordinates<br>THR geoid undulation | THR elevation and<br>highest elevation of TDZ<br>of precision APP RWY |
|------------------------|----------|-------------------------|-------------------------------------|-----------------------------------------|-----------------------------------------------------------------------|
| 1                      | 2        | 3                       | 4                                   | 5                                       | 6                                                                     |
| 03                     | 020.32°  | 800×25                  | AUW                                 | 331114.88N1290519.93E                   | THR ELEV : 39FT                                                       |
| 21                     | 200.32°  | 800×25                  | 5700kg/0.28MPa<br>Asphalt-Concrete  | 138ft<br>331139.23N1290530.66E<br>112ft | THR ELEV : 13FT                                                       |
| Slope of RWY           |          | Strip<br>Dimensions(M)  | RESA (Overrun)<br>Dimensions (M)    |                                         | Remarks                                                               |
| 7                      |          | 10                      | 11                                  |                                         | 14                                                                    |
| See AD 2.24 AD Chart   |          | 920×60                  | 40×60                               |                                         | Nil                                                                   |
|                        |          | 920×60                  | 40×60                               |                                         |                                                                       |

## RJDO AD 2.13 DECLARED DISTANCES

| RWY Designator | TORA<br>(m) | TODA<br>(m) | ASDA<br>(m) | LDA<br>(m) | Remarks |
|----------------|-------------|-------------|-------------|------------|---------|
| 1              | 2           | 3           | 4           | 5          | 6       |
| 03             | 800         | 800         | 800         | 800        | Nil     |
| 21             | 800         | 800         | 800         | 800        | Nil     |

**RJDO AD 2.14 APPROACH AND RUNWAY LIGHTING**

| RWY Designator                                  | APCH LGT type LEN INTST | RTHL Color WBAR | PAPI (VASIS) Angle DIST FM THR MEHT | RTZL LEN | RCLL LEN Spacing Color INTST | REDL LEN Spacing Color INTST | RENL Color WBAR | STWL LEN Color |
|-------------------------------------------------|-------------------------|-----------------|-------------------------------------|----------|------------------------------|------------------------------|-----------------|----------------|
| 1                                               | 2                       | 3               | 4                                   | 5        | 6                            | 7                            | 8               | 9              |
| 03                                              | Nil                     | Nil             | PAPI 3.0°/LEFT 126.5m 18FT          | Nil      | Nil                          | Nil                          | Nil             | Nil            |
| 21                                              | Nil                     | Nil             | PAPI 3.0°/LEFT 83.9m 18FT           | Nil      | Nil                          | Nil                          | Nil             | Nil            |
| Remarks                                         |                         |                 |                                     |          |                              |                              |                 |                |
| 10                                              |                         |                 |                                     |          |                              |                              |                 |                |
| RWY THR ID LGT for RWY 03/21 THR (Color: White) |                         |                 |                                     |          |                              |                              |                 |                |

**RJDO AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

|   |                                                          |                           |
|---|----------------------------------------------------------|---------------------------|
| 1 | ABN/IBN location, characteristics and hours of operation | Nil                       |
| 2 | LDI location and LGT<br>Anemometer location and LGT      | Nil                       |
| 3 | TWY edge and centerline lighting                         | Nil                       |
| 4 | Secondary power supply/ switch-over time                 | Within 15 sec: All lights |
| 5 | Remarks                                                  | Nil                       |

**RJDO AD 2.16 HELICOPTER LANDING AREA**

|     |
|-----|
| Nil |
|-----|

**RJDO AD 2.17 ATS AIRSPACE**

| Designation and lateral limits | Vertical limits (ft) | Airspace classification | ATS unit call sign Language | Remarks |
|--------------------------------|----------------------|-------------------------|-----------------------------|---------|
| 1                              | 2                    | 3                       | 4                           | 6       |
| Nil                            |                      |                         |                             |         |

**RJDO AD 2.18 ATS COMMUNICATION FACILITIES**

| Service designation | Call sign | Frequency | Hours of operation | Remarks |
|---------------------|-----------|-----------|--------------------|---------|
| 1                   | 2         | 3         | 4                  | 5       |
| Nil                 |           |           |                    |         |

**RJDO AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

| Type of aid | ID | Frequency | Hours of operation | Position of transmitting antenna coordinates | Elevation of DME transmitting antenna | Remarks |
|-------------|----|-----------|--------------------|----------------------------------------------|---------------------------------------|---------|
| 1           | 2  | 3         | 4                  | 5                                            | 6                                     | 7       |
| Nil         |    |           |                    |                                              |                                       |         |

**RJDO AD 2.20 LOCAL TRAFFIC REGULATIONS**

## 1. Airport regulations

Aircraft operations other than scheduled flights or in an emergency  
On use of OJKA airport, aircraft operator is required to obtain the permission of airport authority.

## 2. Taxiing to and from stands

Nil

## 3. Parking area for small aircraft(General aviation)

Nil

## 4. Parking area for helicopters

Nil

## 5. Apron - taxiing during winter conditions

Nil

## 6. Taxiing - limitations

Nil

## 7. School and training flights - technical test flights - use of runways

Nil

## 8. Helicopter traffic - limitation

Nil

## 9. Removal of disabled aircraft from runways

Nil

**RJDO AD 2.21 NOISE ABATEMENT PROCEDURES**

Nil

**RJDO AD 2.22 FLIGHT PROCEDURES**

Nil

**RJDO AD 2.23 ADDITIONAL INFORMATION**

Nil

**RJDO AD 2.24 CHARTS RELATED TO AN AERODROME**

Aerodrome/Heliport Chart

**INTENTIONALLY LEFT BLANK**

RJDO / OJKA

AD CHART

