

## AD CHART

★ ABN

The diagram illustrates the APCH LIGHTING SYSTEM layout. It shows a runway with a 'RWY THR' (Runway Threshold) marked by a box containing the number '35'. Below the threshold, there are two rows of '000000' markings. The runway is divided into two sections: a 300m section and a 600m section, indicated by arrows and labels. The 300m section is marked with a series of '000000' markings. The 600m section is marked with a series of '000000' markings. A dashed line separates the two sections. The total length of the runway is 900m.

LONGITUDINAL PROFILE OF RWY

LONGITUDINAL PROFILE OF RWY

RWY 35

54ft  
(16.59m)

0.6%

17ft  
(5.19m)

1900m

0.3%

15ft  
(4.59m)

2100m

LEVEL

3000m

RWY 17

MARKS :  
RWY GROOVING 3000m x 40m  
DTH OF TWY 30m

0m

REMARKS :  
RWY GROOVING 3000m x 40m  
WIDTH OF TWY 30m

STANDARD DEPARTURE CHART - INSTRUMENT

RORS / SHIMOJISHIMA

SID

ANNIE SIX DEPARTURE

RWY17 : Climb RWY HDG to 500FT, turn right HDG037° to intercept and proceed ...


RWY35 : Climb ...

... via SJE R352 to ANNIE.

Cross ANNIE at assigned altitude.

Note RWY17 : 5.0% climb gradient required up to 500FT.

OBST ALT 93FT located at 0.2NM 162° FM end of RWY17.



## STANDARD DEPARTURE CHART - INSTRUMENT

RORS / SHIMOJISHIMA

SID

BETTY SIX DEPARTURE

RWY17 : Climb RWY HDG to 500FT ...


RWY35 : Climb RWY HDG to 500FT, turn left HDG 127° to intercept and  
proceed ...

... via SJE R172 to BETTY.

Cross BETTY at assigned altitude.

Note RWY17 : 5.0% climb gradient required up to 500FT.

OBST ALT 93FT located at 0.2NM 162° FM end of RWY17.



CHANGE : PROC renamed. PROC course.

STANDARD DEPARTURE CHART - INSTRUMENT

RORS / SHIMOJISHIMA

SID

MIYAKOJIMA FOUR DEPARTURE


RWY17 : Climb RWY HDG to 500FT, turn left,...

RWY35 : Climb RWY HDG to 500FT, turn right,...

...direct to MJC VORTAC. Cross MJC VORTAC at or above 3000FT.

Note RWY17 : 5.0% climb gradient required up to 500FT.

OBST ALT 93FT located at 0.2NM 162° FM end of RWY17.




CHANGE : OBST.

STANDARD DEPARTURE CHART - INSTRUMENT

RORS / SHIMOJISHIMA

RNAV SID



RWY17 : Climb on HDG171° at or above 500FT, turn left direct to RS700, to FREED.  
RWY35 : Climb on HDG351° at or above 500FT, turn right direct to FREED.

Note RWY17 : 5.0% climb gradient required up to 500FT.  
OBST ALT 93FT located at 0.2NM 162° FM end of RWY17.

RWY17

| Serial Number | Path Descriptor | Way point Identifier | Fly Over | Course °M(°T) | Magnetic Variation | Distance (NM) | Turn Direction | Altitude (FT) | Speed (KIAS) | Vertical Angle | Navigation Specification |
|---------------|-----------------|----------------------|----------|---------------|--------------------|---------------|----------------|---------------|--------------|----------------|--------------------------|
| 001           | VA              | -                    | -        | 171 (166.1)   | -5.1               | -             | -              | +500          | -            | -              | RNP1                     |
| 002           | DF              | RS700                | -        | -             | -5.1               | -             | L              | -             | -            | -              | RNP1                     |
| 003           | TF              | FREED                | -        | 067 (062.4)   | -5.1               | 77.7          | -              | -             | -            | -              | RNP1                     |

RWY35


| Serial Number | Path Descriptor | Way point Identifier | Fly Over | Course °M(°T) | Magnetic Variation | Distance (NM) | Turn Direction | Altitude (FT) | Speed (KIAS) | Vertical Angle | Navigation Specification |
|---------------|-----------------|----------------------|----------|---------------|--------------------|---------------|----------------|---------------|--------------|----------------|--------------------------|
| 001           | VA              | -                    | -        | 351 (346.1)   | -5.1               | -             | -              | +500          | -            | -              | RNP1                     |
| 002           | DF              | FREED                | -        | -             | -5.1               | -             | R              | -             | -            | -              | RNP1                     |

Waypoint Coordinates

| Waypoint Identifier | Coordinates            |
|---------------------|------------------------|
| RS700               | 245300.5N / 1251621.0E |
| FREED               | 252840.1N / 1263232.7E |

CHANGE : OBST. Waypoint Coordinates added.

STANDARD ARRIVAL CHART - INSTRUMENT




STANDARD ARRIVAL CHART - INSTRUMENT

RORS / SHIMOJISHIMA

STAR

BETTY ARRIVAL

From over BETTY, proceed via MJC R184 to intercept and proceed via SJE R171 to CHIMI.  
Cross CHIMI at or above 1600FT.




CHANGE : PROC course.

INSTRUMENT APPROACH CHART

RORS / SHIMOJISHIMA


ILS Z or LOC Z RWY17





INSTRUMENT APPROACH CHART


RORS / SHIMOJISHIMAILS Y or LOC Y RWY17




INSTRUMENT APPROACH CHART

RORS / SHIMOJISHIMA

VOR RWY17



INSTRUMENT APPROACH CHART




CHANGE : PROC course. HLDG pattern at SJE.

INSTRUMENT APPROACH CHART

RORS / SHIMOJISHIMA


RNP RWY17



INSTRUMENT APPROACH CHART

RORS / SHIMOJISHIMA


RNP RWY35



CHANGE : Missed APCH for using VOR/DME abolished.

RORS / SHIMOJISHIMA

Visual REP



CHANGE : Map updated. BRG/DIST from ARP.


※図中に標高を示す数字がある場合、単位はメートル(m)である。The unit of measurement used to express elevation is meter(m).

| Call sign        | BRG / DIST from ARP | Remarks            |
|------------------|---------------------|--------------------|
| 池間島<br>Ikemajima | 040°T / 8.2NM       | 島<br>Island        |
| 9NM NW           | 290°T / 9.0NM       | 海上<br>Over the sea |
| 9NM SW           | 230°T / 9.0NM       | 海上<br>Over the sea |



RORS / SHIMOJISHIMA

LDG CHART



RORS / SHIMOJISHIMA

Minimum Vectoring Altitude CHART

