


## RJOS / TOKUSHIMA

### AD CHART




**INTENTIONALLY LEFT BLANK**

## RJOS / TOKUSHIMA

## RNAV SID and TRANSITION

## RNP1

CHANGE : PROC course. PROC renamed(HONMA TWO DEPARTURE). Note. Navigation Specification(RNAV1 → RNP1). TOKUSHIMA VORTAC,GOBOH DME,NANKI VOR/DME deleted.



RWY11 : Climb on HDG111° at or above 500FT, turn right direct to HATIS, to SIJIL at 3000FT, to HONMA at or above 5000FT.

RWY29 : Climb on HDG291° at or above 500FT, turn left direct to HATIS, to SIJIL at 3000FT, to HONMA at or above 5000FT.

Note RWY29 : 5.0% climb gradient required up to 1200FT.  
OBST ALT 1115FT located at 4.9NM 224° FM end of RWY29.

From HONMA at or above 5000FT, to KMANO, to KILAP.

STANDARD DEPARTURE CHART-INSTRUMENT

RJOS / TOKUSHIMA

RNAV SID and TRANSITION

CHANGE : PROC course. PROC renamed(HONMA TWO DEPARTURE). Navigation Specification(RNAV1 → RNP1). VAR.

HONMA TWO DEPARTURE

RWY11

| Serial Number | Path Descriptor | Waypoint Identifier | Fly Over | Course °M(°T)  | Magnetic Variation | Distance (NM) | Turn Direction | Altitude (FT) | Speed (KIAS) | Vertical Angle | Navigation Specification |
|---------------|-----------------|---------------------|----------|----------------|--------------------|---------------|----------------|---------------|--------------|----------------|--------------------------|
| 001           | VA              | -                   | -        | 111<br>(102.6) | -8.0               | -             | -              | +500          | -            | -              | RNP1                     |
| 002           | DF              | HATIS               | -        | -              | -8.0               | -             | R              | -             | -            | -              | RNP1                     |
| 003           | TF              | SIJIL               | -        | 145<br>(136.9) | -8.0               | 3.6           | -              | 3000          | -            | -              | RNP1                     |
| 004           | TF              | HONMA               | -        | 145<br>(136.9) | -8.0               | 13.0          | -              | +5000         | -            | -              | RNP1                     |

RWY29

| Serial Number | Path Descriptor | Waypoint Identifier | Fly Over | Course °M(°T)  | Magnetic Variation | Distance (NM) | Turn Direction | Altitude (FT) | Speed (KIAS) | Vertical Angle | Navigation Specification |
|---------------|-----------------|---------------------|----------|----------------|--------------------|---------------|----------------|---------------|--------------|----------------|--------------------------|
| 001           | VA              | -                   | -        | 291<br>(282.6) | -8.0               | -             | -              | +500          | -            | -              | RNP1                     |
| 002           | DF              | HATIS               | -        | -              | -8.0               | -             | L              | -             | -            | -              | RNP1                     |
| 003           | TF              | SIJIL               | -        | 145<br>(136.9) | -8.0               | 3.6           | -              | 3000          | -            | -              | RNP1                     |
| 004           | TF              | HONMA               | -        | 145<br>(136.9) | -8.0               | 13.0          | -              | +5000         | -            | -              | RNP1                     |

KILAP TRANSITION

| Serial Number | Path Descriptor | Waypoint Identifier | Fly Over | Course °M(°T)  | Magnetic Variation | Distance (NM) | Turn Direction | Altitude (FT) | Speed (KIAS) | Vertical Angle | Navigation Specification |
|---------------|-----------------|---------------------|----------|----------------|--------------------|---------------|----------------|---------------|--------------|----------------|--------------------------|
| 001           | IF              | HONMA               | -        | -              | -8.0               | -             | -              | +5000         | -            | -              | RNP1                     |
| 002           | TF              | KMANO               | -        | 113<br>(105.2) | -8.0               | 8.9           | -              | -             | -            | -              | RNP1                     |
| 003           | TF              | KILAP               | -        | 104<br>(095.9) | -8.0               | 82.2          | -              | -             | -            | -              | RNP1                     |


Civil Aviation Bureau,Japan (EFF:21 MAR 2024)

22/2/24

STANDARD DEPARTURE CHART-INSTRUMENT

RJOS / TOKUSHIMA

RNAV SID



CHANGE : New PROC.

## STANDARD DEPARTURE CHART-INSTRUMENT

RJOS / TOKUSHIMA

SID

TOSAR SIX DEPARTURE

RWY11 : Climb RWY HDG to 500FT, turn right HDG232°...


RWY29 : Climb RWY HDG to 600FT, turn left HDG142°...

...to intercept and proceed via TSC R187 to TOSAR.

Cross TSC R187/13.0DME at 3000FT, cross TSC R187/20.0DME at 6000FT, cross TOSAR at assigned altitude.

NOTE RWY29 : 4.0% climb gradient required up to 800FT.

OBST ALT 1105FT located at 5.0NM 224° FM end of RWY29.



CHANGE : PROC course. PROC renamed(TOSAR SIX DEPARTURE). Note.

STANDARD DEPARTURE CHART-INSTRUMENT

RJOS / TOKUSHIMA

SID

TOKUSHIMA REVERSAL SEVEN DEPARTURE

RWY11 : Climb RWY HDG to 500FT, turn right HDG205°...

RWY29 : Climb RWY HDG to 600FT, turn left HDG115°...


...to intercept and proceed via TSC R160 to 13.0DME, turn right, direct to TSC VORTAC.

Cross TSC R160/13.0DME at 3000FT, cross TSC VORTAC at or above 6000FT.

NOTE RWY29 : 4.0% climb gradient required up to 800FT.

OBST ALT 1105FT located at 5.0NM 224° FM end of RWY29.

CHANGE : PROC course. PROC renamed(TOKUSHIMA REVERSAL SEVEN DEPARTURE). Note.



## STANDARD DEPARTURE CHART -INSTRUMENT

RJOS / TOKUSHIMA

SID and TRANSITION

MISAKI FOUR DEPARTURE

RWY11 : Climb RWY HDG to 500FT, turn right,...


RWY29 : Climb RWY HDG to 600FT, turn left HDG098° to intercept and proceed...  
...via TSC R143 to HONMA.Cross TSC R143/12.0DME at 3000FT, cross HONMA at or above 8000FT.  
(Cross HONMA at or above 9000FT when using KEC TACAN only).

NOTE RWY29 : 4.0% climb gradient required up to 800FT.

OBST ALT 1105FT located at 5.0NM 224° FM end of RWY29.

KUSHIMOTO TRANSITION

From over HONMA, via KEC R306 to KEC VORTAC.



CHANGE : PROC renamed. PROC course. ALT restriction at HONMA when using KEC TACAN only.



STANDARD ARRIVAL CHART-INSTRUMENT


RJOS / TOKUSHIMA

STAR

TOSAR ARRIVAL

From over TOSAR, via TSC R187 to TSC VORTAC.  
Cross TSC VORTAC at 5000 FT.


CHANGE : Distance FM TSC to TOSAR added.






**INTENTIONALLY LEFT BLANK**

CHANGE : PROC course. Missed APCH PROC. MINIMA. ALT(3.0° APCH Path) established. HLDG pattern. EQPT REQUIRED. PROC ALT established. OCA/H established. ALT restriction. LIGSU, GUNVI established. DME to ITS. NM to THR.

## ILS Z or LOC Z RWY 29

VAR 8°W (2023)

EQPT REQUIRED  
DME  
VOR



| NM to ITS            | MAPt | 2   | 3   | 4    | 5    | FAF  |
|----------------------|------|-----|-----|------|------|------|
| ALT (3.0° APCH Path) | –    | 652 | 971 | 1289 | 1608 | 1964 |


|            |     |     |     |      |
|------------|-----|-----|-----|------|
| DME to ITS | 0.7 | 0.9 | 6.1 | 11.1 |
| NM to THR  | 0.5 | 0.6 | 5.9 | 10.9 |

Missed APCH climb gradient MNM 4.0%

| MINIMA |           |             |           |             |           |      | THR elev. 37 |  | AD elev. 37 |  |
|--------|-----------|-------------|-----------|-------------|-----------|------|--------------|--|-------------|--|
| CAT    | CAT I     |             | LOC       |             | CIRCLING  |      |              |  |             |  |
|        | DA(H)     | RVR/<br>CMV | MDA(H)    | RVR/<br>CMV | MDA(H)    | VIS  |              |  |             |  |
| A      | 237 (200) | 1000        | 290 (253) | 1500        | 570 (533) | 1600 |              |  |             |  |
| B      |           |             |           |             |           |      |              |  |             |  |
| C      |           |             |           | 1600        | 600 (563) | 2400 |              |  |             |  |
| D      |           |             |           | 1800        | 830 (793) | 3200 |              |  |             |  |

MINIMA with Missed APCH climb gradient of 2.5% are not established.


INSTRUMENT APPROACH CAHRT



CHANGE : PROC course. Missed APCH PROC. MINIMA. ALT(3.0° APCH Path) established. HLDG pattern. PROC ALT established. OCA/H established. ALT restriction. ENSES. IRTUG. GUNVI established. ANANN abolished. DME to ITS. NM to THR.



INSTRUMENT APPROACH CHART



CHANGE : Description of RADAR Service. MSA. VAR.

CHANGE : PROC course. Missed APCH PROC. MINIMA. HLDG pattern. OCA/H established. ENSES, INVUX, OTKEV established. ANANN abolished. DME to TSC. Description of RADAR Service. MSA. VAR.







## INSTRUMENT APPROACH CHART

## RJOS / TOKUSHIMA

## RNP Z RWY11(AR)

|                                                 |                        |                                                   |                                  |
|-------------------------------------------------|------------------------|---------------------------------------------------|----------------------------------|
| TOKUSHIMA APP<br>120.1 - 124.0<br>261.2 - 284.6 | RNP AR<br>RF required. | TOKUSHIMA TOWER<br>118.0 - 126.2<br>233.8 - 236.8 | GCA/VBL<br>CALL<br>TOKUSHIMA APP |
|-------------------------------------------------|------------------------|---------------------------------------------------|----------------------------------|

For uncompensated Baro-VNAV systems, procedure not authorized below -5°C / above 45°C



## MISSED APPROACH

From RW11 on track 110°, at or above 500FT turn right, direct to DATIS and hold at 3000FT.  
Contact TOKUSHIMA APP.

Missed APCH climb gradient MNM 5.0%

| CAT | THR elev. 6 |      | AD elev. 37 |      |
|-----|-------------|------|-------------|------|
|     | RNP 0.15    |      | RNP 0.30    |      |
|     | DA(H)       | CMV  | DA(H)       | CMV  |
| A   | -           | -    | -           | -    |
| B   | -           | -    | -           | -    |
| C   | 306(300)    | 1400 | 362(356)    | 1400 |
| D   |             | 1600 |             | 1600 |

MINIMA with Missed APCH climb gradient of 2.5% are not established.

**Authorization Required**



## INSTRUMENT APPROACH CHART

RJOS / TOKUSHIMA

RNP Z RWY11(AR)

Coding Table

| Serial Number | Path Descriptor                    | Waypoint Identifier | Fly Over | Course °M(°T)  | Magnetic Variation | Distance (NM) | Turn Direction | Altitude (FT) | Speed (KIAS) | VPA/ RDH (°/FT) | RNP Value    |
|---------------|------------------------------------|---------------------|----------|----------------|--------------------|---------------|----------------|---------------|--------------|-----------------|--------------|
| 001           | IF                                 | DATIS               | -        | -              | -7.8               | -             | -              | +3000         | -            | -               | -            |
| 002           | TF                                 | AIZEN               | -        | 292<br>(284.2) | -7.8               | 10.4          | -              | -             | -            | -               | 1.0          |
| 003           | TF                                 | OS150               | -        | 292<br>(284.1) | -7.8               | 10.2          | -              | +3000         | -180         | -               | 0.3          |
| 004           | RF<br>Center:<br>OSRF2<br>r=2.38NM | BIZAN               | -        | -              | -7.8               | 3.2           | R              | 2000          | -            | -               | 0.3          |
| 005           | RF<br>Center:<br>OSRF2<br>r=2.38NM | OS151               | -        | -              | -7.8               | 4.2           | R              | 661           | -            | -3.00           | 0.15<br>0.30 |
| 006           | TF                                 | RW11                | Y        | 110<br>(102.6) | -7.8               | 1.9           | -              | 56            | -            | -3.00/50        | 0.15<br>0.30 |
| 007           | FA                                 | -                   | -        | 110<br>(102.6) | -7.8               | -             | -              | +500          | -            | -               | 1.0          |
| 008           | DF                                 | DATIS               | -        | -              | -7.8               | -             | R              | 3000          | -            | -               | 1.0          |

Waypoint Coordinates



| Waypoint Identifier | Coordinates              | RF Arc Center Identifier | Coordinates              |
|---------------------|--------------------------|--------------------------|--------------------------|
| DATIS               | 335851.96N / 1345613.14E | OSRF2                    | 340610.26N / 1343254.26E |
| AIZEN               | 340123.97N / 1344405.59E |                          |                          |
| OS150               | 340351.55N / 1343212.95E |                          |                          |
| BIZAN               | 340613.12N / 1343002.50E |                          |                          |
| OS151               | 340829.79N / 1343331.39E |                          |                          |
| RW11                | 340804.98N / 1343545.74E |                          |                          |

CHANGE : PROC renamed.

## INSTRUMENT APPROACH CHART

## RJOS / TOKUSHIMA

## RNP Y RWY11(AR)



Missed APCH climb gradient MNM 5.0%

| CAT | THR elev. 6 |      | AD elev. 37 |      |
|-----|-------------|------|-------------|------|
|     | RNP 0.15    |      | RNP 0.30    |      |
|     | DA(H)       | CMV  | DA(H)       | CMV  |
| A   | -           | -    | -           | -    |
| B   | -           | -    | -           | -    |
| C   | 306(300)    | 1400 | 362(356)    | 1400 |
| D   |             | 1600 |             | 1600 |

MINIMA with Missed APCH climb gradient of 2.5% are not established.

**Authorization Required**

CHANGE : Description of VAR.

## INSTRUMENT APPROACH CHART

RJOS / TOKUSHIMA

RNP Y RWY11(AR)

Coding Table

| Serial Number | Path Descriptor                    | Waypoint Identifier | Fly Over | Course °M(°T) | Magnetic Variation | Distance (NM) | Turn Direction | Altitude (FT) | Speed (KIAS) | VPA/ RDH (°/FT) | RNP Value    |
|---------------|------------------------------------|---------------------|----------|---------------|--------------------|---------------|----------------|---------------|--------------|-----------------|--------------|
| 001           | IF                                 | KULUL               | -        | -             | -7.8               | -             | -              | +5000         | -210         | -               | -            |
| 002           | TF                                 | DOCHU               | -        | 179 (171.2)   | -7.8               | 2.7           | -              | +3100         | -            | -               | 0.3          |
| 003           | TF                                 | OS152               | -        | 179 (171.2)   | -7.8               | 2.0           | -              | -             | -180         | -               | 0.3          |
| 004           | RF<br>Center:<br>OSRF1<br>r=2.88NM | OS153               | -        | -             | -7.8               | 7.5           | L              | -             | -            | -               | 0.3          |
| 005           | TF                                 | FUDOU               | -        | 030 (022.4)   | -7.8               | 1.8           | -              | 2000          | -            | -               | 0.3          |
| 006           | TF                                 | OS154               | -        | 030 (022.4)   | -7.8               | 0.9           | -              | 1717          | -            | -3.00           | 0.15<br>0.30 |
| 007           | RF<br>Center:<br>OSRF2<br>r=2.38NM | OS151               | -        | -             | -7.8               | 3.3           | R              | 661           | -            | -3.00           | 0.15<br>0.30 |
| 008           | TF                                 | RW11                | Y        | 110 (102.6)   | -7.8               | 1.9           | -              | 56            | -            | -3.00/50        | 0.15<br>0.30 |
| 009           | FA                                 | -                   | -        | 110 (102.6)   | -7.8               | -             | -              | +500          | -            | -               | 1.0          |
| 010           | DF                                 | DATIS               | -        | -             | -7.8               | -             | R              | 3000          | -            | -               | 1.0          |

Waypoint Coordinates


| Waypoint Identifier | Coordinates              | RF Arc Center Identifier | Coordinates              |
|---------------------|--------------------------|--------------------------|--------------------------|
| KULUL               | 340954.74N / 1342131.22E | OSRF1                    | 340544.73N / 1342549.48E |
| DOCHU               | 340716.80N / 1342200.89E | OSRF2                    | 340610.26N / 1343254.26E |
| OS152               | 340517.99N / 1342223.19E |                          |                          |
| OS153               | 340438.24N / 1342902.35E |                          |                          |
| FUDOU               | 340615.76N / 1342950.98E |                          |                          |
| OS154               | 340705.08N / 1343015.59E |                          |                          |
| OS151               | 340829.79N / 1343331.39E |                          |                          |
| RW11                | 340804.98N / 1343545.74E |                          |                          |
| DATIS               | 335851.96N / 1345613.14E |                          |                          |

CHANGE : PROC renamed.

## INSTRUMENT APPROACH CHART

RJOS / TOKUSHIMA

RNP Z RWY29




## MISSED APPROACH

Climb to 3000FT direct to OS951,  
to OS952, to DATIS and hold.  
Contact TOKUSHIMA APP.

(For using VORTAC)

Climb on HDG290° to 800FT,  
turn left climb to 3000FT via TSC  
R125 to DATIS and hold.  
Contact TOKUSHIMA APP.



Missed APCH climb gradient MNM 5.0%

| MINIMA |           | THR elev. 37 | AD elev. 37 |
|--------|-----------|--------------|-------------|
| CAT    | LNAV/VNAV |              | CIRCLING    |
|        | DA(H)     | RVR/CMV      |             |
| A      | 380 (343) | 1500         | 580 (543)   |
| B      |           | 1800         | 600 (563)   |
| C      |           | 1800         | 600 (563)   |
| D      |           | 2000         | 840 (803)   |


MINIMA with Missed APCH climb gradient of 2.5% are not established.

CHANGE : Description of VAR.

INSTRUMENT APPROACH CHART


RJOS / TOKUSHIMA

RNP Y RWY29(AR)



**MISSED APPROACH**

From RW29 on track 290°, at or above 500FT turn left, direct to DATIS and hold at 3000FT. Contact TOKUSHIMA APP.



Missed APCH climb gradient MNM 5.0%

| CAT | THR elev. 37 |         | AD elev. 37 |         |
|-----|--------------|---------|-------------|---------|
|     | RNP 0.27     |         | RNP 0.30    |         |
|     | DA(H)        | RVR/CMV | DA(H)       | RVR/CMV |
| A   | -            | -       | -           | -       |
| B   | -            | -       | -           | -       |
| C   | 337(300)     | 1800    | 364(327)    | 1800    |
| D   |              | 2000    |             | 2000    |

MINIMA with Missed APCH climb gradient of 2.5% are not established.

**Authorization Required**

CHANGE : Description of VAR.

## INSTRUMENT APPROACH CHART

RJOS / TOKUSHIMA

RNP Y RWY29(AR)

Coding Table

| Serial Number | Path Descriptor                    | Waypoint Identifier | Fly Over | Course °M(°T) | Magnetic Variation | Distance (NM) | Turn Direction | Altitude (FT) | Speed (KIAS) | VPA/ RDH (°/FT) | RNP Value    |
|---------------|------------------------------------|---------------------|----------|---------------|--------------------|---------------|----------------|---------------|--------------|-----------------|--------------|
| 001           | IF                                 | KULUL               | -        | -             | -7.8               | -             | -              | +5000         | -            | -               | -            |
| 002           | TF                                 | OHASA               | -        | 092 (083.7)   | -7.8               | 8.6           | -              | -             | -            | -               | 1.0          |
| 003           | TF                                 | WAKME               | -        | 092 (083.8)   | -7.8               | 4.5           | -              | 3500          | -            | -               | 0.7          |
| 004           | TF                                 | OS953               | -        | 092 (083.8)   | -7.8               | 1.9           | -              | 2905          | -165         | -3.00           | 0.27<br>0.30 |
| 005           | RF<br>Center:<br>OSRF3<br>r=2.08NM | OS954               | -        | -             | -7.8               | 7.2           | R              | 610           | -            | -3.00           | 0.27<br>0.30 |
| 006           | TF                                 | RW29                | Y        | 290 (282.6)   | -7.8               | 1.6           | -              | 91            | -            | -3.00/54        | 0.27<br>0.30 |
| 007           | FA                                 | -                   | -        | 290 (282.6)   | -7.8               | -             | -              | +500          | -            | -               | 1.0          |
| 008           | DF                                 | DATIS               | -        | -             | -7.8               | -             | L              | 3000          | -            | -               | 1.0          |

Waypoint Coordinates


| Waypoint Identifier | Coordinates              | RF Arc Center Identifier | Coordinates              |
|---------------------|--------------------------|--------------------------|--------------------------|
| KULUL               | 340954.74N / 1342131.22E | OSRF3                    | 340928.04N / 1343948.74E |
| OHASA               | 341051.19N / 1343153.12E |                          |                          |
| WAKME               | 341120.36N / 1343718.44E |                          |                          |
| OS953               | 341132.33N / 1343932.73E |                          |                          |
| OS954               | 340726.04N / 1343916.02E |                          |                          |
| RW29                | 340747.36N / 1343720.97E |                          |                          |
| DATIS               | 335851.96N / 1345613.14E |                          |                          |

CHANGE : PROC renamed.



RJOS / TOKUSHIMA


Visual REP



※図中に標高を示す数字がある場合、単位はメートル(m)である。The unit of measurement used to express elevation is meter(m).

CHANGE : VAR.


| Call sign                  | BRG / DIST from ARP | Remarks                            |
|----------------------------|---------------------|------------------------------------|
| 福良<br>Fukura               | 037°T / 9.0NM       | 港<br>Harbor                        |
| 岡崎<br>Okazaki              | 029°T / 3.3NM       | 灯台<br>Lighthouse                   |
| 沼島<br>Nushima              | 079°T / 11.1NM      | 灯台<br>Lighthouse                   |
| 吉野イニシャル<br>Yoshino Initial | 248°T / 4.5NM       | 鉄道橋中央<br>The center of iron bridge |
| 吉野リバー<br>Yoshino River     | 188°T / 3.3NM       | 吉野川河口<br>River mouth               |





RJOS / TOKUSHIMA

Minimum Vectoring Altitude CHART



**INTENTIONALLY LEFT BLANK**