


RJTQ / MIYAKEJIMA


AD CHART

CHANGE : WIND SPEED METER, CEILOMETER added.



INTENTIONALLY LEFT BLANK

STANDARD DEPARTURE CHART -INSTRUMENT



STANDARD DEPARTURE CHART -INSTRUMENT

RJTQ / MIYAKEJIMA

RNAV SID

SCOTT TWO DEPARTURE

RWY02

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	-	-	024 (016.8)	-7.4	-	-	+500	-	-	RNP1
002	DF	SCOTT	-	-	-7.4	-	-	-	-	-	RNP1

RWY20

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	-	-	204 (196.8)	-7.4	-	-	+500	-	-	RNP1
002	DF	TQ001	-	-	-7.4	-	L	-	-	-	RNP1
003	TF	SCOTT	-	017 (009.3)	-7.4	19.0	-	-	-	-	RNP1

Waypoint Coordinates

Waypoint Identifier	Coordinates
TQ001	340436.1N/1393713.5E
SCOTT	342320.4N/1394056.3E

CHANGE : PROC course. Waypoint Coordinates added.


STANDARD DEPARTURE CHART -INSTRUMENT

RJTQ / MIYAKEJIMA

SID

MIYAKE REVERSAL ONE DEPARTURE

- RWY02 : Turn right climb via MOE R045 to 2800FT or above, turn right within MOE 15.0DME...
- RWY20 : Turn left climb via MOE R150 to 2800FT or above, turn left within MOE 15.0DME...
...proceed to MOE VOR/DME.
Cross MOE VOR/DME at or above 5000FT.




INTENTIONALLY LEFT BLANK

INSTRUMENT APPROACH CHART

RJTQ / MIYAKEJIMA

VOR/DME A





RJTQ / MIYAKEJIMA

TOKYO CONTROL
125.9 – 127.3
318.2 – 255.3

OYAMA VOR/DME
108.65 MOE
CH-23Y ---
34°04'16"N/139°33'41"E

MIYAKE RADIO
118.05
AFIS provided by
New Chitose Airport Office

NO RADAR



MISSED APPROACH
At 3.5DME prior to MOE VOR/DME,
turn right climb via MOE R-133
to RASYA and hold at 4,000ft.
Contact MIYAKE RADIO.

MINIMA		AD elev. 65
CAT	CIRCLING	
	MDA(H)	VIS
A	760 (695)	3200
B		
C	—	—
D		


Circling to East side of RWY only.

CHANGE : FREQ for TOKYO CONTROL.


INSTRUMENT APPROACH CHART

RJTQ / MIYAKEJIMA

RNP RWY02



CHANGE : FREQ for TOKYO CONTROL.



Missed APCH climb gradient MNM 5.0%

MINIMA	THR elev. 67	AD elev. 65
CAT	LNAV/VNAV	LNAV
	DA(H)	CMV
A	1050	1500
B	(983)	1500
C	-	-
D	-	-


Circling to EAST side of RWY only.
MINIMA with Missed APCH climb gradient of 2.5% are not established.

RJTQ / MIYAKEJIMA

RNP RWY20


TOKYO CONTROL 125.9 - 127.3 318.2 - 255.3	RNP APCH	MIYAKE RADIO 118.05 AFIS provided by New Chitose Airport Office	NO RADAR
---	----------	--	----------

Baro-VNAV not authorized below 0°C



Direct to TQ052, turn left
direct to TQ053, to SCOTT
and hold at 5000FT.
Contact MIYAKE RADIO.

PAPI and descent angles not coincident.



Missed APCH climb gradient MNM 5.0%

MINIMA THR elev. 61 AD elev. 65						
CAT	LNAV/VNAV		LNAV		CIRCLING	
	DA(H)	CMV	MDA(H)	CMV	MDA(H)	VIS
A	946	1500	1720	1500	1720	1600
B	(885)		(1655)		(1655)	
C	-	-	-	-	-	-
D	-	-	-	-	-	-


Circling to EAST side of RWY only.

MINIMA with Missed APCH climb gradient of 2.5% are not established.

CHANGE : FREQ for TOKYO CONTROL.

RJTQ / MIYAKEIJIMA


Visual REP



※図中に標高を示す数字がある場合、単位はメートル(m)である。The unit of measurement used to express elevation is meter(m).

CHANGE : VAR.	Call sign	BRG / DIST from ARP	Remarks
	10NM N	360°T / 10.0NM	海上 Over the sea
	御蔵島 Mikurajima	170°T / 12.1NM	御山 Mt. Oyama

Note : In the W direction of the airport, A/G COM from Miyake Radio is blinded by Mt. Oyama (2,543ft).



RJTQ / MIYAKEJIMA

Minimum Vectoring Altitude CHART

