JIRA TEST MANAGEMENT PROJECT

SHOPEASY QA

Assignment Solution & Project Documentation

Requirement Management · Test Planning · Test Execution · Defect Management · Reporting

Project Name	ShopEasy QA
Project Key	SEQ
Platform	Jira Cloud
Test Management	Xray
Project Type	Scrum

Prepared By : Nagu Chavala

1. Project Overview

1.1 Introduction

This document presents the implementation and completion of the Jira Test Management Project for **ShopEasy**, an online shopping application.

The objective of this assignment was to plan and manage the testing activities of an online shopping application using Jira, starting from the business requirements provided in the assignment brief.

The project involved translating business requirements into Epics and User Stories, organizing development and testing activities into Sprints, designing manual test cases, managing test execution through Xray, identifying and reporting defects, and monitoring overall testing progress through Jira dashboards, filters, and reports.

The implementation was carried out using Jira Cloud with the Xray test management application.

1.2 Project Objectives

The primary objectives of this project were:

- Establish a Scrum-based Jira project for ShopEasy.
- Analyze the given business requirements and organize them into Epics and User Stories.
- Plan and manage two Sprints.
- Design and organize manual test cases covering positive, negative, and boundary scenarios.
- Create a Test Plan and Test Execution using Xray.
- Evaluate the supplied test observations against the business requirements.
- Identify and document defects with appropriate details and traceability.
- Configure Jira filters and a QA dashboard to monitor testing progress.
- Generate test management reports and summarize the overall quality status.

1.3 Project Scope

The testing scope covers three major functional modules of the ShopEasy application:

1. **Account and Login Management** – User registration, authentication, account lockout, password reset, and logout.
2. **Product Browsing and Search** – Product listing, pagination, keyword search, filtering, sorting, and product availability.
3. **Cart and Checkout** – Cart management, quantity validation, coupon application, shipping information, payment, and order confirmation.

A total of 16 business requirements across these three modules were considered for requirement analysis and test coverage.


1.4 Tools and Technologies

Tool	Purpose
Jira Cloud	Project, requirement, sprint, and defect management
Xray	Test case management, test planning, execution, and reporting
Jira Query Language (JQL)	Issue filtering and tracking

Jira Dashboards	Visual monitoring of project and defect status

1.5 Test Environment

Parameter	Configuration
Application	ShopEasy
Build Version	1.0.3
Environment	Staging
Browser	Chrome – Latest
Operating System	Windows 11
Test Management Tool	Jira Cloud with Xray



2. Task 1 – Create the Jira Project

2.1 Objective

The first task was to create a dedicated Jira project for managing the requirements, sprint activities, test cases, test execution, and defects associated with the ShopEasy application.

The project was created using the Scrum project template in Jira Cloud.

2.2 Project Creation

A new Jira project was created with the following configuration:

Configuration	Value
Project Name	ShopEasy QA
Project Key	SEQ
Project Type	Scrum
Project Template	Scrum
Project Management Platform	Jira Cloud
Project Category	Software Project

The project key SEQ is used as the unique identifier for all issues created within the project. For example, Stories, Bugs, Test Plans, and Test Executions have issue keys beginning with SEQ-.

2.3 Project Structure

The Scrum project provided the foundation for organizing and tracking the work through a Backlog and Sprint Board.

The project was used to manage the following work items:

- Epics – Representing major functional areas of the application.
- Stories – Representing individual requirements and user goals.
- Tasks – Representing general project activities.
- Bugs – Representing defects identified during testing.
- Sub-tasks – Representing smaller activities associated with parent work items.
- Xray Test – Representing individual manual test cases.

2.4 Issue Type Configuration

The project was configured to support the issue types required for project and test management.

Issue Type	Purpose
Epic	Organizes related requirements under a major functional area.
Story	Represents an individual requirement or user-focused functionality.
Task	Tracks general project activities.
Bug	Records defects identified during testing.
Sub-task	Breaks down a parent work item into smaller activities.
Test	Represents a manual test case managed through Xray.

Test Set	Groups related test cases for easier organization.
Test Plan	Organizes test cases planned for a testing cycle.
Test Execution	Records the execution of test cases and their results.
Precondition	Defines the conditions that must be satisfied before executing a test.


The Xray issue types were enabled through the project's issue type configuration so that test management activities could be performed within Jira.

2.5 Outcome

The ShopEasy QA project was successfully established with the project key SEQ and a Scrum-based structure.

The project provided a centralized workspace for requirement management, sprint planning, test case management, execution tracking, and defect reporting.

This completed the initial project setup and provided the foundation for the subsequent tasks.



2.6 Creation of Epics


After setting up the Jira project, three Epics were created to organize the ShopEasy application requirements into major functional areas. Each Epic represents a separate module of the application and acts as a parent for its related User Stories.


The three Epics created are listed below:


Epic No.	Epic ID	Epic Summary
Epic 1	SEQ-1	User Account Management
Epic 2	SEQ-2	Product Catalog
Epic 3	SEQ-3	Cart and Checkout


Each Epic was assigned a relevant label to help organize and identify its associated Stories.

These Epics provided the high-level structure for managing the 15 User Stories created from the business requirements.









2.7 Creation of User Stories

After creating the three Epics, 15 User Stories were created and associated with their respective Epics. These Stories were derived from the business requirements provided in the assignment brief.

Each Story represents a specific functionality of the ShopEasy application and includes a requirement reference to maintain traceability between business requirements and Jira work items.

The Stories were organized into the following three functional modules:

User Story Details

No.	Story ID	User Story Summary	Requirement ID	Epic
1	SEQ-4	User Registration with Validations	REQ-A1	User Account Management
2	SEQ-5	User Login with Valid Credentials	REQ-A2	
3	SEQ-6	Account Lockout After Failed Login Attempts	REQ-A3	
4	SEQ-7	Password Reset with Secure Link Expiration	REQ-A4	
5	SEQ-8	Secure User Logout and Session Handling	REQ-A5	
6	SEQ-9	Display Products with Pagination	REQ-B1	Product Catalog
7	SEQ-10	Search Products by Keyword	REQ-B2	
8	SEQ-11	Filter Products by Category and Price	REQ-B3	
9	SEQ-12	Sort Products by Price and Name	REQ-B4	
10	SEQ-13	View Product Details and Stock Availability	REQ-B5	
11	SEQ-14	Manage Cart Items, Quantities and Line Totals	REQ-C1, REQ-C2	Cart and Checkout
12	SEQ-15	Remove Cart Items and Handle Empty Cart	REQ-C3	
13	SEQ-16	Apply and Validate SAVE10 Coupon	REQ-C4	
14	SEQ-17	Validate Checkout and Shipping Information	REQ-C5	
15	SEQ-18	Complete Payment and Confirm Order	REQ-C6	

Story Point Distribution

Story points were assigned to estimate the relative effort associated with implementing each Story.

Functional Module	Number of Stories	Total Story Points
User Account Management	5	18
Product Catalog	5	17
Cart and Checkout	5	18
Total	**15**	**53**

All 15 Stories were linked to their respective Epics. Requirement IDs were included in the Story descriptions and labels to support requirement traceability.

2.8 Sprint Planning and Story Allocation

After creating the 15 User Stories, two one-week Sprints were created in the ShopEasy QA Scrum project. The Stories were distributed across the two Sprints based on their priority, functional scope, and estimated effort.


Story points were assigned to each Story to represent its relative implementation effort. The Sprint allocation was organized as follows:


Sprint Details


Sprint	Sprint Name	Duration	Number of Stories	Story Points	Allocated Story Keys
Sprint 1	SEQ Sprint 1	30 Oct – 5 Nov 2026	7	24	SEQ-4, SEQ-5, SEQ-6, SEQ-7, SEQ-8, SEQ-9, SEQ-10
Sprint 2	SEQ Sprint 2	6 Nov – 12 Nov 2026	8	29	SEQ-11, SEQ-12, SEQ-13, SEQ-14, SEQ-15, SEQ-16, SEQ-17, SEQ-18
Total	**2 Sprints**	**2 Weeks**	**15**	**53**	**SEQ-4 to SEQ-18**


Sprint Execution


Both Sprints were completed in Jira. The Stories were moved through the Scrum board, and the Sprint completion functionality was used to record their completion.






Board - SEQ Sprint 1 - SEQ boa
Ask Gemini
naguch010.atlassian.net/jira/software/projects/SEQ/boards/34?filter=&groupBy=subtask
Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
Demo Project
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Customize sidebar
Spaces / ShopEasy QA
SEQ board
Summary
Timeline
Active sprints
Backlog
Calendar
List
Forms
Development
Docs
Testing Board
Search board
Filter
Custom filters
Group: Sub-task
Complete sprint
No Sub-task 7
To Do 7
In Progress 0
Done 0
User Registration with Validations
REQ-A1
registration
User Account Management
SEQ-4
3
User Login with Valid Credentials
REQ-A2
login
User Account Management
SEQ-5
2
Account Lockout After Failed Login


Board - SEQ Sprint 1 - SEQ boa
Ask Gemini
naguch010.atlassian.net/jira/software/projects/SEQ/boards/34?filter=&groupBy=subtask
Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
Demo Project
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Customize sidebar
Spaces / ShopEasy QA
SEQ board
Summary
Timeline
Active sprints
Backlog
Calendar
List
Forms
Development
Docs
Testing Board
Search board
Filter
Custom filters
Group: Sub-task
Complete sprint
No Sub-task 7
To Do 6
In Progress 1
Done 0
User Login with Valid Credentials
REQ-A2
login
User Account Management
SEQ-5
2
Account Lockout After Failed Login Attempts.
REQ-A3
account-lockout
User Account Management
SEQ-6
5
Password Reset with Secure Link Expiration
User Registration with Validations
REQ-A1
registration
User Account Management
SEQ-4
3


Board - SEQ Sprint 1 - SEQ boa
Ask Gemini
naguch010.atlassian.net/jira/software/projects/SEQ/boards/34?filter=&groupBy=subtask
Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
Demo Project
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Customize sidebar
Spaces / ShopEasy QA
SEQ board
Summary
Timeline
Active sprints
Backlog
Calendar
List
Forms
Development
Docs
Testing Board
Reports
Search board
Filter
Custom filters
Group: Sub-task
Complete sprint
No Sub-task 7
To Do 0
In Progress 0
Done 7
User Registration with Validations
REQ-A1
registration
User Account Management
SEQ-4
3
User Login with Valid Credentials
REQ-A2
login
User Account Management
SEQ-5
2
Account Lockout After Failed Login Attempts.

2.9 Test Case Design and Management

After completing the requirement analysis and Sprint planning, 33 manual Test Cases were created in Jira using the Xray test management application.

The Test Cases were designed to validate the functional requirements of ShopEasy through positive, negative, and edge/boundary scenarios. Each Test Case includes a summary, preconditions, execution steps, test data, expected results, priority, and relevant labels.

The Test Cases were organized into three functional groups corresponding to the application's major modules.

2.9.1 User Account Management Test Cases


Test Case ID	Test Case Summary	Requirement ID	Test Type
TC-01	Verify User Registration with Valid Details	REQ-A1	Positive
TC-02	Verify Registration Rejects Password Without Special Character	REQ-A1	Negative
TC-03	Verify User Login with Valid Credentials	REQ-A2	Positive
TC-04	Verify Login Rejects Invalid Credentials	REQ-A2	Negative
TC-05	Verify Account Lockout After Five Failed Login Attempts	REQ-A3	Edge
TC-06	Verify Login Is Rejected During Account Lockout	REQ-A3	Negative
TC-07	Verify Password Reset Using Valid Reset Link	REQ-A4	Positive
TC-08	Verify Expired Password Reset Link Is Rejected	REQ-A4	Negative
TC-09	Verify Successful User Logout	REQ-A5	Positive
TC-10	Verify Authenticated Pages Are Not Accessible Using Browser Back After Logout	REQ-A5	Negative

2.9.2 Product Catalog Management Test Cases

Test Case ID	Test Case Summary	Requirement ID	Test Type
TC-11	Verify Product Listing Displays 12 Products Per Page	REQ-B1	Positive
TC-12	Verify Navigation Between Product Listing Pages	REQ-B1	Positive
TC-13	Verify Product Search Is Case-Insensitive	REQ-B2	Positive
TC-14	Verify Search Displays No Results for Unmatched Keyword	REQ-B2	Negative
TC-15	Verify Product Filtering by Category	REQ-B3	Positive
TC-16	Verify Product Filtering by Price Range	REQ-B3	Positive
TC-17	Verify Sorting Products by Price in Ascending Order	REQ-B4	Positive
TC-18	Verify Sorting Products by Price in Descending Order	REQ-B4	Negative
TC-19	Verify Sorting Products by Name A to Z	REQ-B4	Positive
TC-20	Verify Product Details and Stock Availability	REQ-B5	Positive
TC-21	Verify Add to Cart Is Disabled for Out-of-Stock Products	REQ-B5	Negative

2.9.3 Cart and Checkout Test Cases

Test Case ID	Test Case Summary	Requirement ID	Test Type
TC-22	Verify Cart Item Count Updates When Products Are Added	REQ-C1	Positive
TC-23	Verify Cart Quantity and Line Total Update Correctly	REQ-C2	Positive
TC-24	Verify Maximum Allowed Cart Quantity	REQ-C2	Edge
TC-25	Verify Cart Rejects Quantity Greater Than 10	REQ-C2	Negative
TC-26	Verify Removing a Product from the Cart	REQ-C3	Positive
TC-27	Verify Empty Cart Message After Removing All Products	REQ-C3	Positive
TC-28	Verify SAVE10 Coupon Applies to Eligible Cart Value	REQ-C4	Positive
TC-29	Verify SAVE10 Coupon Is Rejected Below Minimum Cart Value	REQ-C4	Negative
TC-30	Verify Checkout Requires User Authentication	REQ-C5	Negative
TC-31	Verify Mandatory Shipping Information Validation	REQ-C5	Negative / Boundary
TC-32	Verify Available Payment Methods	REQ-C6	Positive
TC-33	Verify Order Confirmation Displays Unique Order ID and Sends Confirmation Email	REQ-C6	Positive



2.9.4 Test Case Distribution

The overall Test Case distribution is summarized below:


Functional Module	Number of Test Cases
User Account Management	10
Product Catalog Management	11
Cart and Checkout	12
Total	**33**

2.9.5 Test Case Organization Using Xray Test Sets

To organize the Test Cases efficiently, three Xray Test Sets were created.

Test Set ID	Test Set Name	Test Cases Included	Count
TS-01	User Account Management Tests	TC-01 to TC-10	10
TS-02	Product Catalog Management Tests	TC-11 to TC-21	11
TS-03	Cart and Checkout Management Tests	TC-22 to TC-33	12
Total	**3 Test Sets**	**TC-01 to TC-33**	**33**

All Test Cases were associated with their respective requirement Stories to maintain traceability between requirements and test coverage.



This completed the Test Case design and organization phase.

2.9.6 Creation of Test Preconditions

In Xray, Preconditions are used to define the initial conditions that must be satisfied before a Test Case can be executed successfully.


To avoid repeatedly writing the same setup conditions in multiple Test Cases, five reusable Preconditions were created in the ShopEasy QA project.

These Preconditions cover user account availability, application environment readiness, product catalog availability, login status, and shopping cart preparation.

The following Preconditions were created:

No.	Precondition ID	Precondition Summary	Purpose
1	SEQ-19	Registered User Account Exists	Ensures that a valid registered user account is available for account-related test scenarios.
2	SEQ-20	ShopEasy Staging Environment Is Available	Ensures that the staging environment is accessible before starting test execution.
3	SEQ-21	ShopEasy Product Catalog Contains Sample Products	Ensures that the required sample products are available for product browsing, searching, filtering, and sorting tests.
4	SEQ-22	ShopEasy User Is Successfully Logged In	Ensures that the user has an active authenticated session for tests requiring login.
5	SEQ-23	Shopping Cart Contains Required Test Items	Ensures that the cart contains the required products and quantities before cart and checkout test execution.

These Preconditions were created as reusable Xray entities and associated with relevant Test Cases wherever applicable.



This helped standardize test preparation, reduce repeated setup instructions, and improve consistency during test execution.

2.10 Creation of Test Plan

After organizing the Test Cases into three Test Sets and creating the required Preconditions, an Xray Test Plan was created to organize and manage the overall testing activities for the ShopEasy application.

A Test Plan acts as a central container for the Test Cases selected for a particular testing cycle. It provides an organized view of the testing scope and helps track the associated Test Executions.

The following Test Plan was created in the ShopEasy QA project:

Test Plan Details

Field	Details
Test Plan ID	SEQ-60
Test Plan Name	TP-01 – ShopEasy Functional Testing Plan
Project	ShopEasy QA
Project Key	SEQ
Test Management Tool	Xray
Total Test Cases	33
Associated Test Sets	3
Functional Modules Covered	User Account Management, Product Catalog, Cart and Checkout

Test Plan Scope


The Test Plan covers all three functional modules of the ShopEasy application:

1. **User Account Management:** Registration, login, account lockout, password reset, and logout.
2. **Product Catalog:** Product listing, pagination, search, filtering, sorting, and product details.
3. **Cart and Checkout:** Cart operations, quantity validation, coupon application, shipping information, payment, and order confirmation.

All 33 Test Cases were added to the Test Plan to ensure that the functional requirements were included in the planned testing scope.

Test Plan Outcome

The creation of TP-01 established a centralized testing structure for the ShopEasy application. It also provided the basis for creating the corresponding Test Execution and recording the results of the planned Test Cases.



2.11 Creation of Test Execution

After creating the Test Plan, an Xray Test Execution was created to record and manage the execution results of the 33 planned Test Cases.

The Test Execution was associated with the previously created Test Plan (TP-01), providing a connection between the planned testing scope and the recorded execution results.

Test Execution Details

Field	**Details**
Test Execution ID	SEQ-61
Test Execution Name	TE-01 – ShopEasy Functional Testing Execution - Staging
Associated Test Plan	TP-01 – SEQ-60
Project	ShopEasy QA
Total Test Cases	33
Test Environment	Staging
Application Build	1.0.3
Browser	Chrome – Latest
Operating System	Windows 11
Assigned To	Nagu Chavala

Test Execution Approach

The Test Cases were evaluated against the eight test observations provided in the assignment brief.


- Test Cases whose expected results matched the supplied observations were marked as **PASS**.
- Test Cases whose expected results did not match the supplied observations were marked as **FAIL**.
- Test Cases not associated with any failing observation were treated as **PASS**, as instructed in the assignment.


The execution results were recorded in Xray under the Test Execution TE-01.

Test Execution Summary

Execution Status	**Number of Test Cases**
Passed	24
Failed	9
Blocked	0
Not Run	0
Total	**33**

The execution resulted in 24 passed Test Cases and 9 failed Test Cases. The failed results were associated with eight unique defect observations, which were documented separately as Jira Bug issues.





2.12 Defect Identification and Bug Creation

During the test evaluation process, the observed application behavior was compared with the expected behavior specified in the business requirements.

Whenever an observation did not satisfy the corresponding requirement, a defect was identified and recorded as a separate Bug issue in Jira.

A total of eight Bugs were created, covering all eight failed observations (OBS-1 to OBS-8).

Each Bug was documented with the relevant details, including its summary, test environment, steps to reproduce, expected result, actual result, severity, priority, and links to the corresponding Test Case and User Story.

Defect Details and Test Case Traceability

Observation ID	Bug ID	Bug Summary	Failed Test Case(s)	Requirement ID
OBS-1	SEQ-62	Registration accepts password without a special character	TC-02	REQ-A1
OBS-2	SEQ-63	Account unlocks after 5 minutes instead of 15 minutes	TC-05, TC-06	REQ-A3
OBS-3	SEQ-64	Password reset link remains valid after 30 minutes	TC-08	REQ-A4
OBS-4	SEQ-65	Product search is case-sensitive	TC-13	REQ-B2
OBS-5	SEQ-66	Products are not sorted correctly by price in descending order	TC-18	REQ-B4
OBS-6	SEQ-67	Cart accepts a quantity greater than the maximum limit	TC-25	REQ-C2
OBS-7	SEQ-68	SAVE10 coupon is applied below the minimum cart value	TC-29	REQ-C4
OBS-8	SEQ-69	Order confirmation page does not display a unique Order ID	TC-33	REQ-C6


Defect Traceability

Each Bug was linked to its corresponding failed Test Case and requirement Story. This maintained traceability from the original business requirement through test design and execution to defect reporting.

For OBS-2, the same defect was associated with two failed Test Cases (TC-05 and TC-06), because both test scenarios exposed the same account lockout duration issue. Therefore, nine Test Cases failed, but only eight unique Bugs were created.

Defect Management Outcome

The defect reporting process established a clear relationship between the observed issues, failed Test Cases, and their corresponding User Stories. This made it easier to identify the affected functionality and track defects within the Jira project.



2.13 Task 8 – Create Saved Filters Using JQL

2.13.1 Objective

The objective of this task was to create and save Jira filters using Jira Query Language (JQL) to retrieve specific work items from the ShopEasy QA project.

JQL is used to search, filter, and organize Jira issues based on conditions such as project, issue type, priority, status, and assignee.

Five saved filters were created to support requirement tracking, Test Case management, and defect monitoring.

2.13.2 Saved Filters

No.	Filter Name	Purpose
1	ShopEasy - Open Bugs	Retrieves unresolved Bugs in the ShopEasy project.
2	ShopEasy - High Priority Bugs	Retrieves Bugs with Highest or High priority.
3	ShopEasy - Bugs by Assignee	Retrieves Bugs and organizes them by assignee.
4	ShopEasy - All Test Cases	Retrieves all Test issues in the project.
5	ShopEasy - All Requirements	Retrieves all Story issues in the project.

2.13.3 JQL Queries

1. ShopEasy - Open Bugs

```
project = SEQ AND issuetype = Bug
AND statusCategory != Done
ORDER BY priority DESC
```

2. ShopEasy - High Priority Bugs

```
project = SEQ AND issuetype = Bug
AND priority in (Highest, High)
ORDER BY priority DESC
```

3. ShopEasy - Bugs by Assignee

```
project = SEQ AND issuetype = Bug
ORDER BY assignee ASC
```

4. ShopEasy - All Test Cases

```
project = SEQ AND issuetype = Test
ORDER BY key ASC
```

5. ShopEasy - All Requirements

```
project = SEQ AND issuetype = Story
ORDER BY key ASC
```

2.13.4 Outcome

All five JQL queries were executed successfully and saved as reusable Jira filters.These filters provide quick access to relevant work items and support defect tracking, requirement review, and Test Case management without repeatedly writing the queries.

2.14 Task 9 – Build QA Dashboard

2.14.1 Objective

The objective of this task was to create a centralized Jira dashboard for monitoring the ShopEasy QA project. The dashboard provides a visual representation of defect distribution, issue status, testing activity, and Test Execution records.

A dashboard named **ShopEasy QA Dashboard** was created in Jira and configured with multiple gadgets to monitor different aspects of the project.

2.14.2 Dashboard Configuration

Configuration	Details
Dashboard Name	ShopEasy QA Dashboard
Project	ShopEasy QA
Project Key	SEQ
Dashboard Layout	Two-column layout
Number of Gadgets	5

2.14.3 Gadgets Configured


No.	Gadget Name	Configuration / Purpose
1	Filter Results	Displays open Bugs using ShopEasy - Open Bugs.
2	Pie Chart – High Priority Bugs	Displays the distribution of Bugs by priority.
3	Pie Chart – Open Bugs	Displays the distribution of Bugs by status.
4	Created vs Resolved Chart	Visualizes the number of issues created and resolved over time.
5	Test Executions List	Displays Xray Test Execution records using ShopEasy - Test Executions.


2.14.4 Dashboard Outcome

The ShopEasy QA Dashboard provides a centralized view of the project's defect information and testing activity.

The Filter Results gadget allows users to quickly review open defects, while the Pie Charts provide visual summaries of Bug priority and status. The Created vs Resolved Chart helps monitor issue trends, and the Test Executions List provides access to the project's Xray execution records.

The dashboard was configured to make project monitoring and QA reporting easier through a single Jira interface.





2.15 Task 10 – Xray Reporting and Analysis

2.15.1 Introduction

The Xray Reporting Center was used to generate reports related to Test Cases, Test Sets, Test Plans, Test Executions, Test Runs, and testing metrics.


These reports provide organized information about the test management activities performed in the ShopEasy QA project and help review the overall testing progress.

2.15.2 Reports Generated


The following reports were generated using the Xray Reporting Center:

2.15.3 Report Screenshots


1. Tests List Report




2. Test Sets List Report




3. Test Plans List Report



4. Test Executions List Report



5. Test Runs List Report



6. Test Plans Metrics Report

