

Department of Computer Science & Engineering



**Assignment
On
Portfolio Website Design**

Web Database Programming Lab (CSE 458)

Submitted by

Hasibul Islam

ID: 17181103073

Section: 01 (Software Engineering)

Department of CSE

BUBT

Submitted to

Sadah Anjum Shanto

Lecturer

Department of CSE

BUBT

Submission Date

28th May 2021

Html Code

```
<!DOCTYPE html>
<html lang="en">

<head>

  <meta charset="UTF-8">
  <link rel="stylesheet" href="css/slick.css">
  <link rel="stylesheet" href="css/all.min.css">
  <link rel="stylesheet" href="css/style.css">
  <title>portfolio</title>
</head>

<body>

  <!-- =====
                pre-loader start
                ===== -->

  <div class="loader">
    <div class="load ">

      </div>
    </div>

    <!-- =====
                pre-loader end
                ===== -->

    <div class="btop">
      <i class="fas fa-arrow-up"></i>

    </div>

    <!-- =====
                header part start
                ===== -->
    <header id="head" class="alex">
      <div class="container">
```

```
<div class="row1">
  <div class="cl1">
    <a href="#">
      <h2>nafiz</h2>
    </a>

  </div>

  <div class="cl2">
    <ul class="menu">
      <li> <a href="#ban">home</a></li>
      <li> <a href="#about">about</a></li>

      <li> <a href="#skill">skill</a></li>

      <li> <a href="#project">portfolios</a></li>
      <li> <a href="#free">services</a></li>

      <li> <a href="#cont">contact</a></li>

    </ul>

  </div>

</div>

</div>

</header>

<!-- =====
      header part end
===== -->

<!-- =====
      banner part start
===== -->
<section id="ban">
  <div class="container jst">
    <div class="banner">
```

```

        <div class="banner_text" data-addui='typing'>
            <span>I Am Nafiz !</span>

        </div>
    </div>
    <div class="banner2">
        <p>Lorem Ipsum is simply dummy text of the printing and typesetti
ng industry.

            <span>It has survived not only five centuries.</span>
        </p>

        <div class="but">
            <a href="#">hire me now</a>
        </div>

    </div>

</div>

</section>

<!-- =====
            banner part end
===== -->

<!-- =====
            about part start
===== -->

<section id="about">
    <div class="container">
        <div class="r1">
            <div class="ce1">
                

```

```

</div>
<div class="ce2">
  <div class="ab1">
    <h4>About Me</h4>

  </div>
  <div class="ab2">

    <div class="slide">
      <h4>I Am Nafiz & I am a Student.</h4>
      <p>
        My name is nafiz & i am 23 yaers old i am fro
m patuakhlai ,barishal. My father name
        is Alamgir Hossain Khan & He is a Business-
Man . My Mother Name is Sultana Jahan
        Nipa ,she is a House-wife

        <span>
          Lorem Ipsum is simply dummy text of the print
ing and typesetting industry. It has
          survived
          not only five centuries, remaining essentiall
y unchanged.

        </span>

      </p>
      <a href="#"> My Resume</a>

    </div>

    <div class="slide">
      <h4>School.</h4>
      <p>
        My Scholl name is Madhay Madan Pura high scholl a
nd my passing
        year is 2014 and my GPA is 5.

        <span>
          Lorem Ipsum is simply dummy text of the print
ing and typesetting industry. It has
          survived

```

```
not only five centuries, remaining essentiall
y unchanged.

</span>

</p>
<a href="#"> My Resume</a>

</div>

<div class="slide">
  <h4>College.</h4>
  <p>
    My College name is Amrita Lal Dey College and my
    passing
    year is 2016 and my GPA is 4.

    <span>
      Lorem Ipsum is simply dummy text of the print
      ing and typesetting industry. It has
      survived
      not only five centuries, remaining essentiall
      y unchanged.

    </span>

  </p>
  <a href="#"> My Resume</a>

</div>

<div class="slide">
  <h4>University.</h4>
  <p>
    Currently I am a Student of Bangladesh University
    Of Buisness & Technology.This is
    My 11th Semester & my Current CGPA is 3.89.

    <span>
      Lorem Ipsum is simply dummy text of the print
      ing and typesetting industry. It has
      survived
      not only five centuries, remaining essentiall
      y unchanged.

    </span>
```

```

        </p>
        <a href="#"> My Resume</a>

    </div>

</div>

</div>
</div>
</div>

</section>

<!-- =====
        about part end
===== -->

<!-- =====
        my skill part start
===== -->
<section id="skill">
    <div class="container">
        <div class="x1">
            <h4>
                My Skills
            </h4>
            <p>
                Lorem Ipsum is simply dummy text of the printing and typesett
ing industry.
                <span> It has survived not only five centuries.
            </span>
            </p>

        </div>
        <div class="x2">
            <div class="cl1">
                <div class="counter">
                    90

```

```

        </div>

        <div class="per">
            <p>%</p>
        </div>
        <div class="txt">
            <h4>Web Design</h4>
            <p>
                Lorem Ipsum is simply dummy the printing portfolio in
dustry.

                </p>
            </div>
        </div>

        <div class="cl1">
            <div class="counter">
                70
            </div>

            <div class="per">
                <p>%</p>
            </div>
            <div class="txt">
                <h4>java script</h4>
                <p>
                    Lorem Ipsum is simply dummy the printing portfolio in
dustry.

                    </p>
                </div>
            </div>

            <div class="cl1">
                <div class="counter cot">
                    80
                </div>
                <div class="per">
                    <p>%</p>
                </div>
                <div class="txt">
                    <h4>photoshop</h4>
                    <p>
                        Lorem Ipsum is simply dummy the printing portfolio in
dustry.

```



```
        </p>
      </div>
    </div>
```

```
</div>
```

```
<div class="x3">
  <div class="cl1">
    <div class="counter">
      90
    </div>
```

```
    <div class="per">
      <p>%</p>
    </div>
```

```
    <div class="txt">
      <h4>HTML CSS3</h4>
      <p>
```

Lorem Ipsum is simply dummy the printing portfolio in
dustry.

```
      </p>
    </div>
  </div>
```

```
<div class="cl1">
  <div class="counter">
    90
  </div>
```

```
  <div class="per">
    <p>%</p>
  </div>
```

```
  <div class="txt">
    <h4>Bootstrap</h4>
    <p>
```

Lorem Ipsum is simply dummy the printing portfolio in
dustry.

```
      </p>
```

```

        </div>
    </div>
    <div class="cl1">
        <div class="counter cot">
            75
        </div>
        <div class="per">
            <p>%</p>
        </div>
        <div class="txt">
            <h4>WordPress</h4>
            <p>
                Lorem Ipsum is simply dummy the printing portfolio in
dustury.

            </p>
        </div>
    </div>

</div>
</div>

</section>

<!-- =====
            my skill part end
===== -->

<!-- =====
            my project part start
===== -->

<section id="project">
    <div class="container mi">
        <div class="x1">
            <h4>
                Recent Works
            </h4>

```

```

        <p>
            Lorem Ipsum is simply dummy text of the printing and typesett
ing industry.
            <span> It has survived not only five centuries.
            </span>
        </p>

    </div>

    <div class="ui">
        <div class="pro">
            <div class="sli">
                <h3>
                    Project 1
                </h3>
                <h4>
                    Hangman Quiz game
                </h4>
                <p>
                    The objective of the game Hangman is to guess the wor
d (phrase) in the time limit. After
                    guessing a word you are going to guess the next one.
                    Bonus for guessing a word' will be
                    added to your score for guessing a word (phrase) and
                    'Bonus per 1 second remaining' will be
                    added to you for each remaining second.
                    <span class="pai">
                        for devloping i use c programming langauage and i
use codeblocks
                    </span>
                </p>
            </div>
        </div>
        <div class="proi">
            <a href="images/img-1.png"> </a>
        </div>
    </div>
    <div class="ui_2">

```

```

        <div class="proi_2">
            <a href="images/img-1.png"> </a>

        </div>
        <div class="pro_2">
            <div class="sli">
                <h3>
                    Project 2
                </h3>
                <h4>
                    Online+offline Cafe Management System
                </h4>
                <p> online cafe Management system is for bubt student onl
y. here user can order food,cancel
                    order by own, and user can message to admin for help
and they can payment online and
                    offline.they can aslo see their order details,order s
tatus. user can also pay later if they
                    have permission.this means user can have due ,user ca
n pay due offline and online.
                    in other hand admin can manage inventory ,order ,user
employee. here user can sell product
                    offline also.admin can message user. admin can pay em
ployee. in this website we can also see
                    how many product are sell, which products we sell mos
t through graph chart. we can also see
                    loss or benifit accroiding to our sell.we can see all
our transaction in stastical graph
                    view

                <span>
                    for develop this website i use visual stdio code
editor
                    and for front-
end &AM backend i use c sharp programming language </span>
                </p>

            </div>

        </div>
    </div>
</div>

```

```

<div class="ui">
  <div class="pro">
    <div class="sli">
      <h3>
        Project 3
      </h3>
      <h4>
        Online Hostel booking System (website)
      </h4>
      <p>
        Online Hostel booking Sysyem is a simple website that
        i i develop for student here
        user/student can search hostel and they can booked a
        seat if they find one accroiding to
        their requirment.they can pay online their seat rent.
        aslo they can have due. they also can
        pay their due in online.
        user can update seat availability add new hostel, new
        seat and also can cancel booking.also
        can payoffline.

        <span>
          for develop this website i use vs-
code code editor

          and for front-end i use html,css,js,Bootstrap
          for backend i use php.

        </span>
      </p>

    </div>

  </div>
  <div class="proi">
    <a href="images/img-1.png"> </a>

  </div>

```

```

</div>

<div class="ui_2">
    <div class="proi_2">
        <a href="images/img-1.png"> </a>

    </div>
    <div class="pro_2">
        <div class="sli">
            <h3>
                Project 4
            </h3>
            <h4>
                Bibt Online Cafe (website)
            </h4>
            <p>
                bibt online cafe Management system is for bibt studen
t only. here user can order food,cancel
                order by own, and user can message to admin for help
and they can payment online and
                offline.they can aslo see their order details,order s
tatus. user can also pay later if they
                have permission.this means user can have due ,user ca
n pay due offline and online.
                in other hand admin can manage inventory ,order ,user
employee. here user can sell product
                offline also.admin can message user. admin can pay em
ployee. in this website we can also see
                how many product are sell, which products we sell mos
t through graph chart. we can also see
                loss or benifit accroiding to our sell.we can see all
our transaction in stastical graph
                view

            <span>
                for develop this website i use vs-
code code editor

                and for front-end i use html,css,js,Bootstrap
for backend i use php.

            </span>

```

```
        </span>
    </p>

</div>

</div>
</div>
```

```
<div class="ui">
    <div class="pro">
        <div class="sli">
            <h3>
                Project 5
            </h3>
            <h4>
                Inventory Management System(App)
            </h4>
            <p>
                This is a Simple Inventory Management system Where User can add,update,delete inventory. i use java for coding and i use android studio ide for developing this app.
                this app has a multi-login system so that in future we can update this as a online food-ordering system where inventory Management is a part of that
            </p>
            <span class="padx">
                for developing(tools) i use java language and for code editor i use android studio
            </span>
        </div>
    </div>
</div>
<div class="proi">
```

```

        <a href="images/img-1.png"> </a>

    </div>
</div>

<div class="ui_2">
    <div class="proi_2">
        <a href="images/img-1.png"> </a>

    </div>
    <div class="pro_2">
        <div class="sli">
            <h3>
                Project 6
            </h3>
            <h4>
                Online House-renting System (website)
            </h4>
            <p>
                Online house renting Sysyem is a simple website that
i i develop for sdp project here user
                can search house/home by location or rent-
fee and they can booked a house if they find one
                accroiding to their requirment.they can pay online th
eir house rent.aslo they can have due.
                they also can pay their due in online.they can also s
end message to admin
                user can update seat availability add new hostel, new
seat and also can cancel booking.also
                can payoffline.

            <span class="pax">
                for develop this website i use vs-
code code editor

                and for front-end i use html,css,js,Bootstrap
for backend i use php.

            </span>

```



```

        </span>
    </p>

</div>

</div>
</div>

</div>
</section>

<!-- =====
            my project part end
===== -->

<!-- =====
            free part start
===== -->

<section id="free" style="background-image: url(images/bg-1.jpg);">
    <div class="container">
        <div class="to">
            <div class="h2">We Are Free To Discuss</div>
            <div class="h5">Let's Start With a Cup of Coffee!</div>
            <div class="p">Contact with us for start your dream project.</div>
        </div>
    </div>
</div>

</section>

```

```

<!-- =====
            free part end
===== -->

<!-- =====
            conatct part start
===== -->
<section id="cont" style="background-image: url(images/contact-bg.jpg);">
    <div class="container">
        <div class="rp1">
            <h4>Get In Touch</h4>
            <p>
                Lorem Ipsum is simply dummy text of the printing and typesett
ing industry.
                <span> It has survived not only five centuries.
                </span>
            </p>

        </div>
        <div class="rp2">
            <div class="input1">
                <input type="text" placeholder="name">
                <input type="email" placeholder="mail">

            </div>
            <div class="input2">
                <textarea name="" id="" cols="30" rows="10" placeholder="mess
age"></textarea>

            </div>

        </div>
        <div class="rp3">
            <a href="#">send message</a>

```

```

        </div>
    </div>

</section>

<!-- =====
        conatct part end
===== -->

<!-- =====
        footer part start
===== -->

<footer id="foot">
    <div class="container">
        <div class="footx">
            <div class="coli1">
                <p>

                    Copyright© 2021. All Right Reserved by nafiz.
                </p>

            </div>
            <div class="coli2">
                <ul>
                    <li>
                        <a href="#"><i class="fab fa-facebook-f"></i></a>
                    </li>
                    <li> <a href="#"> <i class="fab fa-twitter-
square"></i></a></li>
                    <li> <a href="#"> <i class="fab fa-google-plus-
g"></i></a></li>

                    <li> <a href="#"> <i class="fab fa-
instagram"></i></a></li>
                    <li> <a href="#"> <i class="fab fa-linkedin-
in"></i> </a></li>

```

```
        </ul>

    </div>
</div>

</div>

</footer>

<!-- =====
        footer part end
===== -->


<script src="js/jquery-3.6.0.min.js"></script>
<script src="js/slick.min.js"></script>
<script src="js/counter.min.js"></script>
<script src="js/jquery.scroll-spy.min.js"></script>


<script src="js/script.js"></script>
</body>

</html>
```

CSS Code

```
/* ===== common css start ===== */
@import url('https://fonts.googleapis.com/css2?family=Open+Sans:wght@300;400;600;700;800&display=swap');

@import url('https://fonts.googleapis.com/css2?family=Playfair+Display:ital,wght@0,400;0,600;0,800;0,900;1,600&display=swap');

* {
    padding: 0;
    outline: 0;
    margin: 0;
}

ul,
ol {
    list-style: none;
}

a {
    text-decoration: none;
    display: inline-block;
}

img {
    vertical-align: middle;
}

.clr {
    clear: both;
}

.container {
    max-width: 1120px;
    margin: 0 auto;
}

/* ===== common css end ===== */
```

```
/*===== header menu css start ===== */
.alex {
    height: 70px;
    background: #fff;
}

.alex::after {
    position: absolute;
    content: '';
    background: #ffc327;

    width: 279px;
    height: 70px;
    left: 0;
    top: 0;
    z-index: 99 !important;
}

.row1 {
    display: flex;
    flex-wrap: wrap;
    text-transform: uppercase;
}

.cl1 {
    flex-basis: 30%;
    z-index: 999 !important;
}

.cl2 {
    flex-basis: 70%;
}

.cl2 ul {
    display: flex;
    justify-content: flex-end;
}

.cl1 h2 {
```

```
z-index: 999 !important;
line-height: 70px;
font-size: 28px;
font-weight: 800;
font-family: 'Playfair Display', serif;
color: #fff;

}

.cl2 ul li a {
  line-height: 70px;
  font-size: 15px;
  padding: 0 15px;
  font-weight: normal;
  font-family: 'Open Sans', sans-serif;
  color: #000;
  transition: all linear .5s;
  -moz-transition: all linear .5s;

  -webkit-transition: all linear .5s;
  -o-transition: all linear .5s;
  -ms-transition: all linear .5s;
  position: relative;

}

.cl2 ul li a:hover {
  color: #fff;
  background: #ffc327;
}

.cl2 ul li:hover a::after {
  height: 50%;
```

```

}

.cl2 ul li a::after {
    position: absolute;
    content: '';
    bottom: 5px;
    left: 32px;
    width: 3px;
    height: 0%;
    background: #44020d;
    transform: rotate(90deg);

    transition: all linear .5s;
    -moz-transition: all linear .5s;

    -webkit-transition: all linear .5s;
    -o-transition: all linear .5s;
    -ms-transition: all linear .5s;
}

/*===== header menu css end ===== */

/*===== banner css start ===== */

#ban {
    background-image: url(../images/banner.jpg);
    background-repeat: no-repeat;
    background-position: center;
    background-size: cover;
    background-attachment: fixed;
    padding: 245px 0;
}

.banner {
    flex-basis: 25%;
    font-size: 50px;

```



```
font-weight: 900;
font-family: 'Playfair Display', serif;
color: hsla(0, 0%, 0%, 0.774);

}

.jst {}

.banner2 span {
  margin-top: 3px;
  display: block;
}

.banner2 p {
  font-size: 15px;

  margin-top: 9px;
  margin-bottom: 9px;
  color: #666;

  font-weight: normal;
  font-family: 'Open Sans', sans-serif;
}

.but {
  text-transform: uppercase;
  margin-top: 30px;
}

.but a {
  text-align: center;
  padding: 17px 20px;
  background: #ffc327;
  color: #fff;

  font-size: 15px;

  font-weight: normal;
```

```
font-family: 'Open Sans', sans-serif;

transition: all linear .5s;
-moz-transition: all linear .5s;

-webkit-transition: all linear .5s;
-o-transition: all linear .5s;
-ms-transition: all linear .5s;
}

.but a:hover {
    background: rgba(0, 0, 0, 0.726);
}

/*===== banner  css end  ===== */

/*===== about  css start  ===== */

#about {
    padding: 125px 0;
}

.r1 {
    display: flex;
    flex-wrap: wrap;
}

.ce1 {
    width: 45.5%;
}

.ce2 {
    margin-top: 156px;
    width: 52%;
    margin-left: 28px;
}

.ce1 img {
    width: 100%;
}
```

```
}

.ab1 h4 {
  color: #333;

  font-size: 32px;

  font-weight: 600;
  font-family: 'Playfair Display', serif;
  margin-bottom: 7px;
}

.ab2 h4 {
  color: #333;

  font-size: 20px;

  font-weight: 600;
  font-family: 'Playfair Display', serif;
  margin-bottom: 10px;
}

.ab2 a {
  text-transform: uppercase;

  text-align: center;
  padding: 17px 25px;
  background: #ffc327;
  color: #fff;

  font-size: 15px;

  font-weight: normal;
  font-family: 'Open Sans', sans-serif;

  transition: all linear .5s;
  -moz-transition: all linear .5s;

  -webkit-transition: all linear .5s;
  -o-transition: all linear .5s;
```

```
-ms-transition: all linear .5s;

}

.ab2 a:hover {
    background: rgba(0, 0, 0, 0.726);
}

.ab2 p {

    color: #666;

    font-weight: normal;
    font-family: 'Open Sans', sans-serif;
    font-size: 15px;
}

.ab2 span {
    margin-top: 10px;
    display: block;
    margin-bottom: 19px;
}

.prv {
    position: absolute;
    left: -30px;
    top: 75px;
    font-size: 18px;
    color: #fff;
    height: 16px;
    width: 16px;
    border-radius: 50%;
    text-align: center;
    line-height: 15px;
    background: #ffc327;
    cursor: pointer;
}

.next {
    position: absolute;
    right: -22px;
    top: 73px;
    font-size: 18px;
```

```
    color: #fff;
    height: 16px;
    width: 16px;
    border-radius: 50%;
    text-align: center;
    line-height: 15px;
    background: #ffc327;
    cursor: pointer;
}

/*===== about  css end  ===== */

/*===== skill  css start  ===== */
#skill {
    padding: 125px 0px;
    background: #f6f6f6;
}

.x1 {
    text-align: center;
}

.x1 span {
    display: block;
}

.x1 h4 {
    color: #333;

    font-size: 32px;

    font-weight: 600;
    font-family: 'Playfair Display', serif;
    margin-bottom: 10px;
}

.x1 p {
    color: #666;

    font-weight: normal;
    font-family: 'Open Sans', sans-serif;
    font-size: 25px;
}
```

```
}

#skill .cl1 {
  display: flex;
  flex-basis: 31.6%;
  margin-right: 28px;

  transition: all linear .5s;
  -moz-transition: all linear .5s;

  -webkit-transition: all linear .5s;
  -o-transition: all linear .5s;
  -ms-transition: all linear .5s;
}

#skill .cl1:hover .counter {
  transform: scale(1.3);
}

#skill .cl1:hover .counter {
  background: rgba(0, 0, 0, 0.726);
}

#skill .cl1:nth-child(3) {
  margin-right: 0px !important;
}

.x2 {
  margin-top: 28px;
  display: flex;
  flex-wrap: wrap;
}

.counter {
  background-color: #ffc327;
  width: 95px;
  height: 75px;
  text-align: center;
  line-height: 70px;

  transition: all linear .5s;
  -moz-transition: all linear .5s;
}
```

```
-webkit-transition: all linear .5s;
-o-transition: all linear .5s;
-ms-transition: all linear .5s;
}

.counter {
  font-family: playfair display, sans-serif;
  font-size: 30px;
  color: #fff;
  font-weight: 900;
  line-height: 70px;
  margin-right: 16px;
  padding: 2px 14px;
}

.counter:hover {
  transform: scale(1.3);
  background: rgba(0, 0, 0, 0.726);
}

#skill .cl1 {
  position: relative;
}

.per {
  font-family: playfair display, sans-serif;
  font-size: 26px;
  color: #fff;
  font-weight: 900;
  position: absolute;
  top: 20px;
  right: 282px;

  transition: all linear .5s;
  -moz-transition: all linear .5s;

  -webkit-transition: all linear .5s;
  -o-transition: all linear .5s;
  -ms-transition: all linear .5s;
}
```

```
.txt h4 {
  color: #333;

  font-size: 24px;

  font-weight: 600;
  font-family: 'Playfair Display', serif;
  margin-bottom: 8px;
}

.txt p {
  color: #666;

  font-weight: normal;
  font-family: 'Open Sans', sans-serif;
  font-size: 15px;
}

.x3 {
  margin-top: 15px;
  display: flex;
}

/*===== skill  css end ===== */

/*===== my project  css start ===== */
#project {
  padding: 125px 0;
}

.ui {

  display: flex;
  flex-wrap: wrap;
  transition: all linear .5s;
  -moz-transition: all linear .5s;

  -webkit-transition: all linear .5s;
  -o-transition: all linear .5s;
  -ms-transition: all linear .5s;
}
```



```
.ui_2 {  
  
    display: flex;  
    flex-wrap: wrap;  
    transition: all linear .5s;  
    -moz-transition: all linear .5s;  
  
    -webkit-transition: all linear .5s;  
    -o-transition: all linear .5s;  
    -ms-transition: all linear .5s;  
}  
  
.pro {  
  
    padding: 61px 30px;  
    flex-basis: 44%;  
    height: 100%;  
    background-color: #ffc327;  
  
}  
  
.pro_2 {  
  
    padding: 60.9px 30px;  
    flex-basis: 44.8%;  
    height: 100%;  
    background-color: #ffc327;  
  
}  
  
.proi {  
    flex-basis: 50%;  
    height: 360.5px;  
    overflow: hidden;  
}  
  
.proi_2 {  
    flex-basis: 49.29%;  
    height: 460px;  
    overflow: hidden;  
}  
  
.padx {
```

```
padding-bottom: 20px;
}

.pai {
padding-bottom: 40px;
}

.proi_2 a img {
width: 100%;
}

.pax {
padding-bottom: 79px;
}

.proi a img {
width: 100%;
}

.mi .x1 {
margin-bottom: 28px;
}

.sli h3 {
color: #333;

font-size: 24px;

font-weight: 600;
font-family: 'Playfair Display', serif;
margin-bottom: 8px;
}

.sli h4 {
color: #333;

font-size: 19px;

font-weight: 600;
font-family: 'Playfair Display', serif;
margin-bottom: 8px;
}
```

```
}

.sli span {
  margin-top: 5px;
  display: block;
  color: #333;
}

.sli p {
  color: #fff;

  font-weight: normal;
  font-family: 'Open Sans', sans-serif;
  font-size: 15px;
}

.ui:hover span {
  transform: scale(1.1);
}

.ui_2:hover span {
  transform: scale(1.1);
}

.ui:hover .proi img {
  transform: scale(1.04);
}

.ui_2:hover .proi_2 img {
  transform: scale(1.04);
}

.proi {
  position: relative;
}

.proi::after {
  position: absolute;
  content: '';
```

```
    left: 0;
    top: 0;
    width: 100%;
    height: 100%;
    background: rgba(0, 0, 0, 0.548);
}

/*===== my project  css end  ===== */

/*===== free  css start  ===== */
#free {
    padding: 125px 0;
    background-repeat: no-repeat;
    background-position: center;
    background-size: cover;
    background-attachment: fixed;
}

.to {
    justify-content: center;
    text-align: center;
}

.to .h2 {

    color: #333;
    font-size: 40px;
    font-weight: 600;
    font-family: 'Playfair Display', serif;
    margin-bottom: 8px;
}

.to .h5 {
    font-size: 18px;
    margin-bottom: 3px;
    color: #333;

    font-weight: 600;
    font-family: 'Playfair Display', serif;
}
```

```

}

.to .p {
    font-size: 16px;
    color: #666;
    font-weight: 600;
    font-family: 'Playfair Display', serif;
}

/*===== free css end ===== */

/*===== contact css start ===== */

#cont {
    background-size: cover;
    background-position: center;
    background-repeat: no-repeat;
    padding: 125px 0;
    background-attachment: fixed;
}

.rp1 h4 {
    font-size: 29px;
    margin-bottom: 4px;
    color: #fff;

    text-align: center;

    font-weight: 600;
    font-family: 'Playfair Display', serif;
}

.rp1 span {
    display: block;
}

```

```
.rp1 p {
  font-size: 18px;
  margin-bottom: 4px;
  color: #f6f6f6;

  text-align: center;

  font-weight: 600;
  font-family: 'Playfair Display', serif;
}

.input1 {
  justify-content: center;
  text-align: center;
}

.input1 input {
  margin-right: 20px;
  margin-top: 25px;
  width: 331px;
  background-color: #fff;
  color: #130101;
  height: 50px;
  border-radius: 3px;
  border: none;
  font-size: 18px;

  font-weight: 600;
  font-family: 'Playfair Display', serif;
  padding-left: 10px;
}

.input2 {
  text-align: center;
  margin-top: 25px;
}

.input2 textarea {
  margin-right: 17px;
  width: 696px;
```

```

background-color: #fff;
color: #130101;
height: 102px;
border-radius: 6px;
border: none;
font-size: 20px;
font-weight: 600;
font-family: 'Playfair Display', serif;
padding-left: 10px;
}

.rp3 {
    justify-content: center;
    text-align: center;
}

.rp3 a:hover {
    background: rgba(0, 0, 0, 0.726);
}

.rp3 a {
    text-align: center;
    margin-top: 20px;

    text-transform: uppercase;
    text-align: center;
    padding: 17px 25px;
    background: #ffc327;
    color: #fff;
    font-size: 15px;
    font-weight: normal;
    font-family: 'Open Sans', sans-serif;
    transition: all linear .5s;
    -moz-transition: all linear .5s;
    -webkit-transition: all linear .5s;
    -o-transition: all linear .5s;
    -ms-transition: all linear .5s;
    border-radius: 20px;
}

/*===== contact css end ===== */

/*===== footer css start ===== */

```

```
#foot {
    height: 70px;
    background: #fff;
    position: relative;
}

#foot::after {
    position: absolute;
    content: '';
    background: #ffc327;
    width: 759px;
    height: 70px;
    left: 0;
    top: 0;
    z-index: 1 !important;
}

.footx {
    display: flex;
    height: 100%;
}

.coli1 {

    z-index: 999 !important;

    flex-basis: 50%;
    height: 100%;
}

.coli2 {
    flex-basis: 50%;

    height: 100%;
}

.coli1 p {

    z-index: 999 !important;
    line-height: 70px;
    font-size: 14px;
    font-weight: 800;
    font-family: 'Playfair Display', serif;
```



```

        color: #fff;

    }

.coli2 ul {

    display: flex;
    justify-content: flex-end;
}

.coli2 ul li a i {
    margin-top: 19px;
    margin-right: 10px;
    font-size: 16px;
    color: #5a0c0c;
    text-align: center;
    width: 30px;
    height: 30px;
    border: 1px solid #ffc327;
    line-height: 30px;
    transition: all linear .6s;
    -webkit-transition: all linear .6s;
    -moz-transition: all linear .6s;
    -o-transition: all linear .6s;
    -ms-transition: all linear .6s;
}

.coli2 ul li a i:hover {
    background: #ffc327;
    color: #fff;
}

/*===== footer css end ===== */

/* =====
loader css start
=====*/

.loader {

```

```

    position: fixed;
    left: 0;
    top: 0;
    width: 100%;
    height: 100%;
    background: #fff;
    z-index: 9999999999;
}

.load {
    position: absolute;
    left: 50%;
    top: 50%;
    transform: scale(-50%, -50%);

    border: 10px solid;
    /* Light grey */
    border-right-color: transparent;
    border-radius: 50%;
    width: 60px;
    height: 60px;

    animation: spin 2s linear infinite;
}

@keyframes spin {
    from {
        transform: rotate(0deg);
    }

    0% {
        color: #4d052f;
    }

    25% {
        color: #464709;
    }
}

```

```

50% {
    color: #031a20e0;
}

100% {
    color: #a428af3f;
}

to {
    transform: rotate(360deg);
}

}

/* =====
loader css end
*/

/*===== menu fix start
=====*/

.menu_fix {
    position: sticky;
    left: 0;
    top: 0;
    width: 100%;
    height: 70px;
    z-index: 99999;
}

.content {
    scroll-behavior: smooth;
}

.menu_fix::after {
    position: absolute;
    content: '';
    background: #ffc327;

```

```

    width: 279px;
    height: 70px !important;
    left: 0;
    top: 0;
    z-index: 99 !important;
}

.btop {

    position: fixed;
    right: 20px;
    bottom: 30px;
    height: 40px;
    width: 40px;
    background: #ffc327;
    border-radius: 50%;
    color: #fff;
    font-size: 18px;
    text-align: center;
    z-index: 99999 !important;
    cursor: pointer;
}

.btop i {
    line-height: 40px;
}

```

Js Code

```

// $(selector).action();

$(function(){

    $('.ab2').slick({

```

```

        slidesToShow: 1,
        slidesToScroll: 1,
        autoplay: true,
        autoplaySpeed: 2000,
        arrows: true,
        nextArrow: '<i class="fas fa-chevron-right nxt"></i>',
        prevArrow: '<i class="fas fa-chevron-left prv"></i>',
    });

    $('.loader').fadeOut(1000);

    let i=$( ".alex" ).offset().top;

    $(window).scroll(function(){
        let x=$(this).scrollTop();
        if(x>i)
        {
            $(".alex").addClass('menu_fix');

        }
        else{
            $(".alex").removeClass('menu_fix');

        }

    });

    $(this).scroll(function(){
        let ui=$(this).scrollTop();
        if(ui>300)
        {
            $('.btop').fadeIn(2000);
        }
        else{
            $('.btop').fadeOut(2000);

        }
    })

```

```
});

$('.btop').click(function()
{
    $('html,body').animate({
        scrollTop:0,

        },2000)

});


$('.content').scrollSpy({
    target: $('.menu li a')
}).scroll();

});
```

Output

I Am Nafiz !

Lorem Ipsum is simply dummy text of the printing and typesetting industry. It has survived not only five centuries.

[HIRE ME NOW](#)

About Me

College.

My College name is Amrita Lal Dey College and my passing year is 2016 and my GPA is 4.

◀ Lorem Ipsum is simply dummy text of the printing and typesetting industry. It has survived not only five centuries, remaining essentially unchanged. ▶

[MY RESUME](#)

My Skills

Lorem Ipsum is simply dummy text of the printing and typesetting industry. It has survived not only five centuries.

96%

Web Design

Lorem Ipsum is simply dummy the printing portfolio industry.

70%

java script

Lorem Ipsum is simply dummy the printing portfolio industry.

80%

photoshop

Lorem Ipsum is simply dummy the printing portfolio industry.

96%

HTML CSS3

Lorem Ipsum is simply dummy the printing portfolio industry.

96%

Bootstrap

Lorem Ipsum is simply dummy the printing portfolio industry.

75%

WordPress

Lorem Ipsum is simply dummy the printing portfolio industry.

Recent Works


Lorem Ipsum is simply dummy text of the printing and typesetting industry. It has survived not only five centuries.

Project 1

Hangman Quiz game

The objective of the game Hangman is to guess the word (phrase) in the time limit. After guessing a word you are going to guess the next one. Bonus for guessing a word will be added to your score for guessing a word (phrase) and Bonus per 1 second remaining will be added to you for each remaining second.

for developing i use c programming language and i use codeblocks




Project 2

Online+offline Cafe Management System

online cafe Management system is for bibt student only, here user can order food, cancel order by own, and user can message to admin for help and they can payment online and offline. they can also see their order details, order status. user can also pay later if they have permission. this means user can have due. user can pay due offline and online. in other hand admin can manage inventory, order, user employee. here user can sell product offline also. admin can message user. admin can pay employee. in this website we can also see how many product are sell, which products we sell most through graph chart. we can also see loss or benefit according to our sell. we can see all our transaction in statistical graph view.

for develop this website i use visual studio code editor and for front-end &AM backend i use c sharp programming language



Project 3

Online Hostel booking System (website)

Online Hostel booking System is a simple website that i develop for student here user/student can search hostel and they can booked a seat if they find one according to their requirement. they can pay online their seat rent also they can have due. they also can pay their due in online. user can update seat availability add new hostel, new seat and also can cancel booking also can pay offline.

for develop this website i use vs-code code editor and for front-end i use html,css,js,Bootstrap for backend i use php.



Project 4

Bibt Online Cafe (website)

bibt online cafe Management system is for bibt student only, here user can order food, cancel order by own, and user can message to admin for help and they can payment online and offline. they can also see their order details, order status. user can also pay later if they have permission. this means user can have due. user can pay due offline and online. in other hand admin can manage inventory, order, user employee. here user can sell product offline also. admin can message user. admin can pay employee. in this website we can also see how many product are sell, which products we sell most through graph chart. we can also see loss or benefit according to our sell. we can see all our transaction in statistical graph view.

for develop this website i use vs-code code editor and for front-end i use html,css,js,Bootstrap for backend i use php.



Project 5

Inventory Management System (App)

This is a Simple Inventory Management system Where User can add, update, delete inventory. i use java for coding and i use android studio ide for developing this app. this app has a multi-login system so that in future we can update this as a online food-ordering system where inventory Management is a part of that.

for developing (tools) i use java language and for code editor i use android studio



Project 6

Online House-renting System (website)

Online house renting System is a simple website that i develop for sdp project here user can search house/home by location or rent-fee and they can booked a house if they find one according to their requirement. they can pay online their house rent also they can have due. they also can pay their due in online. they can also send message to admin user can update seat availability add new hostel, new seat and also can cancel booking also can pay offline.

for develop this website i use vs-code code editor and for front-end i use html,css,js,Bootstrap for backend i use php.



We Are Free To Discuss

Let's Start With a Cup of Coffee!

Contact with us for start your dream project!



We Are Free To Discuss

Let's Start With a Cup of Coffee!
Contact with us for start your dream project.

Get In Touch

Lorem Ipsum is simply dummy text of the printing and typesetting industry.
It has survived not only five centuries.

SEND MESSAGE

Copyright © 2020. All Right Reserved by nalla.

