Natural Product-Based Formulation Development for Trans Resveratrol: A Proposed Ellagic Acid BSA Supramolecular Framework and Ginger-Derived Nanovesicle System

Irfat Ul Azman Nahian; Mohtasim Abrar Nakib
Department of Pharmacy, International Islamic University Chittagong, Chittagong, Bangladesh

PROPOSED EXPERIMENTAL STUDY — NOT YET EXPERIMENTALLY VALIDATED

ABSTRACT

Plant polyphenols are widely studied as bioactive compounds, but low aqueous solubility and chemical instability can limit their formulation. This proposal examines a staged biohybrid: an ellagic acid (EA)–bovine serum albumin (BSA) supramolecular phenolic framework (SPF), followed by post-assembly association of trans-resveratrol (RES) and subsequent association with a ginger-derived nanovesicle-enriched (GDNV) preparation. The main question is whether crystalline BSA@SPF provides measurable RES association beyond ordinary RES–BSA binding and non-crystalline EA/BSA controls, and whether GDNV association adds a physicochemical advantage. Planned analyses include PXRD, HPLC quantification with mass balance, orthogonal structural characterization, release and trans/cis photostability. No experiments on the proposed formulation have been completed.

1 INTRODUCTION

- EA and RES have formulation-related physicochemical challenges (low solubility, stability) [1, 2].
- EA-based protein-integrated crystalline supramolecular phenolic frameworks (SPF) are reported; BSA@SPF is a direct precedent [3].
- EA–BSA and RES–BSA binding is documented [4, 5]: RES can bind BSA even without a crystalline framework.
- Ginger-derived nanovesicle hybrids (mesoporous silicon, MOF, albumin nanoparticles; curcumin loading) exist [7–10]. GDNV association alone is not the novelty claim.
- The ginger preparation is described as nanovesicle-enriched, not a purified exosome population [11, 12].

RESEARCH GAP

"It remains unknown whether crystalline EA–BSA SPF provides additional trans-resveratrol association beyond ordinary BSA binding and whether subsequent GDNV association produces a measurable incremental physicochemical benefit."




Figure 1. Evidence map of published component-level precedents. Citation numbers printed inside the figure for Mao, Wang, Li and Huang are [6]–[9]; in the reference list they are [7], [8], [9] and [10].

2 METHODS — SEVEN-STAGE WORKFLOW

STAGE I Parent Framework Formation

- Prepare EA-based BSA@SPF (Xie et al. [3] procedure)
- PXRD and structural characterization

STAGE II RES Association

- Post-assembly trans-RES association
- Solubility/stability screen; optimize RES:SPF ratio, co-solvent, time
- Controls: RES–BSA; non-crystalline EA/BSA

STAGE III GDNV Isolation

- Juice clarification → PEG 8000 precipitation
- Sucrose-density gradient; published 150,000 × g [10]

Preparative ultracentrifuge access must be confirmed.

STAGE IV Hybrid Association

- Gentle RES-SPF + GDNV association; co-recovery
- Independent structural/compositional characterization
- Hypothetical outcomes: A continuous · B patchy · C unresolved coexistence

STAGE V Release and Photostability

- Release under verified sink conditions
- trans/cis-RES chromatographic quantification
- Light-exposed vs dark samples

STAGE VI Conditional Biological Evaluation

- Only after physicochemical validation
- Free-compound and carrier controls
- Cell-free interference controls; orthogonal viability readout

STAGE VII Analytical and Statistical Validation

HPLC-DAD · PXRD · component-specific mass balance · independent preparation batches · predefined comparative decision criteria




Figure 2. Proposed conceptual model of EA–BSA SPF formation and possible subsequent trans-RES and GDNV association. Hypothetical and not experimentally validated.

RESULTS

LITERATURE-DERIVED PRELIMINARY FINDINGS — NOT EXPERIMENTAL RESULTS OF THIS STUDY

RESULTS (continued)

EA–BSA SPF [3]

56.5% BSA loading content | 103.7 m² g⁻¹ BET surface area | 1.17 nm mean pore size

Parent-framework benchmarks only.

RES–BSA interaction [5]

2.52 ± 0.5 × 10⁴ M⁻¹ binding constant; binding parameter ≈ 1.30

Direct RES–BSA binding is already established and must be used as an essential comparator.

EA–RES combination [6]

CI = 0.64 reported combination index, MOLT-4 caspase-3 activity

A published cell-based combination finding under specific conditions. It does not establish synergy in the proposed carrier system.

GDNV–mesoporous silicon [7]

17.5 mg/kg ginger-derived vesicle yield (per kg ginger) | up to 61.3 wt% infliximab loading, silicon core

61.3 wt% represents infliximab loading in the silicon-based core, not GDNV loading and not RES loading.

Ginger-EV–MOF [8]

≈123.1 → ≈169.9 nm hydrodynamic diameter, MOF → MOF@EV

A distinct MOF-based hybrid system; these dimensions are not predictions for BSA@SPF.

GDNV-coated albumin nanoparticles [9]

EE 56% combined two-drug | DL 3.7% combined two-drug

Size ≈ 142 nm · PDI 0.187 · zeta potential ≈ −30 mV

Results belong to a different albumin-based formulation containing shikonin and STM2457.

Curcumin-loaded GDNVs [10]

LC 94.027 ± 0.094% protein-normalized | EE 89.300 ± 0.344% encapsulation efficiency

Size 449 ± 7.39 nm · zeta potential −10.82 ± 1.85 mV

LC is normalized to vesicle-associated protein mass, not total nanoparticle mass. Curcumin-specific; cannot predict RES loading.

NO UNIFIED RANKING

Carrier cores, cargoes, definitions and measurement procedures differ between studies. BSA loading, drug loading, loading capacity and EE are distinct quantities and are not directly comparable.




Figure 3. Published natural-product nanocarrier benchmarks — context-specific, not a ranking; no experimental values yet for the proposed formulation. Citation numbers inside the figure for Mao, Wang, Li and Huang are [6]–[9]; reference-list numbers are [7]–[10].

3 DISCUSSION

- EA–BSA SPF and GDNV-based hybrid systems have separate published precedents [3, 7–10].
- RES already binds BSA [5]: any framework-dependent contribution must be compared with ordinary RES–BSA binding.
- A 1.17 nm mean pore size does not prove RES pore inclusion.
- RES could associate with BSA binding sites, external framework surfaces, defects or interparticle regions.
- GDNV association requires microscopy plus independent compositional or membrane-integrity evidence.
- DLS or zeta-potential changes alone cannot establish a continuous coating.
- The key question: does a reproducible incremental benefit exist beyond simpler controls?
- The system contains animal-derived BSA: a protein-containing natural-product biohybrid, not a wholly plant-derived formulation.

4 CONCLUSION

The proposed study is designed to determine whether crystalline EA–BSA SPF provides additional trans-resveratrol association beyond ordinary BSA binding and whether subsequent GDNV association contributes further physicochemical value. Its scientific value will depend on reproducible framework crystallinity, analytically verified RES association, well-characterized GDNVs, and independent evidence of hybrid association.

EXPERIMENTAL VALIDATION IS PENDING.

SELECTED REFERENCES

Numbering follows the submitted manuscript; full bibliographic details and DOIs are in the manuscript reference list.

[1] Nyamba I, et al. Eur J Pharm Biopharm. 2021;159:198–210.
[2] Song Y, et al. Food Funct. 2024;15(17):8629–8643.
[3] Xie Q, et al. J Mater Chem B. 2024;12:10624–10634.
[4] Liu F, et al. Food Chem Toxicol. 2019;134:110867.
[5] Bourassa P, et al. J Phys Chem B. 2010;114(9):3348–3354.
[6] Mertens-Talcott SU, Percival SS. Cancer Lett. 2005;218(2):141–151.
[7] Mao Y, et al. Nanoscale. 2021;13(47):20157–20169.
[8] Wang Y, et al. Adv Sci. 2024;11(46):e2408442.
[9] Li S, et al. Discover Nano. 2026;21:223.
[10] Huang S, et al. J Pharm Anal. 2024;14(12):101014.
[11] Welsh JA, et al. J Extracell Vesicles. 2024;13(2):e12404.
[12] Thieron H, et al. J Extracell Vesicles. 2024;13(12):e70022.
[13] Trela BC, Waterhouse AL. J Agric Food Chem. 1996;44(5):1253–1257.
[14] Bruggisser R, et al. Planta Med. 2002;68(5):445–448.
[15] Chou TC, Talalay P. Adv Enzyme Regul. 1984;22:27–55.
[16] Foucquier J, Guedj M. Pharmacol Res Perspect. 2015;3(3):e00149.