

Calculated Column

Batting Summary:

1)Boundary Runs-

```
Boundary runs = bating_summary[fours]*4 + bating_summary[sixes]*6
```

2)Opponent-

```
Opponent =  
VAR CurrentTeam = RELATED('players'[team])  
VAR MatchName = 'bating_summary'[match]  
  
VAR RemoveTeam = SUBSTITUTE(MatchName, CurrentTeam, "")  
  
VAR CleanOpponent = SUBSTITUTE((RemoveTeam), "Vs", "")  
RETURN  
|   TRIM((CleanOpponent))  
  
--
```

Match Summary:

1)Win Type-

```
Win Type =  
IF(  
|   CONTAINSSTRING(match_summary[margin], "runs"),  
|   "Defending",  
|   "Chasing"  
)
```

Measures

- **Batting:**

1)Average Runs-

Average Runs = AVERAGE(bating_summary[runs])

2)Average Ball Faced-

Avg ball faced = AVERAGE(bating_summary[balls])

3)Average Run Rate-

Avg Run Rate = DIVIDE([Total Runs], [Total Overs Decimal], 0)

4)Batting Average-

Batting Average = DIVIDE([Total Runs],[Total innings Dismissed],0)

5)Batting Position-

Battion Position = ROUNDUP(AVERAGE(bating_summary[battingPos]),0)

6)Boundary % -

Boundary % = DIVIDE(SUM(bating_summary[Boundary runs]),[Total Runs],0)*100

7)Consistency Index-

Consistency Index =
ROUND(
DIVIDE(
| [Average Runs],
| [StdDev Runs],
| 0
) * 100,2)

8) Highest Individual Score-

```
Highest Individual Score =  
MAXX(  
    ALLSELECTED('bating_summary'),  
    'bating_summary'[runs]  
)
```

9) Standard Deviation Score-

```
StdDev Runs = STDEV.P(bating_summary[runs])
```

10) Strike Rate-

```
Strike Rate = DIVIDE([Total Runs],[total ball faced],0)*100
```

11) Total Ball Faced-

```
total ball faced = SUM(bating_summary[balls])
```

12) Total Innings Batted-

```
Total Innings Batted = COUNT(bating_summary[match_id])
```

13) Total Innings Dismissed-

```
Total innings Dismissed = SUM(bating_summary[out])
```

14) Total Runs-

```
Total Runs = SUM(bating_summary[runs])
```

15) Running Between Wickets-

```
Running Between Wickets =  
SUM(bating_summary[runs]) - ([Runs from 4s] + [Runs from 6s])
```

16)Runs from 4s-

`Runs from 4s = SUM(bating_summary[fours]) * 4`

17)Run from 6s-

`Runs from 6s = SUM(bating_summary[sixes]) * 6`

- **Bowling:**

1)Ball Bowled-

`Balls Bowled = SUM(bowling_summary[balls])`

2)Bowling Average-

`Bowling average = DIVIDE([Run Conceded],[Wickets],0)`

3)Bowling Economy-

`Bowling Economy = DIVIDE([Run Conceded],([Balls Bowled]/6),0)`

4)Bowling Strike Rate-

`Bowling strick rate = DIVIDE([Balls Bowled],[Wickets],0)`

5)Dot Ball % -

`Dot ball % = DIVIDE(SUM(bowling_summary[zeros]),SUM(bowling_summary[balls]),0)*100`

6)Run Conceded-

`Run Conceded = SUM(bowling_summary[runs])`

6)Top 5 Wickets Takers-

```
Top 5 Wickets =  
CALCULATE(  
    [Wickets],  
    KEEPFILTERS(  
        TOPN(  
            5,  
            ALLSELECTED('Players'),  
            [Wickets], DESC,  
            [Bowling Economy], ASC  
        )  
    )  
)
```

7)Total Innings Bowled-

```
Total innings bowled = DISTINCTCOUNT(bowling_summary[match_id])
```

8)Wickets-

```
Wickets = SUM(bowling_summary[wickets])
```

9)Total Over decimal-

```
Total Overs Decimal =  
VAR TotalBalls = SUM(bating_summary[balls])  
RETURN TotalBalls / 6
```

- **Point Table**

1) Loss –

```
L = IF(ISBLANK([M]), BLANK(), [M] - [W])
```

2) Matches -

```
M =  
VAR CurrentTeam = SELECTEDVALUE(players[team])  
VAR MatchCount =  
|   CALCULATE(  
|       COUNTROWS(match_summary),  
|       match_summary[team1] = CurrentTeam || match_summary[team2] = CurrentTeam  
|   )  
RETURN  
IF(ISBLANK(MatchCount), BLANK(), MatchCount)
```

3)NRR –

```
NRR =  
VAR CurrentTeam = SELECTEDVALUE(players[team])  
  
VAR RunsScored = CALCULATE(SUM(bating_summary[runs]), bating_summary[team] = CurrentTeam)  
VAR OversFaced = CALCULATE(SUM(bating_summary[balls]), bating_summary[team] = CurrentTeam) / 6  
|  
VAR RunsConceded = CALCULATE(SUM(bowling_summary[runs]), bowling_summary[Team] = CurrentTeam)  
VAR OversBowled = CALCULATE(SUM(bowling_summary[balls]), bowling_summary[Team] = CurrentTeam) / 6  
  
RETURN  
DIVIDE(RunsScored, OversFaced) - DIVIDE(RunsConceded, OversBowled)
```

4)Pts –

```
Pts = IF(ISBLANK([W]), BLANK(), [W] * 2)
```

5)Wins –

```
W =  
IF(  
    ISBLANK([M]),  
    BLANK(),  
    COALESCE(  
        CALCULATE(  
            COUNTROWS(match_summary),  
            match_summary[winner] = SELECTEDVALUE(players[team])  
        ),  
        0  
    )  
)
```

• Others

1)Winner-

```
Winner =  
CALCULATE(  
    MAX(match_summary[winner]),  
    match_summary[match_id] = "T20I # 1879"  
)
```

2)Runner Up-

```

Runner Up =
VAR WinnerTeam =
    CALCULATE(
        MAX(match_summary[winner]),
        match_summary[match_id] = "T20I # 1879"
    )

VAR Team1 =
    CALCULATE(
        MAX(match_summary[team1]),
        match_summary[match_id] = "T20I # 1879"
    )

VAR Team2 =
    CALCULATE(
        MAX(match_summary[team2]),
        match_summary[match_id] = "T20I # 1879"
    )

RETURN
IF(Team1 = WinnerTeam, Team2, Team1)

```

3)Total Players-

```

Total Players =
VAR BattingPlayers = DISTINCT(bating_summary[batsmanName])
VAR BowlingPlayers = DISTINCT(bowling_summary[bowlerName])
VAR CombinedPlayers = UNION(BattingPlayers, BowlingPlayers)
RETURN
COUNTROWS(DISTINCT(CombinedPlayers))

```