## ICT GANPAT UNIVERSITY COMPUTER SCIENCE DEPARTMENT

Compiler Design (2CSE701)

<u>AIM</u>:- Write a C program to test whether a given identifier is valid or not.

### Logic:-

- Read the given input string.
- Check the initial character of the string is numerical or any special character except '\_' then print it is not a valid identifier.
- Otherwise print it as a valid identifier if the remaining characters of the string don't contain any special characters except '\_'.

#### CODE:-

```
#include <iostream>
#include <string.h>
using namespace std;
int main()
{
   char inp[20];
   cout << "Enter Input String :: ";</pre>
   cin >> inp;
   if (int(inp[0]) >= 65 \&\& int(inp[0]) <= 90 || int(inp[0]) >= 97 \&\& int(inp[0]) <= 122
|| int(inp[0]) == 95)
   {
       for (int i = 0; i < strlen(inp); i++)</pre>
            if (int(inp[i]) >= 48 && int(inp[i]) <= 57 || int(inp[i]) >= 65 &&
int(inp[i]) <= 90 || int(inp[i]) >= 97 && int(inp[i]) <= 122 || int(inp[i]) == 95)
            }
            else
            {
                cout << "Not a valid identifier.\n";</pre>
                exit(0);
            }
       }
       cout << "Is a valid identifier.\n";</pre>
   }
   else
       cout << "Not a valid identifier.\n";</pre>
   }
   return 0;
}
```

# ICT GANPAT UNIVERSITY COMPUTER SCIENCE DEPARTMENT Compiler Design (2CSE701)

#### **OUTPUT:-**

```
satvik--naik@pop-os:/media/satvik--naik/MyDesk/CLG/SEM7/CD/Compiler-Design/E1$ g++ isIdentifier.cpp
satvik--naik@pop-os:/media/satvik--naik/MyDesk/CLG/SEM7/CD/Compiler-Design/E1$ ./a.out
Enter Input String :: qwerty
Is a valid identifier.
satvik--naik@pop-os:/media/satvik--naik/MyDesk/CLG/SEM7/CD/Compiler-Design/El$ ./a.out
Enter Input String :: _satvik
Is a valid identifier.
satvik--naik@pop-os:/media/satvik--naik/MyDesk/CLG/SEM7/CD/Compiler-Design/E1$ ./a.out
Enter Input String :: qw ert
Is a valid identifier.
satvik--naik@pop-os:/media/satvik--naik/MyDesk/CLG/SEM7/CD/Compiler-Design/E1$ ./a.out
Enter Input String :: 98
Is a valid identifier.
satvik--naik@pop-os:/media/satvik--naik/MyDesk/CLG/SEM7/CD/Compiler-Design/El$ ./a.out
Enter Input String :: 12
Not a valid identifier.
satvik--naik@pop-os:/media/satvik--naik/MyDesk/CLG/SEM7/CD/Compiler-Design/El$ ./a.out
Enter Input String :: qw@!#
Not a valid identifier.
satvik--naik@pop-os:/media/satvik--naik/MyDesk/CLG/SEM7/CD/Compiler-Design/E1$ ☐
```