


DAY-5 BACKEND TASK


Nainisha Bandari

Nainishabandari1111@gmail.com


TASK 1: CREATE PRODUCT API STRUCTURE



```
config > JS db.js > ...
1  const mongoose = require('mongoose');
2  const connectDB = async () => {
3      try {
4          await mongoose.connect(process.env.MONGO_URI);
5          console.log('MongoDB Connected');
6      } catch (error) {
7          console.log(error);
8          process.exit(1);
9      }
10 };
11 module.exports = connectDB;
```




```
1  PORT=5000
2  MONGO_URI=mongodb://127.0.0.1:27017/productDB
```



```
JS server.js > ...
1  const express = require('express');
2  const dotenv = require('dotenv');
3  const connectDB = require('./config/db');
4  dotenv.config();
5  const app = express();
6  app.use(express.json());
7  connectDB();
8  app.get('/', (req, res) => {
9      res.send('Product API Running');
10 });
11 const PORT = process.env.PORT || 5000;
12 app.listen(PORT, () => {
13     console.log(`Server running on port ${PORT}`);
14 });
15
```

Run server:




```
PS C:\Users\NITHUSHA\OneDrive\Desktop\product-api> npm run dev
◇ injected env (2) from .env // tip: ⓘ override existing { override: true }
Server running on port 5000
MongoDB Connected
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
◇ injected env (2) from .env // tip: ⓘ enable debugging { debug: true }
Server running on port 5000
MongoDB Connected
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
◇ injected env (2) from .env // tip: ⓘ suppress logs { quiet: true }
Server running on port 5000
MongoDB Connected
```

Test Server:



Product API Running

TASK 2:BUILD PRODUCT DETAILS API




The VS Code editor displays the `Product.js` file in the `models` directory. The Explorer sidebar on the left shows the project structure, including `server.js`, `Product.js`, `productController.js`, `productRoutes.js`, `package.json`, `.env`, and `db.js`. The main editor window shows the following code:


```
1 const mongoose = require('mongoose');
2 const productSchema = new mongoose.Schema({
3   productName: {
4     type: String,
5     required: true
6   },
7   price: {
8     type: Number,
9     required: true
10  },
11  brand: {
12    type: String,
13    required: true
14  },
15  category: {
16    type: String,
17    required: true
18  },
19  stock: {
20    type: Number,
21    required: true
22  }
23 });
24 module.exports = mongoose.model('Product', productSchema);
```

The VS Code editor displays the `productRoutes.js` file in the `routes` directory. The Explorer sidebar on the left shows the project structure, including `server.js`, `Product.js`, `productController.js`, `productRoutes.js`, `package.json`, `.env`, and `db.js`. The main editor window shows the following code:


```
1 const express = require('express');
2 const router = express.Router();
3 const {
4   addProduct
5 } = require('../controllers/productController');
6 router.post('/add', addProduct);
7 module.exports = router;
```




TASK 3-CREATE GET PRODUCTS IN API



```
1 const express = require('express');
2 const router = express.Router();
3 const {
4   addProduct,
5   getProducts
6 } = require('../controllers/productController');
7 router.post('/add', addProduct);
8 router.get('/', getProducts);
9 module.exports = router;
```



```
1 const mongoose = require('mongoose');
2 const productSchema = new mongoose.Schema({
3   productName: {
4     type: String,
5     required: true
6   },
7   price: {
8     type: Number,
9     required: true
10  },
11  brand: {
12    type: String,
13    required: true
14  },
15  category: {
16    type: String,
17    required: true
18  },
19  stock: {
20    type: Number,
21    required: true
22  }
23 });
24 module.exports = mongoose.model('Product', productSchema);
```



```
GET http://localhost:5000/api/products
Body
none
This request does not have a body.
Body
Pretty
1 [
2   {
3     "_id": "6a06daa83f0cc5036c037ea1",
4     "productName": "iPhone 16",
5     "price": 90000,
6     "brand": "Apple",
7     "category": "Mobile",
8     "stock": 15,
9     "__v": 0
10  }
11 ]
```