

EVIDENCIAS (CAPTURAS)

Pagina UI

The screenshot displays the Swagger UI interface in a web browser. The address bar shows the URL `localhost:8080/swagger-ui/index.html#/`. The Swagger logo is in the top left, and the text `/v3/api-docs` is in the top right. A green `Explore` button is also visible. The main heading is **OpenAPI definition** with a `v0` tag and an `OAS 3.1` badge. Below this, the `/v3/api-docs` path is shown. A **Servers** section contains a dropdown menu with the value `http://localhost:8080 - Generated server url`. The **product-controller** section is expanded, showing five API endpoints:

- GET** `/products/{id}` - Obtener producto por ID
- PUT** `/products/{id}` - Actualizar producto existente
- DELETE** `/products/{id}` - Eliminar un producto
- GET** `/products` - Listar productos con paginación
- POST** `/products` - Crear un nuevo producto

The **Schemas** section is also expanded, showing the **Product** schema. It is an `object` with the following fields:

- `id`: integer, `int64`
- `name*`: string, `≥ 1 characters`
- `description*`: string, `≥ 1 characters`
- `price*`: number, `double`
- `stock*`: integer, `≥ 0`, `int32`

Prueba GET

localhost:8080/swagger-ui/index.html#/product-controller

Chat

Parameters

Cancel

Name	Description
id * required integer(\$int64) (path)	1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/products/1' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/products/1
```

Server response

Code	Details
200	Response body <pre>{ "category": "Periféricos", "createdAt": "2026-05-15T11:02:13.630448", "description": "RGB con switches rojos", "id": 1, "name": "Teclado Mecánico", "price": 45.99, "stock": 10 }</pre> Download Response headers <pre>connection: keep-alive content-type: application/json date: Fri, 15 May 2026 16:14:57 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK	No links

Media type

/

prueba POST

localhost:8080/swagger-ui/index.html#/product-controller/create

Edit Value | Schema

```
{
  "name": "Teclado Mecánico",
  "description": "RGB con switches rojos",
  "price": 45.99,
  "stock": 10,
  "category": "Periféricos"
}
```

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/products' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Teclado Mecánico",
    "description": "RGB con switches rojos",
    "price": 45.99,
    "stock": 10,
    "category": "Periféricos"
  }'
```

Request URL

http://localhost:8080/products

Server response

Code Details

201
Undocumented

Response body

```
{
  "category": "Periféricos",
  "createdAt": "2026-05-15T11:02:13.6304481",
  "description": "RGB con switches rojos",
  "id": 1,
  "name": "Teclado Mecánico",
  "price": 45.99,
  "stock": 10
}
```

Response headers

Download

Prueba PUT

PUT

/products/{id} Actualizar producto existente

⌵

Parameters

Cancel

Reset

Name	Description
id * required	
integer(\$int64)	1
(path)	

Request body required

application/json

Edit Value | Schema

```
{
  "category": "Periféricos",
  "createdAt": "2026-05-15T11:02:13.630448",
  "description": "RGB con switches rojos",
  "id": 1,
  "name": "Teclado Mecánico",
  "price": 45.99,
  "stock": 9
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
'http://localhost:8080/products/1' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  "category": "Periféricos",
  "createdAt": "2026-05-15T11:02:13.630448",
  "description": "RGB con switches rojos",
  "id": 1,
  "name": "Teclado Mecánico",
  "price": 45.99,
  "stock": 9
}'
```

Code

Details

200

Response body

```
{
  "category": "Periféricos",
  "createdAt": "2026-05-15T11:02:13.630448",
  "description": "RGB con switches rojos",
  "id": 1,
  "name": "Teclado Mecánico",
  "price": 45.99,
  "stock": 9
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Fri, 15 May 2026 16:17:46 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Prueba DELETE

DELETE

/products/{id}

Eliminar un producto

^

Parameters

Cancel

Name	Description
id * required integer(\$int64) (path)	1

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/products/1' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/products/1
```

Server response

Code	Details
204	Response headers <pre>connection: keep-alive date: Fri,15 May 2026 16:21:22 GMT keep-alive: timeout=60</pre>

Responses

Code	Description	Links
204	No Content	No links

Prueba GET listar

← ↻ ⓘ localhost:8080/swagger-ui/index.html#/Product%20Controller/getAll 🔍 ☆ ☆ 👤 ... Chat

Parameters

Cancel

Name	Description
page integer (query)	Zero-based page index (0..N) 0
size integer (query)	The size of the page to be returned 1
sort array<string> (query)	Sorting criteria in the format: property,(asc desc). Default sort order is ascending. Multiple sort criteria are supported. Add string item

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/products?page=0&size=1' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/products?page=0&size=1
```

Server response

Code	Details
200	Response body <pre>{ "content": [{ "category": "vehiculo", "createdAt": "2026-05-15T13:34:48.594117", "description": "moto con motor", "id": 1, "name": "moto", "price": 1200, "stock": 1 }], "empty": false, "first": true, "last": true, "number": 0, "numberOfElements": 1 }</pre>

VALIDACIONES

Validación @Positive

Curl

```
curl -X 'POST' \
  'http://localhost:8080/products' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "IPHONE 12 PRO MAX",
    "description": "Celular marca IPHONE",
    "price": -500,
    "stock": 2,
    "category": "celular"
  }'
```

Request URL

http://localhost:8080/products

Server response

Code	Details
400 <i>Undocumented</i>	Error: response status is 400

Response body

```
{
  "price": "El precio debe ser un número positivo"
}
```

Response headers

```
connection: close
content-type: application/json
date: Fri, 15 May 2026 16:51:09 GMT
transfer-encoding: chunked
```

Validación @NotBlank

Curl

```
curl -X 'POST' \
  'http://localhost:8080/products' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "",
    "description": "Celular marca IPHONE",
    "price": 159.99,
    "stock": 2,
    "category": "celular"
  }'
```

Request URL

http://localhost:8080/products

Server response

Code	Details
400 <i>Undocumented</i>	Error: response status is 400

Response body

```
{
  "name": "El nombre no puede estar vacío"
}
```

Response headers

```
connection: close
content-type: application/json
date: Fri, 15 May 2026 16:53:16 GMT
transfer-encoding: chunked
```

CONSOLA

← ↻ ⓘ localhost:8080/h2-console/login.jsp?jsessionid=215cce03a6017310344fa7607c249364

English ▼ Preferences Tools Help

Login

Saved Settings: Generic H2 (Embedded) ▼

Setting Name: Generic H2 (Embedded) Save Remove

Driver Class: org.h2.Driver

JDBC URL: jdbc:h2:mem:testdb

User Name: sa

Password:

Connect Test Connection

← ↻ ⓘ localhost:8080/h2-console/login.do?jsessionid=215cce03a6017310344fa... Resumir 🔍 ☆ 🎵

🔊 🔍 🔔

☒ Auto commit ☐ Max rows: 1000 ☐ Auto complete Off ☐ Auto select On ?

📁 jdbc:h2:mem:testdb

- 📁 PRODUCTS
- 📁 INFORMATION_SCHEMA
- 👤 Users
- 📄 H2 2.4.240 (2025-09-22)

Run Run Selected Auto complete Clear SQL statement:

SELECT * FROM PRODUCTS;

ID	CATEGORY	CREATED_AT	DESCRIPTION	NAME	PRICE	STOCK
2	Celular	2026-05-15 11:24:06.738627	Celular marca POCO	POCO F7	259.99	3
3	Celular	2026-05-15 11:26:39.219052	Celular marca POCO	POCO X8 PRO	229.99	2
4	Celular	2026-05-15 11:55:09.122084	Celular marca IPHONE	IPHONE 12 PRO MAX	159.99	2

(3 rows, 1 ms)

Edit