Business Problem Overview

In the telecom industry, customers are able to choose from multiple service providers and actively switch from one operator to another. In this highly competitive market, the telecommunications industry experiences an average of 15-25% annual churn rate. Given the fact that it costs 5-10 times more to acquire a new customer than to retain an existing one, customer retention has now become even more important than customer acquisition.

For many incumbent operators, retaining high profitable customers is the number one business goal.

To reduce customer churn, telecom companies need to predict which customers are at high risk of churn.

In this project, we will analyse customer-level data of a leading telecom firm, build predictive models to identify customers at high risk of churn and identify the main indicators of churn.

Defining Churn

There are two main models of payment in the telecom industry - postpaid (customers pay a monthly/annual bill after using the services) and prepaid (customers pay/recharge with a certain amount in advance and then use the services).

In the postpaid model, when customers want to switch to another operator, they usually inform the existing operator to terminate the services, and we directly know that this is an instance of churn.

However, in the prepaid model, customers who want to switch to another network can simply stop using the services without any notice, and it is hard to know whether someone has actually churned or is simply not using the services temporarily (e.g. someone may be on a trip abroad for a month or two and then intend to resume using the services again).

Thus, churn prediction is usually more critical (and non-trivial) for prepaid customers, and the term 'churn' should be defined carefully. Also, prepaid is the most common model in India and southeast Asia, while postpaid is more common in Europe in North America.

This project is based on the Indian and Southeast Asian market.

Understanding the Business Objective and the Data

The dataset contains customer-level information for a span of four consecutive months - June, July, August and September. The months are encoded as 6, 7, 8 and 9, respectively.

The business objective is to predict the churn in the last (i.e. the ninth) month using the data (features) from the first three months. To do this task well, understanding the typical customer behaviour during churn will be helpful.

Modelling

Build models to predict churn. The predictive model that we are going to build will serve two purposes:

1. It will be used to predict whether a high-value customer will churn or not, in near future (i.e. churn phase). By knowing this, the company can take action steps such as providing special plans, discounts on recharge etc.

2. It will be used to identify important variables that are strong predictors of churn. These variables may also indicate why customers choose to switch to other networks.

In some cases, both of the above-stated goals can be achieved by a single machine learning model. But here, we have a large number of attributes, and thus we should try using a dimensionality reduction technique such as PCA and then build a predictive model. After PCA, we can use any classification model.

Also, since the rate of churn is typically low (about 5-10%, this is called class-imbalance) - we will try using techniques to handle class imbalance.

We can take the following suggestive steps to build the model:

1. Preprocess data (convert columns to appropriate formats, handle missing values, etc.)

2. Conduct appropriate exploratory analysis to extract useful insights (whether directly useful for business or for eventual modelling/feature engineering).

3. Derive new features.

4. Reduce the number of variables using PCA.

5. Train a variety of models, tune model hyperparameters, etc. (handle class imbalance using appropriate techniques).

6. Evaluate the models using appropriate evaluation metrics. Note that it is more important to identify churners than the non-churners accurately - choose an appropriate evaluation metric which reflects this business goal.

7. Finally, choose a model based on some evaluation metric.

The above model will only be able to achieve one of the two goals - to predict customers who will churn. We can't use the above model to identify the important features for churn. That's because PCA usually creates components which are not easy to interpret.

Therefore, we will build another model with the main objective of identifying important predictor attributes which help the business understand indicators of churn. A good choice to identify important variables is a logistic regression model or a model from the tree family. In case of logistic regression, we will make sure to handle multi-collinearity.

After identifying important predictors, display them visually - we can use plots, summary tables etc. - whatever we think best conveys the importance of features.

Finally, recommend strategies to manage customer churn based on our observations.