




52.66.212.58 (ubuntu)

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

- Name
- ..
- .cache
- .ssh
- .bash_logout
- .bashrc
- .profile
- .xauthority

Remote monitoring

Follow terminal folder

```
Get:9 http://security.ubuntu.com/ubuntu resolute-security InRelease [136 kB]
Get:10 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/universe Translation-en [6329 kB]
Get:11 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64 Components [4556 kB]
Get:12 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64 c-n-f Metadata [313 kB]
Get:13 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/restricted amd64v3 Packages [152 kB]
Get:14 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/restricted amd64 Components [556 B]
Get:15 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/multiverse amd64v3 Packages [291 kB]
Get:16 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/multiverse Translation-en [127 kB]
Get:17 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/multiverse amd64 Components [50.0 kB]
Get:18 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/multiverse amd64 c-n-f Metadata [8276 B]
Get:19 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/main amd64v3 Packages [54.0 kB]
Get:20 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/main Translation-en [15.4 kB]
Get:21 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/main amd64 Components [792 B]
Get:22 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/main amd64 c-n-f Metadata [1132 B]
Get:23 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/universe amd64v3 Packages [27.2 kB]
Get:24 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/universe Translation-en [8072 B]
Get:25 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/universe amd64 Components [15.9 kB]
Get:26 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/universe amd64 c-n-f Metadata [624 B]
Get:27 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/restricted amd64v3 Packages [29.4 kB]
Get:28 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/restricted Translation-en [6588 B]
Get:29 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/multiverse amd64 Components [216 B]
Get:30 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/multiverse amd64 c-n-f Metadata [116 B]
Get:31 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/main amd64 Components [212 B]
Get:32 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/main amd64 c-n-f Metadata [112 B]
Get:33 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/universe amd64 Components [216 B]
Get:34 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/universe amd64 c-n-f Metadata [116 B]
Get:35 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/restricted amd64 Components [216 B]
Get:36 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/restricted amd64 c-n-f Metadata [120 B]
Get:37 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/multiverse amd64 Components [216 B]
Get:38 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/multiverse amd64 c-n-f Metadata [120 B]
Get:39 http://security.ubuntu.com/ubuntu resolute-security/main amd64v3 Packages [18.5 kB]
Get:40 http://security.ubuntu.com/ubuntu resolute-security/main Translation-en [9748 B]
Get:41 http://security.ubuntu.com/ubuntu resolute-security/main amd64 Components [792 B]
Get:42 http://security.ubuntu.com/ubuntu resolute-security/main amd64 c-n-f Metadata [968 B]
Get:43 http://security.ubuntu.com/ubuntu resolute-security/universe amd64v3 Packages [27.2 kB]
Get:44 http://security.ubuntu.com/ubuntu resolute-security/universe Translation-en [8072 B]
Get:45 http://security.ubuntu.com/ubuntu resolute-security/universe amd64 Components [15.9 kB]
Get:46 http://security.ubuntu.com/ubuntu resolute-security/universe amd64 c-n-f Metadata [628 B]
Get:47 http://security.ubuntu.com/ubuntu resolute-security/multiverse amd64 Components [212 B]
Get:48 http://security.ubuntu.com/ubuntu resolute-security/multiverse amd64 c-n-f Metadata [120 B]
Fetched 31.3 MB in 3s (11.6 MB/s)
```

52.66.212.58 (ubuntu)

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

- Name
- ..
- .cache
- .ssh
- .bash_logout
- .bashrc
- .profile
- .xauthority

Remote monitoring

☒ Follow terminal folder

```
Adding debian:Telekom_Security_TLS_ECC_Root_2020.pem
Adding debian:Telekom_Security_TLS_RSA_Root_2023.pem
Adding debian:TeliaSonera_Root_CA_v1.pem
Adding debian:Telia_Root_CA_v2.pem
Adding debian:TrustAsia_Global_Root_CA_G3.pem
Adding debian:TrustAsia_Global_Root_CA_G4.pem
Adding debian:TrustAsia_TLS_ECC_Root_CA.pem
Adding debian:TrustAsia_TLS_RSA_Root_CA.pem
Adding debian:Trustwave_Global_Certification_Authority.pem
Adding debian:Trustwave_Global_ECC_P256_Certification_Authority.pem
Adding debian:Trustwave_Global_ECC_P384_Certification_Authority.pem
Adding debian:TunTrust_Root_CA.pem
Adding debian:UCA_Extended_Validation_Root.pem
Adding debian:UCA_Global_G2_Root.pem
Adding debian:USERTrust_ECC_Certification_Authority.pem
Adding debian:USERTrust_RSA_Certification_Authority.pem
Adding debian:_OISTE_Server_Root_RSA_G1.pem
Adding debian:certSIGN_Root_CA.pem
Adding debian:certSIGN_Root_CA_G2.pem
Adding debian:e-Szigno_Root_CA_2017.pem
Adding debian:ePKI_Root_Certification_Authority.pem
Adding debian:emSign_ECC_Root_CA_-_C3.pem
Adding debian:emSign_ECC_Root_CA_-_G3.pem
Adding debian:emSign_Root_CA_-_C1.pem
Adding debian:emSign_Root_CA_-_G1.pem
Adding debian:vTrus_ECC_Root_CA.pem
Adding debian:vTrus_Root_CA.pem
done.
Processing triggers for libc-bin (2.43-2ubuntu2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
root@ip-10-0-44-73:/home/ubuntu#
```

Instances | EC2 | ap-south-1

52.66.212.58

jenkins installation on ubuntu

Linux

Ask Gemini

jenkins.io/doc/book/installing/linux/

Jenkins

cd

Blog

Success Stories

Contributor Spotlight

Documentation

Plugins

Community

Subprojects

Security

About

Support

Download

Search

> User Documentation Home

User Handbook

- User Handbook Overview
- Installing Jenkins
 - Docker
 - Kubernetes
 - Linux
 - macOS
 - Windows
 - Other Systems
 - WAR file
 - Other Servlet Containers
 - Offline Installations
 - Initial Settings
- Platform Information
- Using Jenkins
- Pipeline
- Blue Ocean
- Managing Jenkins
- Securing Jenkins
- System Administration
- Scaling Jenkins
- Troubleshooting Jenkins
- Glossary

Tutorials

Installing Java first ensures the environment is fully initialized and avoids this issue. After completing the Java installation, continue with the Jenkins installation steps below.

Long Term Support release

A LTS (Long-Term Support) release is chosen every 12 weeks from the stream of regular releases as the stable release for that time period. It can be installed from the [debian-stable apt repository](#).

```
sudo wget -O /etc/apt/keyrings/jenkins-keyring.asc \
https://pkg.jenkins.io/debian-stable/jenkins.io-2026.key
echo "deb [signed-by=/etc/apt/keyrings/jenkins-keyring.asc] \
https://pkg.jenkins.io/debian-stable binary/ | sudo tee \
/etc/apt/sources.list.d/jenkins.list" > /dev/null
sudo apt update
sudo apt install jenkins
```

Weekly release

A new release is produced weekly to deliver bug fixes and features to users and plugin developers. It can be installed from the [debian apt repository](#).

```
sudo wget -O /etc/apt/keyrings/jenkins-keyring.asc \
https://pkg.jenkins.io/debian/jenkins.io-2026.key
echo "deb [signed-by=/etc/apt/keyrings/jenkins-keyring.asc] \
https://pkg.jenkins.io/debian binary/ | sudo tee \
/etc/apt/sources.list.d/jenkins.list" > /dev/null
sudo apt update
sudo apt install jenkins
```

Search

14:58

05-05-2026

3. 52.66.212.58 (ubuntu)

```
/etc/apt/keyrings/jenkins-keyring.asc 100%[=====] 1.64K --.-KB/s in 0s
```

```
2026-05-05 09:27:54 (34.3 MB/s) - '/etc/apt/keyrings/jenkins-keyring.asc' saved [1680/1680]


Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute InRelease
Hit:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease
Ign:4 https://pkg.jenkins.io/debian-stable binary/ InRelease
Get:5 https://pkg.jenkins.io/debian-stable binary/ Release [2044 B]
Get:6 https://pkg.jenkins.io/debian-stable binary/ Release.gpg [833 B]
Get:7 https://pkg.jenkins.io/debian-stable binary/ Packages [30.9 kB]
Hit:8 http://security.ubuntu.com/ubuntu resolute-security InRelease
Fetched 33.8 kB in 0s (100 kB/s)
19 packages can be upgraded. Run 'apt list --upgradable' to see them.
Installing:
  jenkins

Installing dependencies:
  net-tools

Summary:
  Upgrading: 0, Installing: 2, Removing: 0, Not Upgrading: 19
  Download size: 99.8 MB
  Space needed: 101 MB / 4476 MB available
```

```
Continue? [Y/n] y
Get:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 net-tools amd64 2.10-2ubuntu1 [152 kB]
Get:2 https://pkg.jenkins.io/debian-stable binary/ jenkins 2.555.1 [99.6 MB]
Fetched 99.8 MB in 16s (6363 kB/s)
Selecting previously unselected package net-tools.
(Reading database ... 87072 files and directories currently installed.)
Preparing to unpack .../net-tools 2.10-2ubuntu1_amd64v3.deb ...
Unpacking net-tools (2.10-2ubuntu1) ...
Selecting previously unselected package jenkins.
Preparing to unpack .../jenkins_2.555.1_all.deb ...
Unpacking jenkins (2.555.1) ...
Setting up net-tools (2.10-2ubuntu1) ...
Setting up jenkins (2.555.1) ...
Created symlink '/etc/systemd/system/multi-user.target.wants/jenkins.service' -> '/usr/lib/systemd/system/jenkins.
```

Progress: [78%]



The screenshot shows a web browser window with the address bar displaying 'http://localhost:8080/long-term-support.html'. The page content includes a table of contents with links to various sections: 'The Strategy', 'Long Term Support release', 'What's new in this release', and 'What's new in this release'. The 'Long Term Support release' section is highlighted, showing a list of links to various releases and their corresponding dates.

Getting Started

Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log (not sure where to find it?) and this file on the server:

```
/var/lib/jenkins/secrets/initialAdminPassword
```

Please copy the password from either location and paste it below.

Administrator password

Continue



Search



Getting Started

Getting Started

☒ Folders	☒ OWASP Markup Formatter	☐ Build Timeout	☐ Credentials Binding	** commons-lang3 v3.x Jenkins API ** Ionicons API Folders OWASP Markup Formatter ** ASM API ** JSON Path API ** Struts
☐ Timestampers	☐ Workspace Cleanup	☐ Ant	☐ Gradle	
☐ Pipeline	☐ GitHub Branch Source	☐ Pipeline: GitHub Groovy Libraries	☐ Pipeline Graph View	
☐ Git	☐ SSH Build Agents	☐ Matrix Authorization Strategy	☐ LDAP	
☐ Email Extension	☐ Mailer	☐ Dark Theme		

** - required dependency

Jenkins 2.555.1

Getting Started

Instance Configuration

Jenkins URL:

The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the `BUILD_URL` environment variable provided to build steps.

The proposed default value shown is **not saved yet** and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.

Jenkins 2.555.1

Not now

Save and Finish

Manage Jenkins

🔍 Search settings /

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#). Set up agent Set up cloud Dismiss

Jenkins can enforce Content Security Policy (CSP). CSP tells web browsers what they are allowed to do while rendering a web page. This limits or even eliminates the impact of vulnerabilities like cross-site scripting (XSS). CSP is disabled by default for backward compatibility, but it is recommended to enable it, if possible. Learn more Dismiss

System Configuration

-  **System**
Configure global settings and paths.
-  **Tools**
Configure tools, their locations and automatic installers.
-  **Plugins**
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.
-  **Nodes**
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.
-  **Clouds**
Add, remove, and configure cloud instances to provision agents on-demand.
-  **Appearance**
Configure the look and feel of Jenkins

Security

-  **Security**
Secure Jenkins; define who is allowed to access/use the system.
-  **Credentials**
Configure credentials
-  **Credential Providers**
Configure the credential providers and types



New Item

Enter an item name

myfirstshelljob

Select an item type



Pipeline

Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.



Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.



Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.



Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.



Multibranch Pipeline

OK

Console

Download

 Copy[View as plain text](#)

Started by user [naji_moon_shaik](#)

Running as SYSTEM

```
Building in workspace /var/lib/jenkins/workspace/myfirstshelljob
```

```
[myfirstshelljob] $ /bin/sh -xe /tmp/jenkins1788280218118607837.sh
```

```
+ echo this is my firstone
```

this is my firstone

Finished: SUCCESS



- 📄 Status
- </> Changes
- 📄 Console Output
- 📄 Edit Build Information
- 🗑️ Delete build '#2'
- 🕒 Timings
- ← Previous Build

Console

📄 Download 📄 Copy View as plain text

```
Started by user naji_moon_shaik
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/myfirstshelljob
[myfirstshelljob] $ /bin/sh -xe /tmp/jenkins14721675774130837035.sh
+ echo this is my firstone
this is my firstone
+ echo najimoon shaik
najimoon shaik
Finished: SUCCESS
```

52.66.212.58 (ubuntu)

TerminalSessionsViewX serverToolsGamesSettingsMacrosHelp

SessionServersToolsGamesSessionsViewSplitMultiExecTunnelingPackagesSettingsHelp

Quick connect...

/home/ubuntu/

Name

..

.cache

.ssh

.bash_logout

.bashrc

.profile

.xauthority

Remote monitoring

Follow terminal folder

3. 52.66.212.58 (ubuntu)

• MobaXterm Personal Edition v25.4 •
(SSH client, X server and network tools)

► SSH session to ubuntu@52.66.212.58

• Direct SSH : ✓

• SSH compression : ✓

• SSH-browser : ✓

• X11-forwarding : ✓ (remote display is forwarded through SSH)

► For more info, ctrl+click on help or visit our website.

Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1004-aws x86_64)

* Documentation: <https://docs.ubuntu.com>

* Management: <https://landscape.canonical.com>

* Support: <https://ubuntu.com/pro>

System information as of Tue May 5 10:19:27 UTC 2026

System load: 0.0

Usage of /: 42.5% of 6.61GB

Memory usage: 11%

Swap usage: 0%

Temperature: ~273.1 C

Processes: 174

Users logged in: 0

IPv4 address for enp39s0: 10.0.44.73

Expanded Security Maintenance for Applications is not enabled.

19 updates can be applied immediately.
14 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See <https://ubuntu.com/esm> or run: sudo pro status

Last login: Tue May 5 09:27:08 2026 from 124.123.172.114

ubuntu@ip-10-0-44-73:~\$ sudo su

root@ip-10-0-44-73:/home/ubuntu# git clone <https://github.com/kuchalakanti/hello-world-java.git>

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

Hot weather Now


Search

15:50 05-05-2026



Jenkins

/ myfirstgithubproject / #1



Status



Changes



Console Output



Edit Build Information



Delete build '#1'



Timings



Git Build Data

Console

Download

Copy

View as plain text

```
Started by user naji_moon_shaik
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/myfirstgithubproject
The recommended git tool is: NONE
No credentials specified
Cloning the remote Git repository
Cloning repository https://github.com/kuchalakanti/hello-world-java.git
> git init /var/lib/jenkins/workspace/myfirstgithubproject # timeout=10
Fetching upstream changes from https://github.com/kuchalakanti/hello-world-java.git
> git --version # timeout=10
> git --version # 'git version 2.53.0'
> git fetch --tags --force --progress -- https://github.com/kuchalakanti/hello-world-java.git +refs/heads/*:refs/remotes/origin/* #
timeout=10
> git config remote.origin.url https://github.com/kuchalakanti/hello-world-java.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision ec2ebc62fb41fbd3a465aa527c24177c81fe7a16 (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f ec2ebc62fb41fbd3a465aa527c24177c81fe7a16 # timeout=10
Commit message: "web"
First time build. Skipping changelog.
Finished: SUCCESS
```



- Status
- Changes
- Console Output**
- Edit Build Information
- Delete build '#3'
- Timings
- Git Build Data
- Previous Build

Console

 Download  Copy  View as plain text

```
Started by user naji_moon_shaik
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/myfirstgithubproject
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/myfirstgithubproject/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/kuchalakanti/hello-world-java.git # timeout=10
Fetching upstream changes from https://github.com/kuchalakanti/hello-world-java.git
> git --version # timeout=10
> git --version # 'git version 2.53.0'
> git fetch --tags --force --progress -- https://github.com/kuchalakanti/hello-world-java.git +refs/heads/*:refs/remotes/origin/* #
timeout=10
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision ec2ebc62fb41fbd3a465aa527c24177c81fe7a16 (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f ec2ebc62fb41fbd3a465aa527c24177c81fe7a16 # timeout=10
Commit message: "web"
> git rev-list --no-walk ec2ebc62fb41fbd3a465aa527c24177c81fe7a16 # timeout=10
[myfirstgithubproject] $ /bin/sh -xe /tmp/jenkins10583703706392505127.sh
+ javac HelloWorld.java
+ java HelloWorld.java
Hello, KrishnaVcube12345
Hello, devopsbykrishna21
Hello, devopsbykrishna
```

On April 24 we'll start using GitHub Copilot interaction data for AI model training unless you opt out. [Review this update](#) and manage your preferences in your [GitHub account settings](#).

- General
- Access
 - Collaborators
 - Moderation options
- Code and automation
 - Branches
 - Tags
 - Rules
 - Actions
 - Models Preview
 - Webhooks**
 - Copilot
 - Environments
 - Codespaces
 - Pages

Webhooks / Add webhook

We'll send a POST request to the URL below with details of any subscribed events. You can also specify which data format you'd like to receive (JSON, x-www-form-urlencoded, etc). More information can be found in [our developer documentation](#).

Payload URL *

Content type *

Secret

SSL verification

By default, we verify SSL certificates when delivering payloads.

☒ Enable SSL verification ☐ Disable (not recommended)

Which events would you like to trigger this webhook?