

Data Academy

Data Science
Python

Python Fundamentals –
Session 2

TECH TALENT
ACADEMY |

Session Content



If, If Else and
Else Recap

Imbedded
Tasks

Logical
Operators

Functions and
Procedures

User Input

- We store data in a variable
- We use the input command to get the user to input a value.
- Don't forget that it comes as a string
- We can cast to a different data type if required.

```
menuOption=int(input("Select an option 1,2 or 3"))
```

If/elif Statements

- We make the computer do condition checks by using if, elif (else if) or else.
- Remember the code needs to be indented to let the computer know it is part of that conditional check.

```
if (menuOption==1):  
    print ("These are all the Running Trainers")  
elif(menuOption==2):  
    print ("These are all the Classics")  
elif(menuOption==3):  
    print ("This are all the Boots and Shoes")  
else:  
    print ("You didn't choose the correct option")
```

Imbedded tasks if/loops

- We can embed If statements within If Statements.
- We can also do it with loops as well
 - However, with loops be careful about the names you use!

```
number1 = 1
number2 = 2

if number1 == 1:
    if number2 == 2:
        print("Both numbers match up")
    else:
        print("First number matches but not the second")
else:
    if number2 == 2:
        print("Only the second numbers matchs up")
    else:
        print("None match")
```

```
for i in range(10):
    for j in range(10):
        print("i:", i, "j:", j)
    print("Start of next i loop")
```

Logical Operators

Operator	Description
and	Returns true if both conditions are met
or	Returns true if either or both conditions are met
not	A true expression becomes false and vice versa

Logical Operators - and

and: Returns true if both conditions are met

```
[ ]: age = int(input("What is your age?: "))


if age > 17 and age <60:
    print("You can learn to drive")
elif age > 50 and age <60:
    print("You can learn to drive, but better learn soon!")
else:
    print("You cannot learn to drive")
```

Logical Operators - or

or: Returns true if both or one condition is met

```
[22]: number = int(input("Enter a number smaller than 10: "))  
  
if number == 1 or number == 3 or number == 5 or number == 9:  
    print("You entered an ODD number")  
else:  
    print("You entered an EVEN number")
```


Session Content



WHAT IS A FUNCTION
AND PROCEDURE?




USING FUNCTIONS
AND PROCEDURES



WHAT IS
PSUEDOCODE?

Procedures & Functions

Both functions and procedures are created the same



Function Example

```
def main ():  
    print ("Hello World")
```

The syntax of a function. Main is the name of the function that you call in your program.

```
main()
```

In your program – this is how you call the function called main.

Procedures

- We create a procedure by using the key word `def` followed by the `name_of_the_procedure` and `()`:
- We then write what we want this procedure to do, making sure it is indented.
- We then call the procedure within the main script by: `procedure()`

```
def procedure_1():  
    name = input("What is your name? ")  
    age = int(input("What is your age? "))  
  
    print("Hello", name + "! You will be ", age + 1, "For your next birthday!")
```

Functions

- We create a function by using the key word `def` followed by the `name_of_the_function` and `()`:
- We then write what we want this procedure to do, making sure it is indented.
- **However**, we need to make sure we are returning a value using the keyword `return`.
- We then call the function within the main script by: `name_of_the_function ()`

```
def function_1():  
    name = input("What is your name? ")  
    age = int(input("What is your age? "))  
  
    output = "Hello " + name + "! You will be " + str(age + 1) + " For your next birthday!"  
  
    return output
```

```
message = function_1()  
print(message)
```

```
Hello Andy! You will be 33 For your next birthday!
```

TTA |

Parameter Passing

Sometimes we need to pass values to the function/procedure.

We need to declare these within the () when creating the function/procedure

Important!

- The order in which the parameters are declared is important for the order the values are passed to them.
- You can then use these parameters within the function.
- Allows for code reusability
- DRY (Don't Repeat Yourself!)

Parameter Passing

```
def procedure_2(inp_name, inp_age):  
    name = inp_name  
    age = inp_age  
  
    print("Hello", name + "! You will be ", age + 1, "For your next birthday!")
```

```
name = input("What is your name? ")  
age = int(input("What is your age? "))  
  
procedure_2(name, age)
```

```
procedure_2(age, name)  
  
-----  
TypeError                                Traceback (most recent call last)  
in  
----> 1 procedure_2(age, name)  
  
    in procedure_2(inp_name, inp_age)  
        3     age = inp_age  
        4  
----> 5     print("Hello", name + "! You will be ", age + 1, "For your next birthday!")  
  
TypeError: unsupported operand type(s) for +: 'int' and 'str'  
  
Functions/Parameters can call other functions/parameters
```

Calling on others!

Procedures can call other procedures and functions.

```
def function_3():  
    name = input("What is your name? ")  
    age = int(input("What is your age? "))  
  
    output = "Hello " + name + "! You will be " + str(age + 1) + " For your next birthday!"  
  
    return output  
  
def procedure_3():  
  
    message = function_3()  
  
    print(message)
```



```
procedure_3()
```

```
Hello Andy! You will be 33 For your next birthday!
```


What is Pseudocode

Pseudocode is a step-by-step plan of how to solve and complete a program. It can be written or drawn in a Data Flow Diagram (DFD).

Written Example:

Question: Write a program that asks a user their name and age, then outputs it to the screen.

Answer:

String Name needs to be input from user

Integer Age needs to be input from user

Output Name


Output Age

Flow Diagrams


A **flowchart** can help breakdown and visualise the steps in a program including **inputs, outputs, selection** and **loops**.

Before writing code, you can use a flowchart to create a diagram of all the **steps** in your algorithm.

How can this help?



Flow Diagrams




Tasks

- **Task 1:** Write a program that asks the user for an integer number and checks if it is > 10 . If it is, it will print "Number is Greater than 10", else "Number is smaller than 10".
- **Task 2:** Then write a loop program that ask the user for an integer number and check if it is < 10 . If it is < 10 then it keeps adding 1 to the value.




Write Conditional Flow Chart– Pseudo Code



Task 1


Loopy Program – Pseudo Code



Task 2

TTA

Write a Loopy Program Example



```
# program to ask the user for a number  
# and count down to 1,  
# It will do this by displaying the number  
# and subtracting 1 from it
```

```
# ask the user for a number
```

```
# convert it to an integer
```

```
# while the number is greater than zero
```

```
# display it
```

```
# subtract 1 from it
```

```
# end of loop
```

```
# end of program
```

Write a Loopy Program – (the code)

```
# program to ask the user for a number
# and count down to 1,
# It will do this by displaying the number
# and subtracting 1 from it
```

```
# program to ask the user for a number
# and count down to 1,
# It will do this by displaying the number
# and subtracting 1 from it
```

```
# ask the user for a number
```



```
# ask the user for a number
user_num = input ("Please enter a number ")
```

```
# convert it to an integer
```



```
# convert it to an integer
user_num = int(user_num)
```

```
# while the number is greater than zero
```



```
# while the number is greater than zero
while user_num > 0 :
```

```
# display it
```



```
# display it
print ( user_num )
```

```
# subtract 1 from it
```



```
# subtract 1 from it
user_num = user_num - 1
```

```
# end of loop
```



```
# end of loop
```

```
# end of program
```



```
# end of program
```


Home Learning Tasks

- Create your own Flow Diagram, a subject of your own choice, Example: Fast food order and convert it into code.
- As an extension to the motorbike task that costs £2000 and loses 10% of its value every year. Set up a function that performs the calculation by passing in parameters. Then using a loop, print the value of the bike every following year until it falls below £1000.
- Write a program which will ask for two numbers from a user. Then offer an option menu to the user giving them a choice of maths operators. Once the user has selected which operator they wish to use, perform the calculation by using a procedure and passing parameters.



TECH TALENT
ACADEMY