

Implementation of Peer-to-Peer Energy Trading via Solana Smart Contracts in a Permissioned Environment

Chanthawat Kiriyaadee¹, and Suwannee Adsavakulchai^{1*}

¹Department of Computer Engineering and Artificial Intelligence, School of Engineering, University of the Thai Chamber of Commerce (UTCC), Bangkok, Thailand

Contact Email: 2410717302003@live4.utcc.ac.th, Suwannee_ads@utcc.ac.th

Thailand's three state utilities EGAT, MEA, and PEA have advanced a National Energy Trading Platform (NETP) since 2017 to facilitate Peer-to-Peer (P2P) trading among rooftop-solar prosumers, envisaging a blockchain-based settlement layer with a dedicated digital currency. However, remains in development, and Thailand's regulated buy-back scheme still provides no direct mechanism for prosumers to exchange surplus generation within the local electrical grid. This paper presents a smart-contract-based on-chain settlement layer for P2P energy trading, realized as five modular Anchor programs deployed on a permissioned Solana runtime that utilize the Sealevel parallel-execution engine. By routing every high-frequency write to a per-entity program-derived account (PDA), the system permits transactions with disjoint write sets to execute in parallel, with transaction ordering provided by Solana's Proof-of-History (PoH). The evaluate market clearing price framework couples a continuous double auction (CDA) for real-time trades with a uniform-price auction that clears aggregated prosumer bids into a single settlement price over fifteen-minute epochs. We simulate energy consumption, generation, and power flow for a network of M meters over D days at fifteen-minute intervals within a low-voltage grid topology, of which 15% of meters are prosumers. The full token life-cycle minting, settlement, and burning is evaluated on a single-node validator (Apple M2, Agave 3.1.10). We report the resulting throughput, energy-conservation, and net-revenue outcomes, each independently re-derived and audited from on-chain state.

1. Introduction

Since 2017 Thailand's state utilities have pursued a National Energy Trading Platform (NETP) for P2P trading among rooftop-solar prosumers, implemented on a Tendermint-based consortium blockchain [1]. This article presents a Solana-based architecture as an alternative execution layer, motivated by NETP's own evaluation, in which Tendermint outperformed both Ethereum and Hyperledger Fabric under throughput testing: that result suggests further gains from a runtime whose execution is parallel rather than sequential. Such evaluations report throughput and compute cost as though computation were the axis along which a settlement layer scales. The contribution here is to separate the axes — partition all hot-path state per entity, then measure compute, throughput and latency independently, so that what binds each can be named rather than assumed — and then, in a second and separate experiment, to confirm that the market built on that partition settles correctly and profitably against audited on-chain state.

2. The Per-Entity Partition and Measurement Method

- **Smart-contract layer.** The settlement layer comprises Smart Contract programs [2] (anchor-lang and anchor-spl 1.0.0), written in Rust and compiled to SBF bytecode for the Solana Virtual Machine, in which programs invoke one another through cross-program invocation (CPI), with authority delegated to PDAs that sign without any private key existing.
- **Per-entity partition.** A transaction declares in advance every account it touches and whether each is writable, and the runtime locks per account, so that two transactions with disjoint writable sets execute on different cores whereas two writing one account serialise. Every high-frequency write therefore targets its own PDA — MeterState per meter, Order per order, OrderNullifier per settlement replay guard, and registration counters sharded sixteen ways — while global accounts such as configuration and running totals remain read-only on hot paths and deliberately stale, folded forward by periodic administrative instructions.
- **Environment.** One host (Apple M2, Agave 3.1.10). Experiments A and B run on a private solana-test-validator, isolating SVM semantics — account locking and compute metering — from consensus; the settle before/after, the telemetry comparison and the liveness tests are repeated on a 3- and 4-member agave-validator cluster with real leader rotation and Tower-BFT voting [3], all nodes on loopback.
- **Metric.** Throughput is reported as client-observed confirmed goodput, defined as confirmed transactions per wall-clock second from burst start to last confirmation, and every non-confirmed transaction is attributed to one of three classes — send-rejected, guard-rejected, or expired — which separates delivery loss from validation operating as intended.
- **Experiment A (scaling sweep).** One reading per meter is submitted from N distinct meters over two epochs at least 61 s apart, covering $N = 80$ to 200,000 (1.35 M transactions).
- **Experiment B (community-month replay).** The full token life-cycle — minting, settlement, and burning — is driven over the month of Table 2, on a topology taken from the CINELDI 80-bus rural LV reference grid [4] and resolved with pandapower [5], with time-series produced by the simulator under a fixed seed and solar modelled via pvlib [6].

The two experiments use different harnesses; their rates are therefore not mutually comparable.

3. Primary Result: Throughput Orders by Lock Footprint

Compute is $O(1)$ and never binds. In Experiment A the steady telemetry write costs an identical 13,538 CU at every scale from 80 to 200,000 meters — a 2,500× range with zero drift, fixed-width meter ids — against a 200,000-CU default per-instruction budget, and the final submissions cost the same against 471,160 resident PDAs as the first scale did against 161,160 (the ledger ends holding 671,160). The first write for a meter costs 16,157 CU, because it initialises and rent-funds the PDA; above the mode sits a deterministic 1,500-CU-per-step bump-search ladder (find_program_address pays one curve check per candidate, geometric across meters). These figures predate acting on it: caching the stored bump removes the ladder and cuts the steady write to 11,752 CU, which the shipped program now does. Latency is likewise flat, p50 1.1–1.6 s and p95 ≤ 3.0 s across the whole sweep, where a contended design would degrade; delivery loss is zero across 1.34 M first-attempt sends.

Throughput orders by lock footprint, but the mechanism does not confirm. Table 1 sorts every measured path by the shared writable state it touches, and that ordering — not the CU column — tracks the rate across three orders of magnitude. The association is strong; the causal test fails. Anchor’s mut imposes a writability requirement, not a prohibition, so the shipped binary still accepts the pre-fix lock footprint if the client declares ZoneMarket writable — one AccountMeta, nothing else changed. Over five repeats of 1,200 settles, the writable arm returns 493 against 561 confirmed settles·s⁻¹ across eight fee payers (overlapping ranges), and 447 against 446 across one: even the shared fee-payer lock does not move throughput, because conflicting transactions still land within a slot through successive entries, and at ≈120 k CU per settle the block compute budget saturates before locks bind. We therefore withdraw the 2.7–3× previously attributed to deleting this mut; a previously reported ≈0.6 TPS for single-payer settlement reproduces exactly (0.69 TPS, p50 463 ms per settle) when the harness awaits each confirmation before the next send — a measurement-loop property, since the same path sustains ≈450 TPS with transactions concurrently in flight. Order entry carries the same caveat: the **cheaper** instruction returned 180 TPS against telemetry’s 462 while its context declared the shared zone-market account writable. Re-measured post-fix on the original 10⁴ configuration, the path lands all 10,000 orders at ≈1,000 TPS in every arm from one payer on one shard to 16 on 16 — a 5.7× that spans the fix, a rewritten harness and a warm validator, so no share of it attributes to the lock.

Table 1: **Throughput by lock footprint** (Experiment A). Paths ordered by the shared write-locked state they touch — an ordering, not a demonstrated cause (see text). Harnesses differ per row; rows are not mutually comparable, and the closed-loop OLTP row is its own concurrency knob (TPS ≈ c/latency).

Path	CU	TPS	Shared writable state
RPC read (serial → 32 in flight)	—	731 → 6,321	none — no consensus round-trip
meter ingest (10 k–200 k meters)	13,538	182–296	gateway fee payer
order entry (10 k orders, re-measured)	9,808	915–1,028	fee payer + zone shard(s)
OLTP proxy, closed loop ($c = 5 \rightarrow 40$)	≈22.8 k	10.4 → 78.4	fee payer + per-district counters
settlement, awaited serially (harness-bound)	≈115 k	≈0.6	— (one block-time RTT per settle)
settlement, concurrent, 1–8 fee payers	≈120 k	446–561	fee payer + energy_mint + collectors

3.1. Secondary Result: Audited Community-Month Settlement

Experiment B replays the month of Table 2 in 1,008.7 s (2,570× real time) with zero delivery loss; all 57 rejected readings are deterministic anomaly-gate rejections, predicted offline from the same 10× rule and matched exactly on chain. Under this harness telemetry sustains ≈303 readings·s⁻¹ and each Ed25519-verified settlement costs ≈117 k CU (p50 of all 120 fills). The energy-closure identities hold bigint-exact on chain — 16 of 16 audit assertions, from minted surplus through burned settlement to collector balances — and net revenue across the three price rules orders uniform 2.290 > buy-back 2.200 > CDA 2.065 THB/kWh, so wheeling policy sets the P2P participation threshold.

Table 2: **The simulated community-month dataset** (Experiment B; seed-deterministic, no field data).

Quantity	Value
fleet	80 meters: 12 prosumer sellers, 68 consumers
market policy	sell cap $C = 10$ kWh/day per prosumer; 0.1 kWh dust floor
horizon / readings	30 days × 96 ticks ($\Delta t = 15$ min) = 230,400 readings, integer Wh
month energy	15,868.5 kWh generated; 144,879.8 kWh consumed; 10,386.7 kWh interval surplus
oracle-accepted surplus	8,253.502 kWh; 919 readings gate-rejected

4. Conclusion

Over the range measured here, partitioning hot-path state per entity leaves neither computation nor per-entity contention as the binding constraint: the steady write is an identical 13,538 CU from 80 to 200,000 meters and against 671,160 resident accounts, and confirmation latency does not degrade across that sweep. What orders the measured paths is lock footprint on the few genuinely shared accounts, more closely than instruction cost does — but that ordering did not survive a controlled test as a mechanism: with the pre-fix lock footprint reproduced on the shipped binary, settlement throughput is unchanged from one fee payer to eight, and the two strongest prior data points dissolve under re-measurement, one into validator warm-up, one into a harness that awaited each settle’s confirmation before sending the next. Shrinking declared write sets remains sound design; on a single node it buys nothing measurable here — order entry, re-measured post-fix, lands identically from one payer on one shard to 16 on 16. The community-month replay is a seeded simulation rather than field data, and within it the energy-closure identities held in all 15 audit assertions and P2P net revenue under uniform-price clearing exceeded the regulated buy-back rate. Re-run on a 3-validator consortium of the form NETP itself prototyped across EGAT, MEA, and PEA [1], the same mut returns 261 against 255 confirmed settles·s⁻¹ over 15 repeats per arm (0.98×, $p = 0.82$): consensus does not reveal what a single node hid, and costs throughput alone — telemetry 234–284 → 152 TPS at unchanged latency, compute and zero loss. A three-member consortium proves to have no single-loss tolerance: finalisation needs >2/3 of stake, so a member is losable only below 1/3, and three shares always contain one at or above it. Losing the 13.6% member left the market live (13.5% skip), losing the 45% member halted it (0 slots in 40 s), and equalising to thirds halted it too — $N \geq 3f + 1$: adding a fourth validator, every member then below 1/3, keeps the market live through the same single loss that halted three (108 slots against none). Geographically distributed nodes suit UEC–ASEAN collaboration.

Acknowledgment

The authors thank the University of the Thai Chamber of Commerce (UTCC) for institutional support, and the organizers, the UEC ASEAN Research Center (UARC) and Multimedia University (MMU), for hosting this workshop.

References

- [1] Metropolitan Electricity Authority (MEA) and Electricity Generating Authority of Thailand (EGAT) and Provincial Electricity Authority (PEA), “Development of the National Energy Trading Platform (NETP): Research and Development Project Report and Digital Platform Roadmap for Thailand’s Electricity Authorities,” technical report, Dec. 2019.
- [2] Coral / Anchor contributors, “Anchor: Solana’s Sealevel runtime framework.” [Online]. Available: <https://www.anchor-lang.com/>
- [3] Solana Foundation, “Tower BFT: Solana’s High Performance Implementation of PBFT,” Jul. 2019.
- [4] L. M. Engan, S. Ekrheim, S. Bjarghov, J. Klemets, G. Kjelle, and I. Schytte, *Reference dataset for semi-urban and rural Norwegian low voltage distribution system*. (Dec. 2024). Zenodo. doi: 10.5281/zenodo.14528192.
- [5] L. Thurner *et al.*, “pandapower—An Open-Source Python Tool for Convenient Modeling, Analysis, and Optimization of Electric Power Systems,” *IEEE Transactions on Power Systems*, vol. 33, no. 6, pp. 6510–6521, 2018.
- [6] W. F. Holmgren, C. W. Hansen, and M. A. Mikofski, “pvlb python: A python package for modeling solar energy systems,” *Journal of Open Source Software*, vol. 3, no. 29, p. 884, 2018, doi: 10.21105/joss.00884.