In-Class Activity 09

100 Points Possible

23/10/2026

Attempt 1

In Progress

NEXT UP: Submit assignment

Add comment

Unlimited Attempts Allowed

22/10/2026 to 28/10/2026

Details

Activity 09: Modules, Components & Props in React

SE/COM S 3190 – Construction of User Interfaces

Assigned On: October 22, 2026

Due: October 23, 2026 (11:59 PM CDT) | **Late until:** Oct 28, 2026 CDT (**–5% per day**)

Step 1

Create a React Project with Vite Build Tool

```
npm create vite@latest netid_activity09
```

where netid is the part of your IASTATE email before the @iastate.edu. Example:

```
npm create vite@latest sarfaraz_activity09
```

Make the selections as shown in the image below.

After running the command to create the project

```
C:\Users\sarfaraz\Documents\COMS3190>npm create vite@latest sarfaraz_activity09

> npx
> cva sarfaraz_activity09


create-vite v9.3.1

|
o  Select a framework:
|  React
|
o  Select a variant:
|  JavaScript
|
o  Which linter to use?
|  ESLint
|
o  Install with npm and start now?
|  Yes
|
o  Scaffolding project in C:\Users\sarfaraz\Documents\COMS3190\sarfaraz_activity09...
|
o  Installing dependencies with npm...

added 143 packages, and audited 144 packages in 19s

31 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
|
o  Starting dev server...

> sarfaraz_activity09@0.0.0 dev
> vite


  VITE v8.3.5  ready in 434 ms

  ➜  Local:   http://localhost:5173/
  ➜  Network: use --host to expose
  ➜  press h + enter to show help
```

Terminal output confirming creation of React Project for Activity 09

Step 2

Install UI dependencies

Install Bootstrap and React Bootstrap.

```
npm install react-bootstrap bootstrap
```

Check that `bootstrap` *appears in* `package.json`.

After installing dependencies

```
C:\Users\sarfaraz\Documents\COMS3190\sarfaraz_activity09>npm install react-bootstrap bootstrap

added 36 packages, and audited 180 packages in 28s

33 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

C:\Users\sarfaraz\Documents\COMS3190\sarfaraz_activity09>
```

Dependencies successfully installed.

package.json confirmation

```
{
  "name": "sarfaraz_activity09",
  "private": true,
  "version": "0.0.0",
  "type": "module",
  ▷Debug
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "lint": "eslint .",
    "preview": "vite preview"
  },
  "dependencies": {
    "bootstrap": "^5.3.8",
    "react": "^19.3.1",
    "react-bootstrap": "^2.10.10",
    "react-dom": "^19.3.1"
  },
  "devDependencies": {
    "@eslint/js": "^10.0.1",
    "@types/react": "^19.3.0",
    "@types/react-dom": "^19.3.0",
    "@vitejs/plugin-react": "^6.1.2",
    "eslint": "^10.13.0",
    "eslint-plugin-react-hooks": "^7.1.1",
    "eslint-plugin-react-refresh": "^0.5.7",
    "globals": "^17.13.0",
    "vite": "^8.3.4"
  }
}
```

Bootstrap module visible in project folder.

Step 3

Create the file listed below inside `src` folder

- UserCards.jsx

After creating the files, delete the `App.css` from the `src` folder.

Import React, ReactDOM, and your custom component into `App.jsx`


```
import React from 'react';
import ReactDOM from 'react-dom/client';
import { UserCard } from './UserCards.jsx';
```

Step 4 `App.jsx`

Render two empty cards temporarily inside the function `App()` in App.jsx.

```
function App() {
  return (
    <>
      <UserCard />
      <UserCard />
    </>
  );
}
```

File Structure Should Look Like This:



Step 5

Add props to `UserCard`

Provide pictures, names, salaries, and addresses.

```
<UserCard
  picture="https://media.wired.com/photos/6862cb0455100d2a2bbf7a4b/1:1/w_2560%2Cc_limit/Zuck-Welcom
es-Superintelligence-Team-Business-2170596573.jpg"
  name="Mark Zuckerberg"
  amount={300000}
  married={true}
  address={{ street:"2231 W Holcombe Blvd", city:"San Francisco", state:"California" }}
/>
```

```
<UserCard
  picture="https://hips.hearstapps.com/hmg-prod/images/bill-gates-discusses-his-new-book-how-to-pre
vent-the-next-news-photo-1742328104.pjpeg"
  name="Bill Gates"
  amount={650000}
  married={true}
  address={{ street:"49690 Rogers Rd NE", city:"Seattle", state:"WA" }}
/>
```

Final `App.jsx`:

```
function App() {
  return (
    <>
      <UserCard
        picture="https://media.wired.com/photos/6862cb0455100d2a2bbf7a4b/1:1/w_2560%2Cc_limit/Zuck-Welcomes-Superintelligence-Team-Business-2170596573.jpg"
        name="Mark Zuckerberg"
        amount={300000}
        married={true}
        address={{
          street: "2231 W Holcombe Blvd",
          city: "San Francisco",
          state: "California",
        }}
      />
      <UserCard
        picture="https://hips.hearstapps.com/hmg-prod/images/bill-gates-discusses-his-new-book-how-to-prevent-the-next-news-photo-1742328104.pjpeg"
        name="Bill Gates"
        amount={650000}
        married={true}
        address={{ street: "49690 Rogers Rd NE", city: "Seattle", state: "WA" }}
      />
    </>
  );
}
```

Step 6 In `UserCards.jsx`: imports

Import Bootstrap CSS and needed UI components.

```
import 'bootstrap/dist/css/bootstrap.css';
import { Container, Card } from 'react-bootstrap';
```

Step 7 Define `UserCard` component

Start the component with props and wrapper container.

```
export function UserCard(props) {
  return ( <Container className="p-4"> ... </Container> );
}
```

Step 8 Add card layout inside component

Use Bootstrap's Card component to display the user's details. Keep it visually organized by applying simple inline styles — just like how you'd use the `style` attribute in a regular `<img>` tag.

Hint: *Fill in the blanks in the code below to complete the component*:

```
<Card style={{ width:"15rem" }}>
  <Card.Img variant="top" src={_________} />
  <Card.Body>
    <Card.Title>{_________}</Card.Title>
    <Card.Text>Salary  $ {_________}</Card.Text>
```

```
    <Card.Text>{_________ ? "Married" : "Single"}</Card.Text>
    <ul>
      <li>: {_________.street}</li>
      <li>{_________}, {_________}</li>
    </ul>
  </Card.Body>
</Card>
```

Final `UserCards.jsx` output



Mark Zuckerberg

Salary: $ 300000
Married: Yes
Address: 2231 W Holcombe Blvd, San Francisco, California



Bill Gates

Salary: $ 650000
Married: Yes
Address: 49690 Rogers Rd NE, Seattle, WA

⚠️ Important Submission Guidelines

Before submitting your project files for **Activity 09**, please **delete the** `node_modules` **folder** from your project directory.

The `node_modules` folder contains thousands of files and can make your ZIP file too large to upload to Canvas. More importantly, it includes packages tied to your specific system configuration, OS, and environment — these may differ between machines and can cause errors when others (including TAs) from running your project.

All required packages are already listed in your `package.json` file, and anyone reviewing your code can simply run `npm install` to recreate `node_modules`.

After deleting `node_modules`, make sure your ZIP file includes **only** the following:

- `README.md` (optional)
- `public/`
- `eslint.config.js`
- `index.html`
- `package-lock.json`
- `package.json`
- `src/`
- `vite.config.js`

Then, compress these files and folders into a single **.zip** file and upload it to Canvas.

Rubric

Criteria	Points
At least two `<UserCard />` components in `App.jsx`	40 pts
Correct `UserCard` component output	40 pts
Bootstrap setup and styling	20 pts
Total	**100 pts**

Challenge (optional):

Try making both cards appear side by side. Hint: use `display: flex;` or Bootstrap's `<Row><Col>`.

`Challenge` output



Mark Zuckerberg

Salary: $ 300000

Married: Yes

Address: 2231 W Holcombe Blvd, San Francisco, California



Bill Gates

Salary: $ 650000

Married: Yes


Address: 49690 Rogers Rd NE, Seattle, WA

Sarfaraz Ahmed Mohammed, Ph.D.

Last Updated By: **Pranava Sai Maganti** — Spring 2026

Choose a submission type

Upload | Studio | More



Choose a file to upload

File permitted: ZIP

or

Canvas Files

<

(https://canvas.iastate.edu/courses/130075/modules/items/8370065)

Submit assignment