

NAME : **Mrs. SHWETA T S** REG # : 25072549 / 52757

AGE/SEX : 35 Yrs / Female DATE OF REPORT : 28-07-2025

REFERRED BY: REFFERRED CENTER: KANGROW HEALTH

TEST PARAMETER RESULT REFERENCE RANGE

### **BIOCHEMISTRY**

# RANDOM BLOOD SUGAR (RBS)

RANDOM BLOOD SUGAR 99 mg/dl 70 - 140 mg/dl

### NOTE:

### Criteria for the diagnosis of diabetes (ADA)

FBS ≥126 mg/dL. Fasting is defined as no caloric intake for at least 8 h OR

2-h PPBS ≥200 mg/dL during an OGTT performed using a glucose load containing the equivalent of 75 g anhydrous glucose dissolved in water **OR** HBA1C ≥6.5% **OR** 

RBS ≥200 mg/dI In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis.

# Categories of increased risk for diabetes (prediabetes) (ADA)

FBS 100 mg/dL -125 mg/dL **OR** 2-h PPBS 140 mg/dL -199 mg/dL **OR** HBA1C 5.7-6.4%

# **SERUM CREATININE**

SERUM CREATININE Enzymatic	<b>0.9</b> mg/dL	0.6 - 1.2 mg/dL	
SERUM CALCIUM			
SERUM CALCIUM	9.9 mg/dL	8.6 - 10.3 mg/dL	
LIVER FUNCTION TEST(LFT)			
TOTAL BILIRUBIN	0.8 mg/dl	0.1 - 1.2 mg/dl	
DIRECT BILIRUBIN DIAZO	0.3 mg/dl	0 - 0.4 mg/dl	
INDIRECT BILIRUBIN Calculated	0.50 mg/dl	0.2 - 1.2 mg/dl	
S G O T	28.0 U/L	up to 40 U/L	
S G P T	21.6 U/L	up to 40 U/L	
ALKALINE PHOSPHATASE	94.0 U/L	42 - 98 U/L	
TOTAL PROTEIN	7.0 g/dl	6 - 8 g/dl	
S.ALBUMIN BCG	4.0 g/dl	3 - 4.5 g/dl	
S.GLOBULIN Calculated	3 g/dl	1.5 - 3 g/dl	
A/G RATIO	1.3	1.3 - 1.4	



NAME : **Mrs. SHWETA T S** REG # : 25072549 / 52757

AGE/SEX : 35 Yrs / Female DATE OF REPORT : 28-07-2025

REFERRED BY: REFFERRED CENTER: KANGROW HEALTH

TEST PARAMETER RESULT REFERENCE RANGE

## **CLINICAL PATHOLOGY**

URINE ROUTINE		
ALBUMIN	NIL	
SUGAR	NIL	
MICROSCOPY		
PUS CELLS	6 - 8 /hpf	
EPITHELIAL CELLS	4 - 5 /hpf	
R.B.C	5 - 6 /hpf	
CAST	ABSENT	
CRYST	ABSENT	
MISC	ABSENT	



NAME : **Mrs. SHWETA T S** REG # : 25072549 / 52757

AGE/SEX : 35 Yrs / Female DATE OF REPORT : 28-07-2025

REFERRED BY: REFFERRED CENTER: KANGROW HEALTH

TEST PARAMETER RESULT REFERENCE RANGE

## **HAEMATOLOGY**

COMPLETE BLOOD COUNT (CBC)					
HAEMOGLOBIN	<b>11.3</b> gm/dl	12 - 15 gm/dl			
P.C.V (PACKED CELL VOLUME) / HAEMATOCRIT	34.0 %	37 - 47 %			
R.B.C COUNT	4.30 mill/cumm	4.5 - 5.5 mill/cumm			
M.C.V (Mean Corpuscular Volume)	<b>78.1</b> fl	80 - 98 fl			
M.C.H (Mean Corpuscular Haemoglobin)	<b>25.8</b> pg	26 - 33 pg			
M.C.H.C (Mean Corpuscular Haemoglobin concentration)	35.8 %	32 - 38 %			
TOTAL W.B.C	8900 cells/cumm	4000 - 11000 cells/cumm			
NEUTROPHILS	68 %	40 - 70 %			
LYMPHOCYTES	26 %	20 - 45 %			
EOSINOPHILS	02 %	0 - 6 %			
MONOCYTES	04 %	0 - 10 %			
BASOPHIL	00 %	0 - 1 %			
PLATELET COUNT	3.16 Lakhs/cumm	1.5 - 4.5 Lakhs/cumm			



NAME : **Mrs. SHWETA T S** REG # : 25072549 / 52757

AGE/SEX : 35 Yrs / Female DATE OF REPORT : 28-07-2025

REFERRED BY: REFFERRED CENTER: KANGROW HEALTH

TEST PARAMETER RESULT REFERENCE RANGE

### **IMMUNO ASSAY**

THYROID PROFILE TEST		
TOTAL TRIIODOTHYRONINE (T3)	1.24 ng/mL	0.69 - 2.15 ng/mL
TOTAL THYROXINE (T4)	12.5 μg/dL	5.2 - 12.7 μg/dL
THYROID STIMULATING HORMONE (TSH)	0.80 µIU/ml	0.4 - 4.5 μlU/ml

Age specific reference ranges

Т3			T4	TSH	
Age	Reference Intervals (ng/mL)	Age	Reference Intervals (μg/dL)	Age	Reference Intervals (μIU/mL)
1 - 3 Days	1.00 – 7.40	1- 3 Days	11.8 - 22.6	0 - 4 Days	1.0 - 39.0
1 - 11 Months	1.05 – 2.45	1- 2 Weeks	9.9 - 16.6	2 wks -5 m	1.7 – 9.1
1 - 5 Years	1.05 – 2.69	1 - 4 Months	7.2 - 14.4	6 m – 20 Yrs	0.7 – 6.4
6 – 10 Year	0.94 – 2.41	4 m - 1 Yr	7.8 - 16.5	> 55 years	0.5 – 8.9
11 - 15 Years	0.82 – 2.13	1 - 5 Yrs	7.3 - 15.0		
15 – 20 years	0.80 – 2.10	5 -10 Yrs	6.4 - 13.3		
PREGNANCY				PREGNANCY	
1st Trimester	0.81 -1.90			1st Trimester	0.1 - 2.5
2nd& 3rd	1.00 – 2.60			2nd Trimester	0.2 - 3.0
Trimester				3rd Trimester	0.3 - 3.0

**LIMITATIONS**: T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin, so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, steroids may falsely affect the T3 and T4 levels. Normal levels of T4 can also be seen in Hyperthyroid patients with T3 Thyrotoxicosis, hypoproteinemia or ingestion of certain drugs. Serum T4 levels in neonates and infants are higher than values in the normal adult, due to the increased concentration of TBG in neonate serum. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothyroidism, pregnancy, phenytoin therapy. Autoimmune disorders may produce spurious results. Various drugs can interfere with the test result. TSH has a diurnal rhythm so values may vary if sample collection is done at different times of the day.

Dispatched by: Laboratory \*\*\*\* End of Report \*\*\*\* Printed on 28-07-2025 at 06:22 PM

Dr. Chalana

MBBS, DCP

Consultant Pathologist

<sup>\*</sup> For any clarifications or escalations - Please Contact: +91 9108322333