

ORVIA

Where the product stands out: a grounded leadership comparison

25 September 2026 | For the CEO and co-founder | Internal positioning brief

ORVIA gives privacy teams a way to connect a person's choice to the downstream action it requires, check the result at the target, and retain the evidence. The same customer-local system links that work to policies, assets, owners, tests and coverage. This is the centre of the ORVIA story: decisions, action and proof live in one traceable chain. [O1-O3]

This brief describes capabilities recorded in ORVIA's customer-local synthetic engineering profile. Its market comparisons describe each peer's public emphasis and ORVIA's own evidence-backed approach; they are not a benchmark or a claim that a competitor lacks a feature. [O1-O3]

The product case in five points

Strength	What ORVIA does
A privacy action has an outcome	Withdrawal creates durable work. The connector response is recorded separately from an independent, scoped read of the target. A timeout or unchanged target remains an unresolved effect. [O2]
Consent stays ordered	The recorded grant binds to the exact notice and purpose. Epochs and replay checks prevent an older event from reversing a newer withdrawal. [O2]
Evidence has a source	Receipts, actions, observations and test results form a persisted timeline. Exports name coverage limits, and reports draw from the records used by the product rather than independent dashboard arithmetic. [O2]
Customer control is structural	Operational state stays in the customer installation; tenant and environment scope, signed connector commands, local evidence and bounded support diagnostics are explicit boundaries. [O1,O2]
Control health can be tested	Regression scenarios execute real policy and target checks; broken controls create recorded failures and a repaired run is separately evidenced. Coverage identifies stale or missing observations. [O2]

Comparison with enterprise privacy and GRC platforms

A broader vendor product suite and a narrower customer-local execution chain can both be valuable. The comparison below states the work each product publicly emphasises and the ORVIA capability a buyer can examine directly. [P1-P8]

Platform	Public emphasis	ORVIA evidence-backed angle
OneTrust	Global consent, privacy operations, DSR, third-party risk and AI governance. [P1]	Consent-to-target effect trace: exact notice, ordered withdrawal, durable command, independent observation and evidence. [O2]
BigID	Enterprise data discovery, classification, privacy and retention. [P2]	A typed asset and processing graph with distinct asserted versus observed provenance and freshness, connected to action and test records. [O2]

Platform	Public emphasis	ORVIA evidence-backed angle
Securiti	Data intelligence, discovery, governance and privacy automation. [P3]	Customer-local policy and action records that keep the outcome unresolved until the target is checked. [O1,O2]
ServiceNow	Enterprise risk, policy, control and workflow management. [P4]	A privacy-specific chain from consent event to connector action and independently observed target state. [O2]
MetricStream	Enterprise GRC, risk, control, policy and audit programs. [P5]	A concrete operational privacy event can be tied to evidence, a test result, and a coverage gap in the customer installation. [O2]
TrustArc	Privacy program management, consent and rights workflows. [P6]	Version-bound notice and consent, safe withdrawal ordering and explicit observed versus unknown outcome. [O2]
IBM Guardium	Data security and database activity visibility. [P7]	Privacy-purpose and consent context attached to governed actions and verification, with customer-local evidence. [O2]
PrivacyEngine	Privacy program operations and training, as catalogued in the supplied market index. [I1]	Action-level proof complements governance records: a persisted command and a separate observation can be reviewed. [O2]

Comparison with continuous compliance platforms

Platform	Public emphasis	ORVIA evidence-backed angle
Vanta	Framework/control mapping, automated tests, evidence collection and continuous monitoring. [P8]	A privacy test can check the effect of a withdrawal in a target, with a deliberately broken fixture retained as a failure. [O2]
Drata	Controls, requirements, tests, evidence and audit workflows. [P9]	ORVIA connects the control record to an operational consent/action/observation timeline. [O2]
Sprinto	Continuous compliance checks, evidence and remediation. [P10]	A stale observation or failed action becomes a named coverage gap; a success label requires the expected evidence. [O2]
Scrut	Control and evidence automation with manual and automated evidence states. [P11]	ORVIA separates automated target observation, manual attestation and unresolved effects in its record. [O2]

Comparison with India-oriented privacy products

The three supplied market indexes identify this peer set. Their rankings are marketing material, so this table focuses on the ORVIA workflow a buyer can inspect instead of declaring a winner. [I1-I3]

Platform	Public emphasis	ORVIA evidence-backed angle
Redacto	DPDPA privacy operations: consent, rights, assessments, vendors and breach workflows. [I1]	Purpose-bound consent and withdrawal can be followed through signed local action, readback and evidence. [O2]

Platform	Public emphasis	ORVIA evidence-backed angle
ComplyIQ	AI-assisted DPDPA operations, as described in its market index. [I2]	ORVIA's executable consent and target checks run without a model dependency. [O1,O2]
IDfy Privy	India-focused consent and privacy governance. [I1-I3]	ORVIA places ordering, replay refusal and independent effect verification at the centre of its consent journey. [O2]
miniOrange	DPDP privacy software alongside identity, security and managed services. [P12]	Customer-local records retain tenant scope, notice version, purpose and target observation in one chain. [O2]
Consentin / Leegality	DPDP consent and privacy-centre positioning. [I3]	ORVIA links a principal's withdrawal receipt to durable target work and its verified or unresolved result. [O2]
GoTrust	DPDP privacy and compliance operations. [I3]	ORVIA makes action, observation, evidence and regression test separately inspectable. [O2]
Seqrite	Security-led privacy and data protection. [I1,I3]	ORVIA adds purpose and consent state to the workflow and checks the business effect at the target. [O2]
Perfios DPDP Suite	India-oriented DPDP workflow suite. [I3]	A narrow, verifiable privacy journey is represented from principal event through evidence and coverage. [O2]
PrivaSapien	Privacy and responsible-AI positioning. [I2,I3]	ORVIA's current control graph and policy/test spine make an auditable base for governed data use. [O2]
DataSafeguard	Data protection and governance positioning. [I2,I3]	ORVIA connects a declared data purpose to exact consent and an independently checked downstream action. [O2]
Cross Identity / Vishwaas AI	DPDP automation positioning. [I3]	ORVIA's recorded authority, signed action scope and observed effect offer a specific assurance path. [O2]

Comparison with specialist products

Platform	Public emphasis	ORVIA evidence-backed angle
Privado	Engineering-led privacy and data-flow visibility. [I2]	ORVIA's graph attaches purpose, policy, workflow, test and observation history to reviewed assets. [O2]
Lightbeam	Data discovery and privacy analytics. [I2,I3]	ORVIA uses provenance and freshness to distinguish a declared asset from an observed one. [O2]
CookieYes	Website cookie and consent management. [I2,I3]	ORVIA carries purpose-specific consent beyond collection into a durable downstream workflow and readback. [O2]
Usercentrics	Multichannel consent management. [I3]	ORVIA emphasises the customer-side operational consequence of a choice, not only its capture. [O2]
Osano	Consent and vendor-risk automation. [I3]	ORVIA binds choices to local policy and target state, with an explicit unresolved state when proof is absent. [O2]
KavachOne / ConsentiQo	Consent and preference management. [I3]	ORVIA shows how a preference change propagated to a declared target and how it was checked. [O2]
Certinal	Governance and workflow automation. [I3]	ORVIA keeps event, action, observation and regression evidence linked. [O2]
Consently	Consent collection and records. [I3]	ORVIA connects a recorded consent change to bounded processing and target verification. [O2]

A leadership statement that can be defended

ORVIA is building its market case around operational proof. Its engineering foundation already connects exact consent and notice state, durable customer-local workflows, scoped connector commands, independent target observations, evidence, tests and coverage. That chain gives Cyberfyx a clear way to demonstrate value: show the same privacy event from a person's choice through the system response and the resulting record. [O1-O3]

This brief is an engineering positioning document. The current working tree has changes beyond the last documented qualification checkpoint. Full application acceptance and the two exact-candidate rehearsals are recorded as NOT_RUN, so this brief does not claim production release, legal certification or measured superiority. [O1,O3]

The twelve questions from the CEO and co-founder

The comparison above remains the market position. The following twelve sections answer the operating, technical and delivery questions behind it. "Current" refers to the repository capability register and documented engineering checkpoint, not a released customer installation. [O1-O3]

1. Use cases and the reference used to test them

Each case needs a real actor, a permitted input, a durable action, an independent check and evidence. The reusable reference is the deterministic Aster/Birch synthetic installation, not customer records. The table names the result and adverse case a reviewer should expect. [O1-O3]

Actor and input	Processing to result	Test basis and failure
Data Principal grants marketing consent against a notice and purpose.	ORVIA binds the grant to the exact notice version, records a receipt and ordered epoch, and admits only the authorised purpose.	Positive: exact receipt and purpose. Negative: stale notice, replay or wrong purpose is denied. [O2]
Data Principal withdraws marketing consent.	ORVIA commits the new state, creates durable work, sends a signed scoped command, reads the target separately and records the observed result.	Positive: target suppression observed. Negative: timeout or acknowledgement without effect remains unresolved. [O2]
Privacy administrator changes a notice.	A reviewed notice version is published with language, content digest and time; later consent references that version.	Positive: exact version served. Negative: mismatch or unapproved content cannot silently replace historical notice. [O2]
Principal or representative submits a rights case.	The case is scoped by identity and mandate, assigned, and linked to permitted actions and response evidence.	Positive: own case is tracked. Negative: ambiguous identity, wrong principal or retention hold stops unsupported completion. [O2]
Owner reviews a retention or processor obligation.	ORVIA links copy, purpose, vendor, hold, evidence and action to the customer-local record.	Positive: evidence-backed decision. Negative: stale evidence, failed deletion or unobserved processor copy stays open. [O2]
Control owner runs a privacy test.	The test executes real policy/target assertions and stores actual result, scope and evidence.	Positive: healthy run passes. Negative: deliberately broken fixture fails; interruption is an error, not success. [O2]

The current synthetic profile exercises substantial parts of these cases. Production target breadth, full customer journeys and exact-candidate acceptance have separate gates; the table is a test contract, not an assertion that those gates ran. [O2,O3]

2. Competitive analysis, function by function

The preceding platform-by-platform pages provide the named product comparison. This matrix makes the purchasing criteria explicit. “Built subset” means the function is represented and exercised in the customer-local synthetic profile; it does not mean equal breadth to a vendor suite. [O2,P1-P12]

Function buyers inspect	ORVIA current position	Relevant peer emphasis
Consent, notice, withdrawal	Built subset: exact version, purpose, receipt, ordering and withdrawal.	OneTrust, Redacto, Privy, miniOrange and consent specialists.
Rights and retention	Built subset: cases, scoped review, copy/hold decisions and recorded outcomes.	OneTrust, BigID, TrustArc and India-focused privacy suites.
Discovery and data mapping	Built subset: typed graph, provenance, review and freshness.	BigID, Securiti, OneTrust, Privado and Lightbeam.
Controls, evidence and tests	Built subset: policy decisions, evidence, executable regression and gaps.	Vanta, Drata, Sprinto, Scrut, ServiceNow and MetricStream.
Vendors, incidents and reporting	Built subset: relationship and case records, evidence and reports.	Enterprise privacy/GRC suites and India-focused peers.

Function buyers inspect	ORVIA current position	Relevant peer emphasis
AI governance	Master includes AI roadmap modules; the current register marks M19-M25 deferred V2.	OneTrust, Securiti and PrivaSapien publicly position AI governance.
Integrations and monitoring	Built subset against declared synthetic/local targets; signed commands and independent readback are a clear ORVIA design emphasis.	Large suites market broader connector ecosystems.

Packaging matters: feature availability and price vary by vendor contract or tier. A fair procurement comparison should request the exact module list, deployment model, connector permissions, evidence semantics and quote for the same buyer scenario. [P1-P12]

3. Complete architecture and 33-module inventory

The architecture has an ordered spine: identity and tenant authority -> privacy graph -> policy -> durable workflow -> scoped connector -> independent verification -> evidence -> test. Privacy operations use that spine; commercial/runtime modules surround the installation. The approved master reserves modules 19-25 for the custom-AI roadmap. [O1,O2]

Module	What it does	Register status
M01 Identity and Access Management	Authenticates staff and principals; enforces roles.	Built subset
M02 Tenant Management	Scopes organisation, entity and environment.	Built subset
M03 Privacy Control Graph	Links systems, assets, categories, purposes and provenance.	Built subset
M04 Policy Engine	Evaluates published policy decisions.	Built subset
M05 Workflow Engine	Persists and resumes privacy work.	Built subset
M06 Connector Framework	Restricts connector targets and operations.	Built subset
M07 Verification Engine	Reads target state independently.	Built subset
M08 Evidence Engine	Preserves receipts, observations and reports.	Built subset
M09 Privacy Test Engine	Executes control assertions and records results.	Built subset
M10 Notification Engine	Tracks notification obligations and status.	Built subset
M11 Consent Management	Records purpose-specific consent and withdrawal.	Built subset
M12 Notice Management	Versions and serves notices.	Built subset
M13 Data Principal Portal	Presents principal-facing privacy actions.	Built subset
M14 Rights Management	Coordinates rights cases and actions.	Built subset
M15 Retention Management	Manages retention eligibility and holds.	Built subset
M16 Processor/Vendor Management	Tracks processor relationships and evidence.	Built subset

Module	What it does	Register status
M17 Privacy Incident Explorer	Tracks privacy incidents and duties.	Built subset
M18 Coverage and Failure Center	Derives coverage, failures and gaps.	Built subset
M19 AI Privacy Copilot	Custom AI privacy assistance.	V2
M20 AI Discovery	Custom AI discovery.	V2
M21 AI Policy Builder	Custom AI policy drafting.	V2
M22 AI Workflow Builder	Custom AI workflow drafting.	V2
M23 AI Risk/Drift Analysis	Custom AI risk and drift analysis.	V2
M24 AI Test Generation	Custom AI test generation.	V2
M25 AI Incident Analysis	Custom AI incident analysis.	V2
M26 Billing	Commercial billing.	Not built
M27 Licensing	Locally verifies signed licences.	Built subset
M28 Entitlements	Applies edition entitlements.	Built subset
M29 Customer Onboarding	Guides customer onboarding.	Partial
M30 Support Bundle System	Creates bounded local support diagnostics.	Built subset
M31 Updates	Validates signed update manifests and records steps.	Built subset
M32 Monitoring	Records service and boundary monitoring.	Partial
M33 Audit Administration	Administers scoped audit history.	Partial

Customer runtime: the APIs, workspace, principal centre, database, worker, connectors, evidence and tests. Vendor side: account, licence/download/update and support metadata under a separate authority boundary. The register and requirement files provide the module-level implementation and test references. [O1,O2]

4. The actual database and information model

ORVIA keeps a separate customer-local PostgreSQL operational database. It stores governance metadata and privacy state while the customer's CRM, HR and other applications remain authoritative for their own records. Tenant and environment scope applies to business reads, jobs and exports. [O1,O2]

Record family	Relationship in the product
Organisation, environment, identity, role	Root of isolation and authority; owns all customer records.
Source version, provision, obligation, control	Connects reviewed law or policy to an applicable customer implementation and required proof.

Record family	Relationship in the product
System, asset, data category, activity, purpose	Describes where data resides, why it is processed, who owns it and how a claim was learned.
Notice, consent, principal, rights request	Binds a person's choice and request to an exact version, purpose, identity and action.
Processor, vendor, copy, hold, incident	Shows external relationships, preservation decisions and event duties.
Workflow, command, acknowledgement, observation	Keeps intended action, external response and observed effect as distinct facts.
Evidence, test, result, finding, audit	Makes a control claim traceable to a method, actual result and remediation history.

Target control graph: source -> provision -> obligation -> applicability -> control -> customer implementation -> evidence requirement -> verification method -> test -> result -> finding. The present schema contains substantial operational nodes and links; the complete reviewed regulatory-to-control catalog is a separate content deliverable. [O1,O2]

5. How DPDP controls enter ORVIA

Every control should retain the official source version, section or rule, commencement date, interpretation owner, applicability, customer configuration, expected evidence, automated verification method, test and supersession. This keeps a legal interpretation distinct from a software observation. The Act and final Rules have phased commencement. [L1,L2]

Control family	ORVIA / customer contribution	What can be checked; what needs judgement
Scope and lawful basis	ORVIA records the processing/purpose graph; the customer supplies its role, basis and exemption facts.	Configured applicability can be checked; legal qualification needs the accountable privacy/legal owner.
Notice, consent and withdrawal	ORVIA versions notice, purpose, grant and withdrawal; customer authors the approved wording and touchpoints.	Version, receipt and target effect can be tested; clarity and adequacy need review.
Security, processors and breach	ORVIA tracks relationships, tasks, controls and evidence; customer supplies actual measures, contracts and incident facts.	Missing/stale records and dated workflow steps can be checked; security adequacy and materiality need expert evidence.
Rights, accuracy, retention and erasure	ORVIA coordinates cases, holds, eligibility and supported actions; customer supplies identity proof and source-system scope.	Connected actions can be observed; real-world accuracy and unseen copies require customer evidence.
Children, SDF duties and cross-border	ORVIA records configured gates, assessments and destination facts; customer supplies designation and trusted proof.	Configured gates and evidence presence can be checked; age, professional assessment and legal restrictions need review.
Registered Consent Manager	A separate role-specific control family applies only if the customer actually holds that regulated role.	A consent product alone does not establish registration or satisfaction of Consent Manager duties.

6. Synthetic database and test-data reference

The repeatable test reference is an ORVIA-owned synthetic Aster/Birch fixture, never customer operational data. A fixture version should pin schema migration, seed, controlled clock, source/build, target behaviour, requirement/control ID and expected outcome. Synthetic records allow deliberate wrong-tenant access, races, old events and faulty targets to be tested safely. [O2,O3]

Fixture set	Example and expected result
Positive	Aster principal, notice, purpose, consent, declared CRM target, processor and control: correct action and observed result.
Negative	Wrong role, stale notice, withdrawn consent, missing processor evidence: deny or open an explained finding.
Boundary	Expiry and retention threshold, simultaneous consent epochs and exact deadline: deterministic ordering and recorded result.
Cross-tenant	Aster and Birch share colliding synthetic IDs: no read, action, job or export crosses the boundary.
Stale or failed target	Old observation, target timeout, accepted-but-unchanged state, retry exhaustion: unresolved or failed effect, never a manufactured pass.
Rights, vendor, retention, incident	Invalid representative, terminated processor, legal hold, backup exception, unknown incident scope: route to bounded review and retain evidence.

External repositories are references, not the canonical ORVIA baseline: TSI DPDP CMS for workflow comparison; SyntheticDataHub for sample-shaped synthetic records after licence review; DecisionsDev policy-corpus for ground-truth test methodology; OpenDP dp-test-datasets for differential privacy only. [G1-G4]

7. What “baseline” means here

Baseline	Source and owner	Version and ORVIA use
Regulatory	Official Act, final Rules and notifications; privacy/legal content owner.	Source edition, publication/effective date; controls cite this exact version.
Product	Approved master revision 1.4; product owner and engineering.	Document hash and commit; defines V1/V2 scope and decisions.
Control	Reviewed definitions and customer instances; privacy/control owner.	Pack and instance versions; binds applicability, evidence and test.
Test	Synthetic fixture, expected outcomes, tests; QA/control engineering.	Seed, case and build; makes adverse and healthy runs reproducible.
Security	Authorisation, isolation, key, recovery and dependency requirements; security owner.	Assessment version and findings; release prerequisite.
Release	Exact build, dependencies, catalogs and acceptance record; release authority.	Candidate and manifest hashes; bounds what may be claimed or shipped.

8. What is built now

The repository has advanced beyond the original vertical slice. The latest documented engineering checkpoint recorded 100 of 104 routed requirements built and exercised; the four remaining routed items belonged to Billing. The current register marks 22 modules as built sandbox subsets, three partial, one not implemented and seven reserved for V2. This is code and component evidence, not formal full-application acceptance. [O1-O3]

Today's worktree contains further uncommitted edits, so historical component results cannot automatically certify it. T01-T34 full application scenarios remain NOT_RUN in the canonical record, and the frozen candidate remains unidentified. The prior comparison pages deliberately lead with the demonstrable design and engineering strengths while this status remains visible to decision-makers. [O1-O3]

Requirement-level details live in tracking/tasks.json and tracking/capabilities.json. Each status should be promoted only with the corresponding running journey, test result and candidate identity. [O2,O3]

9. What the catalogs contain and how they are adopted

Catalog	Content and adoption
Regulatory	Versioned Act/Rule source, provision, effective date and reviewed interpretation; select an applicable edition.
Control	Definition, applicability, owner, evidence requirement, test and customer instance; preview impact before adoption.
Connector	Declared target and operation, permissions, version, conformance and observation method; install only allowlisted packages.
Evidence and test	Evidence type, freshness, observation method, expected result and regression case; keep results tied to exact definitions.
Policy and workflow	Reviewed template with safe parameters; instantiate for a customer environment and preserve earlier versions.
Commercial/download	Edition, entitlement, signed artifact and support terms; keep vendor metadata separate from operational records.

Adoption sequence: sign and publish a catalog version; customer previews applicability, permissions and migrations; authorised owner selects and configures it; ORVIA instantiates scoped records; tests establish the new result; prior evidence retains its original version. The current application has policy, connector, evidence, test, licence and update primitives; a complete reviewed content/distribution catalog has its own delivery and sign-off gate. [O1,O2]

10. What the customer receives

The intended purchase is a licensed ORVIA installation with approved content and update/support terms. The downloaded runtime runs the Customer Workspace, Data Principal Privacy Centre, APIs, durable worker, customer-local database and allowed connectors inside the customer environment. A separate ORVIA Account and vendor website handle commercial identity, entitlement and signed download/update metadata. [O1]

The vendor boundary is narrow: operational records, principal identifiers, evidence, credentials and logs stay local. A customer may deliberately preview and approve a minimised diagnostic bundle. A connector is installed with named target, operation, permission, version and conformance checks. Licence and update records may cross as limited metadata; vendor authority does not become customer authority. [O1,O2]

Current engineering includes local licensing, support-bundle and update-manifest subsets. Commercial Billing and the complete vendor account/download operation are separate deliverables. This distinction keeps the customer product promise precise. [O2]

11. Delivery sequence and decision gates

Gate	Deliverable and evidence required
Reconcile current state	Freeze a clean source inventory, requirement map and one-writer boundaries; qualify every new change.
DPDP control content	Legal/content owner reviews source-to-obligation-to-control mappings and effective dates.
Production integrations	Select customer targets; qualify permissions, action safety, observation, timeout and rollback behaviour.
Catalog and customer product	Versioned catalog adoption, installation, account/licence boundary and customer onboarding journeys.
Application qualification	Run full positive, adverse, cross-tenant, browser and recovery scenarios on the exact build.
Security and release	Assess keys, supply chain, isolation, recovery and egress; run T01-T34 and two rehearsals; human release sign-off.
Ongoing content	Publish reviewed regulatory/control updates with customer preview, impact analysis and regression.
Custom AI roadmap	Evaluate the seven reserved V2 modules against separate model, data, safety and evidence gates.

12. Research trail and its meaning

Official Indian law controls the regulatory analysis: the DPDP Act 2023, final DPDP Rules 2025, commencement notification and corrigenda. Official vendor pages describe vendor products; the supplied Redacto, IQWorks and miniOrange articles serve as discovery indexes, not independent product testing. NIST Privacy Framework and ISO/IEC 27701 are optional control-design references, not Indian legal requirements. A NIST workshop video is a useful orientation resource, not evidence of ORVIA implementation. [L1,L2,N1,N2,N3,I1-I3]

The full source table below separates ORVIA repository evidence, official vendor documentation, regulatory sources and external reference material. A source saying a control is desirable never means ORVIA has shipped it; the register and executed acceptance records decide that. [O1-O3]

Source notes

ID	Source	Location
O1	Approved ORVIA Version 1 master, revision 1.4; CURRENT_STATE.md	Repository, 25 Sep 2026
O2	tracking/capabilities.json; docs/prototype/CONTRACT.md; integration suites and code	Repository, 25 Sep 2026
O3	docs/prototype/ACCEPTANCE.md; tracking/tasks.json	Repository, 25 Sep 2026
P1	OneTrust products	https://www.onetrust.com/products/
P2	BigID discovery and classification	https://bigid.com/discovery-classification/
P3	Securiti platform	https://securiti.ai/
P4	ServiceNow privacy management content	https://www.servicenow.com/docs/r/store-release-notes/store-grc-rn-privacy-mgmt-content.html
P5	MetricStream	https://www.metricstream.com/
P6	TrustArc	https://trustarc.com/
P7	IBM Guardium	https://www.ibm.com/guardium
P8	Vanta automated compliance	https://www.vanta.com/products/automated-compliance
P9	Drata evidence	https://help.drata.com/en/articles/13404035-evidence-overview
P10	Sprinto continuous compliance	https://sprinto.com/continuous-compliance/
P11	Scrut compliance automation	https://www.scrut.io/platform/compliance-automation
P12	miniOrange DPDP	https://www.miniorange.com/data-privacy/dpdp/
L1	Digital Personal Data Protection Act, 2023	https://www.meity.gov.in/writereaddata/files/Digital%20Personal%20Data%20Protection%20Act%202023.pdf
L2	Final DPDP Rules 2025 and commencement materials	https://www.meity.gov.in/documents/act-and-policies/digital-personal-data-protection-rules-2025-gDOxUjMtQWa
N1	NIST Privacy Framework	https://www.nist.gov/privacy-framework/privacy-framework
N2	ISO/IEC 27701:2025 overview	https://www.iso.org/standard/27701
N3	NIST Privacy Framework workshop video	https://www.nist.gov/news-events/events/2024/06/ready-set-update-privacy-framework-11-data-governance-and-management
G1	TSI Coop DPDP CMS	https://github.com/tsi-coop/tsi-dpdp-cms
G2	SyntheticDataHub	https://github.com/samerfarida/SyntheticDataHub
G3	DecisionsDev policy-corpus	https://github.com/DecisionsDev/policy-corpus
G4	OpenDP differential privacy datasets	https://github.com/opendp/dp-test-datasets
I1	Redacto vendor-authored comparison	https://www.redacto.ai/en-in/blogs/data-privacy-management-platforms
I2	IQWorks vendor-authored comparison	https://iqworks.ai/blog/best-dpdpa-compliance-platforms
I3	miniOrange vendor-authored comparison	https://www.miniorange.com/data-privacy/dpdp/best-dpdp-compliance-tools