

ORVIA

A decision dossier for the CEO and co-founder: product truth, DPDP controls, test basis and market position

25 September 2026 | Internal decision document | Customer-local Version 1 / deferred Version 2

This document answers the twelve requested questions using the approved revision 1.4 master, the current repository, the two supplied draft PDFs, the screenshots, official law and vendor pages. The PDFs and screenshots are research prompts, not authorities. Market descriptions reflect public documentation, not hands-on vendor testing. Prices and packaging require a current seller quote unless an official pricing page states otherwise.

The answer in one page

ORVIA connects an organisation's privacy obligations to systems, purposes, controls, authorised actions, independent observations, evidence and tests. Its strongest design claim is precise: a downstream acknowledgement is not proof that a privacy action took effect. The software retains an unknown or failed outcome until it can observe the target or a human resolves it with evidence. This is a credible product direction; it is not yet a proven market advantage over every competitor.

The repository records 100 of 104 routed requirements built and exercised at the latest documented engineering checkpoint. Four Billing requirements remain open. The 33-module register describes customer-local synthetic subsets, three partial modules and seven deferred AI modules. Current uncommitted source changes mean that earlier test counts cannot certify today's working tree. Canonical T01-T34 acceptance remains NOT_RUN; the last frozen candidate was voided, a new candidate has not been identified, and two qualifying rehearsals and production security/legal/recovery assessment remain outstanding. [R1-R4]

Leadership decision: continue productisation, but do not sell a completed DPDPA certification or production-ready integration estate. The immediate milestone is a traceable DPDP control pack, one production-grade connector journey, a frozen candidate, complete application acceptance and a security/recovery gate. Commercial price, Billing semantics and customer recovery design require decisions. [R1-R4]

1 | Real use cases and their test basis

Each row follows actor / input; processing and downstream action; verification and evidence; expected result and failure. The named fixtures are design requirements unless an existing suite in the capability register is cited; no production customer dataset is implied.

Use case	Actor / processing	Verification / evidence	Expected / adverse case
Consent grant	Principal; exact notice, purpose, data categories, affirmative act; Validate version and scope; persist receipt/epoch; permit only scoped processing	Read current consent and processing admission; preserve notice digest and receipt	Valid grant allows scoped use; reject stale notice, duplicate/replay and missing purpose. [R1,R3,L1]
Withdrawal	Principal; active marketing consent; Commit new epoch; create durable target suppression work	Read target independently; preserve command, acknowledgement, observation and timestamp	Marketing stops where observed; lost response or accepted-but-ignored command stays UNKNOWN/failed. [R1,R3,L1]

Use case	Actor / processing	Verification / evidence	Expected / adverse case
Rights request	Principal/authorised representative; access, correction or erasure; Verify mandate and identity; locate scoped copies; honour holds; issue allowed work	Observe each copy/processor outcome and response delivery; attach reasons	Complete only supported outcomes; ambiguity, hold or failed connector escalates. [R1,R3,L1]
Notice change	Privacy admin; itemised content/language/version; Review, classify and publish immutable version	Compare served version, language, digest and consent binding	Exact approved notice served; missing item/translation mismatch blocks. [R1,R3,L2]
Data inventory	Admin or allowlisted import; system, asset, data category, purpose; Quarantine/review assertions; link provenance and freshness	Compare typed graph and, where possible, connector observation	Declared facts stay ASSERTED; stale/conflicting/orphan records surface. [R1,R3]
Processor and retention	Owner; vendor relationship, copy, hold, retention rule; Assess contract/evidence; calculate eligibility; queue safe deletion	Observe target and keep hold/exception/evidence history	Expired evidence is a gap; an unobserved deletion is not complete. [R1,R3]
Incident and control test	Privacy/security owner; incident facts or control instance; Start scoped tasks/clock; run test against expected state	Capture delivery facts or actual versus expected observation	Uncertain scope and failed transport remain open findings. [R1,R3,L2]

2 | Competitive landscape and function-level position

The Redacto, IQWorks and miniOrange lists identify products to investigate; they are vendor-authored rankings and cannot establish independent superiority. Official product or pricing pages support the detailed claims below. A feature shown publicly may depend on a package, configuration, integration, services contract or deployment model. Where this was not published, the dossier says quote/verify. [M1-M3]

Platform	Public operating scope	Pricing / package evidence	ORVIA comparison
OneTrust	Consent/preferences; DSR intake, identity, discovery, redaction, response; privacy operations, mapping, impact assessment, incidents and third-party risk.	CMP, universal consent and privacy automation priced by different usage bases; quote required.	ORVIA overlaps consent/rights/evidence in synthetic scope; OneTrust publicly documents broader suites and integrations. [V1]
BigID	Discovery/classification foundation; DSAR/deletion, privacy portal/cookies, RoPA/PIA, retention/legal hold and DSPM bundles.	Pricing depends on sources, apps, connectors, deployment and support; quote.	ORVIA graph is typed and provenance-aware; autonomous enterprise discovery is absent. [V2]
Securiti	Data intelligence plus privacy workflows, discovery, DSR, consent, assessments and AI governance.	Public fixed package price not verified; quote.	ORVIA V1 has no model dependency or equivalent discovery breadth. [V3]
Vanta	Framework/control mapping, automated tests, evidence, monitoring, remediation and auditor workflow.	Official tiers Essentials/Plus/Professional/Pro/Enterprise; personalised quote, functions vary by tier.	ORVIA tests privacy action effects; Vanta has a wider documented compliance integration ecosystem. [V4]

Platform	Public operating scope	Pricing / package evidence	ORVIA comparison
Drata	Controls mapped to requirements; continuous tests, evidence collection, risk and audit workflow.	Package and quote must be confirmed.	ORVIA evidence/test spine overlaps; generic enterprise compliance scope and integrations remain incomplete. [V5]
ServiceNow / MetricStream	Enterprise GRC/IRM: regulatory content, risk, control, policy, audit, issue and third-party workflows.	Enterprise quotation; scope depends on licensed applications.	ORVIA is narrower and privacy-action oriented; full GRC depth is not built. [V6,V7]
Sprinto / Scrut	Continuous compliance, mapped controls, automated or manual evidence, alerts and remediation.	Quote and package boundaries to verify.	ORVIA must expose observed/unknown/manual evidence clearly to compare credibly. [V8,V9]
Redacto / ComplyIQ / IDfy Privy	India-oriented consent, rights, assessment, vendor and governance claims; AI assistance varies.	No reliable common public price; request module-level quotes.	Direct DPDPA peers; ORVIA has no basis to claim greater coverage or lower cost. [M1,M2]
miniOrange / Consentin / GoTrust	DPDP consent and privacy operations; miniOrange also offers security and managed service; Consentin emphasises consent and privacy centre.	Quote scope, hosting, service and implementation separately.	ORVIA customer-local boundary and effect verification are design tests, not proof peers lack them. [M3,V10]
Privado / Lightbeam / CookieYes	Privado and Lightbeam focus on code/data flow or discovery; CookieYes on website consent.	Check property/traffic and service tiers with vendors.	These solve narrower entry problems; ORVIA cannot claim equivalent scanners or cookie breadth. [M2,M3]

Additional names in the three indexes: Seqrite, Perfios DPDP Suite, PrivaSapien, DataSafeguard, TrustArc, IBM Guardium, PrivacyEngine, KavachOne/ConsentiQo, Certinal, Usercentrics, Osano, Cross Identity/Vishwaas AI and Consently. Treat them as tracked market candidates, not verified function-by-function equivalents, until their own current product and pricing pages are checked. [M1-M3]

What an actual buying comparison must test

Function	Public comparator signal	ORVIA current truth
Data discovery	BigID and Securiti make discovery/classification core; OneTrust also markets data mapping.	Typed/provenance graph subset; no autonomous estate scan.
Consent / notice	OneTrust, India-first suites and CMPs market capture, preferences, withdrawal and notices.	Customer-local grant, notice and withdrawal subset; production touchpoint coverage unproven.
Rights / deletion	OneTrust and BigID document intake, search, deletion and response workflows.	Rights/retention subset; real connected systems and complete response packages unqualified.
Assessments / vendors	OneTrust and GRC suites document PIAs, risk and third-party management.	Processor/vendor subset; broad DPIA and enterprise third-party lifecycle incomplete.
Control / evidence / tests	Vanta, Drata, Sprinto and Scrut emphasise automated evidence and continuous checks.	Evidence and test subset; exact-candidate acceptance and real connector breadth outstanding.
Incidents / reporting	Enterprise privacy suites document incident workflows and reports.	Incident/reporting subset; real notification transport and legally reviewed content incomplete.
AI	Several vendors offer AI governance, assistants or discovery.	Seven custom AI modules explicitly deferred to V2; no V1 model dependency.

Complete discovery-index inventory

Market cluster	Names found across the three supplied lists	Status of this dossier
Global privacy / GRC	OneTrust, Securiti, BigID, TrustArc, IBM Guardium, ServiceNow, MetricStream	Principal functional peers studied above; exact licence scope requires vendor quote.
Continuous controls	Vanta, Drata, Sprinto, Scrut	Control and evidence operating patterns compared; these are not all DPDPA-specific.
India-oriented privacy	Redacto, ComplyIQ, IDfy Privy, miniOrange, Consentin, GoTrust, Seqrite, Perfios DPDP Suite, PrivaSapien, DataSafeguard	Index-identified; detailed modules/packages require direct current vendor confirmation.
Specialist / adjacent	Privado, Lightbeam, CookieYes, PrivacyEngine, KavachOne/ConsentiQo, Certinal, Usercentrics, Osano, Cross Identity/Vishwaas AI, Consently	Category comparison only; do not infer a complete platform from a single feature page.

3 | ORVIA architecture and all 33 modules

Dependency chain: identity and tenant scope (01-02) -> graph (03) -> policy (04) -> durable workflow (05) -> allowlisted connector (06) -> independent verification (07) -> evidence (08) -> test (09). Notification and privacy operations (10-18) use that chain. Commercial/runtime modules (26-33) surround the customer installation. AI modules 19-25 are preserved for V2 and are excluded from V1. [R1,R3]

ID	Module	Plan	Today	Current boundary / missing depth
M01	Identity and Access Management	V1	BUILT subset	Real library-backed staff and principal sessions, scoped roles, privileged MFA and server-side capability checks against OPA. No enterprise SSO, SCIM or directory federation.
M02	Tenant Management	V1	BUILT subset	Tenant, legal entity and environment scoping enforced by explicit predicates and row-level security, proven by cross-tenant and sibling-environment denial. Two synthetic organisations only; no tenant lifecycle administration.
M03	Privacy Control Graph	V1	BUILT subset	Relational inventory over PostgreSQL: data assets with parent/child structure, reviewed category assignments, processing activities, typed foreign-key-backed relationships, distinct ASSERTED/OBSERVED provenance with freshness bounds, bounded keyword search
M04	Policy Engine	V1	BUILT subset	Separate administrative and processing policy namespaces in OPA, immutable published policy versions, distinct-reviewer re-authentication, and a preview that is explicitly not an admission decision. Fixed condition forms, not arbitrary policy authoring. F
M05	Workflow Engine	V1	BUILT subset	Transactional outbox, durable Temporal worker and bounded retry and reconciliation, surviving worker and application restart. One withdrawal workflow family; no workflow designer.
M06	Connector Framework	V1	BUILT subset	Locally signed, scope-bound agent commands against three declared connector kinds: synthetic CRM, local REST simulator and an explicitly unsupported legacy target. Synthetic targets only; no real vendor connectors.
M07	Verification Engine	V1	BUILT subset	Independent scoped reads recording method, observed target generation, freshness and scope, kept separate from execution receipts, with explicit EFFECT_UNKNOWN and read-based reconciliation. An acknowledgement is never treated as verification.
M08	Evidence Engine	V1	BUILT subset	Persisted receipt, action and observation timeline with authenticated JSON export carrying an integrity digest and explicit coverage limits, including unresolved obligations. Local evidence only; the digest detects change against a trusted reference and d
M09	Privacy Test Engine	V1	BUILT subset	Executable regression scenarios with real assertions: a healthy run passes, a deliberately broken control is detected and keeps its real FAIL, a repaired run passes, and an interrupted run is recovered as ERROR with no fabricated pass. Read by exact run i
M10	Notification Engine	V1	BUILT subset	Versioned templates with content digests and a stated purpose; notification tasks raised only against a record that exists (coverage gap, notification obligation or assessment finding); and an append-only delivery log in which queued, sent, delivered, fai

ID	Module	Plan	Today	Current boundary / missing depth
M11	Consent Management	V1	BUILT subset	Affirmative purpose-specific grant against an exact notice version, monotonically increasing epoch, immutable receipt, withdrawal that never requires accepting a new notice, and replay and freshness safety at consumption.
M12	Notice Management	V1	BUILT subset	Immutable published notice versions with content digest and publication time, referenced by exact version at the moment of consent. A notice may be authored in English or any of the twenty-two Eighth Schedule languages, which is the set Act s5 permits; th
M13	Data Principal Portal	V1	BUILT subset	Separate data principal authentication domain and portal showing own choices, notice, receipts and history, with grant and withdrawal. A principal cannot reach the workspace and sees no other principal, staff identifier or workflow internal.
M14	Rights Management	V1	BUILT subset	Rights request lifecycle using the master state vocabulary and its exact transition map, with identity, authority, execution, response and scope held as five independent dimensions. Identity match grading (exact/strong/probable/ambiguous/no-match) blocks
M15	Retention Management	V1	BUILT subset	Retention evaluated per copy against the M03 inventory, with reviewed constraints (trigger, basis, source reference, minimum/maximum, permitted use, owner, review and release condition), exact-scope legal holds that name the copies they cover, and reviewe
M16	Processor/Vendor Management	V1	BUILT subset	Processor relationships with authorised purposes and categories, region, contract reference, owner and incident contact; declared processor-to-system links; assessments activated by a reviewed applicability basis; and findings with owner, severity and dea
M17	Privacy Incident Explorer	V1	BUILT subset	Incidents recording occurrence, detection and awareness as three separate moments whose real ordering is enforced at the boundary and in the database, with unknown kept as unknown rather than filled in from another moment. Notification obligations are com
M18	Coverage and Failure Center	V1	BUILT subset	Coverage computed at read time over the recorded inventory across five dimensions, each reporting its own numerator, denominator and explained exclusions. Attention states are reported as overlapping sets that name what they overlap with and are never sum

ID	Module	Plan	Today	Current boundary / missing depth
M19	AI Privacy Copilot	V2	DEFERRED_ V2	No learned model/runtime/import workbench in this sprint
M20	AI Discovery	V2	DEFERRED_ V2	Retained custom-model future function
M21	AI Policy Builder	V2	DEFERRED_ V2	Retained custom-model future function

ID	Module	Plan	Today	Current boundary / missing depth
M22	AI Workflow Builder	V2	DEFERRED_ V2	Retained custom-model future function
M23	AI Risk/Drift Analysis	V2	DEFERRED_ V2	Retained custom-model future function; deterministic regression remains V1
M24	AI Test Generation	V2	DEFERRED_ V2	No generation needed for deterministic test engine
M25	AI Incident Analysis	V2	DEFERRED_ V2	Retained custom-model future function

ID	Module	Plan	Today	Current boundary / missing depth
M26	Billing	V1	NOT BUILT	Out of sprint scope. No billing, metering, invoicing or payment capability exists.
M27	Licensing	V1	BUILT subset	Immutable signed licences carrying only edition, entitlements, validity, licensed limits and an installation binding. The claims schema is closed, so a licence cannot carry a command, an endpoint or an authority grant, and the entitlement vocabulary cannot
M28	Entitlements	V1	BUILT subset	Five independent gates — release availability, deployment support, controlled rollout, licence entitlement and actor authorisation — every one of which must pass before a feature is usable, each reported separately with its own reason so the blocking gate
M29	Customer Onboarding	V1	PARTIAL	FR-M29-01, FR-M29-03 and FR-M29-04 are built. FR-M29-02 is built except its customer-held recovery route, whose protocol OPEN-07 leaves undecided and this build does not invent; that is why this stays partial. A protected local bootstrap provisions one or
M30	Support Bundle System	V1	BUILT subset	Local support cases linked to a coverage gap, fixed-schema diagnostic generation, digest-bound approval, operator-recorded transfer, canary registration and a local copy of the vendor ingress validator. Minimisation is structural rather than procedural: e
M31	Updates	V1	BUILT subset	Immutable signed release manifests carrying provenance, a dependency inventory, per-migration notes and the supported profile list; eight separately named eligibility checks reported individually and stated not to be permission to execute; a recovery mode
M32	Monitoring	V1	PARTIAL	FR-M32-01, FR-M32-02 and FR-M32-03 are built and qualified. Liveness, dependency readiness and business readiness are three separate verdicts with three separate reasons and there is no field that combines them, because the failure worth catching is an in
M33	Audit Administration	V1	PARTIAL	FR-M33-01, FR-M33-03 and FR-M33-04 are built; FR-M33-02 is met by absence rather than by behaviour this module built, which is why this stays partial. A coverage report answers the eight named categories from the trail itself rather than from a list someb

A built subset is executable only in the stated CUSTOMER_LOCAL_SYNTHETIC profile. It is not a declaration that the full master module, production connectors, vendor plane or release gate has been delivered. For the exact requirement and suite references, use tracking/capabilities.json and tracking/tasks.json; the current worktree has subsequent edits and needs requalification. [R2-R4]

4 | Database and relationship model

ORVIA stores customer-local governance and operational state in PostgreSQL; it does not replace the customer's CRM, HR or application databases. Every tenant-owned row must be scoped by authenticated principal and tenant/environment, with row-level and application checks. The source systems remain authoritative for their records. [R1,R3]

Entity cluster	Relationship and truth boundary
Organisation, user, role, environment	Isolation root and authority; owns all graph, workflow and evidence records.
Source version, provision, obligation	Versioned Act/Rule/notification and legal applicability; richer explicit catalog is target work.
Control definition, instance, implementation	Reusable rule becomes customer-owned implementation with owner and required evidence.
System, asset, category, processing, purpose	Typed relationships identify where data is, why used, who receives it, and provenance/freshness.
Notice, grant, withdrawal	Exact served text/language/version binds to purpose and consent epoch.
Principal, mandate, rights request	Identity and representation decision scopes actions, copies, holds and response.
Processor/vendor, contract, assessment	Relationship and onward sharing are linked to systems, evidence and incident scope.
Action, acknowledgement, observation	Intent and external response are distinct from independently observed target effect.
Evidence, test, result, finding	Digest and provenance bind expected/actual checks to remediation and audit.
Incident, retention, audit, licence/update	Operational obligations, preserved history and deployment management.

Target chain: source version -> provision -> obligation -> applicability -> control definition -> customer instance -> implementation -> evidence requirement -> verification method -> test -> result -> finding. Today the repository contains graph, policy, consent, workflow, evidence and tests as subsets; a complete legally reviewed regulatory/control catalog is not demonstrated. [R1-R3]

5 | DPDPA control injection

Control metadata should carry Act/Rule section, source URL/digest, publication and effective dates, interpretation owner, applicability predicate, customer configuration, required evidence, machine test, manual review and supersession. A software result can show configured process and observed system behaviour; it cannot certify overall legal compliance. Official commencement is phased: some provisions began on Gazette publication, consent-manager registration follows one year, and most operating provisions follow eighteen months. The published dates and any corrigendum must be tracked, rather than a screenshot countdown. [L1-L3]

Family	Legal basis	Customer supplies	ORVIA can check	Human/unknown
Scope and lawful basis	Act ss.3-4,7	Declared role, processing, exemption and purpose	Configured applicability and missing facts	Final legal interpretation
Notice and consent	Act ss.5-6; Rules 3,10-11	Itemised notice, language, purpose, affirmative record	Version/receipt/epoch/withdrawal state	Clarity, age and guardian truth
Withdrawal and processors	Act ss.6(4)-(6),8(2)	Targets, processor instructions and supported operations	Command vs independently observed result	Off-platform processor acts
Security and breaches	Act s.8; Rules 6-7	Security measures, incident facts and contacts	Configured checks, task clock, delivery record	Adequacy, materiality and full impact
Accuracy, retention, erasure	Act s.8; Rule 8	Data accuracy process, copy inventory, holds	Eligibility, connected action and observation	Real-world accuracy, unseen backups
Rights and grievance	Act ss.11-14; Rule 13	Identity/mandate proof, channels and response	Workflow state and dated evidence	Substantive response quality
Children and disability	Act s.9; Rules 10-12	Guardian/age evidence and exceptional basis	Configured gate and supported proof	Actual age/guardian authenticity
Significant fiduciary	Act s.10; Rule 13	Designation, DPO, DPIA/audit material	Track assessment completion/evidence	Designation and professional judgement
Transfers/restrictions	Act s.16; Rule 14	Destination/system facts and current restrictions	Check configured destinations	Unobserved routing and legal advice
Consent Manager role	Act s.6(9); Rule 4	Separate registration and role facts	Role-specific controls if applicable	Registration is not implied by a consent tool

6 | Exact synthetic data and test references

The core baseline is a deterministic ORVIA fixture, not an external downloaded dataset. Aster and Birch are synthetic organisations with colliding identifiers, two environments, staff/principals, CRM/HR-like sandbox targets, assets, processing, purpose, notices, consent epochs, vendors, holds, incidents and controls. A fixture manifest should pin schema/migration, source commit, clock, seed, expected result and requirement/control/test IDs. [R2-R4]

Set	Required case	Expected result
Positive	Valid notice and consent, supported target, fresh evidence	Accepted action, observed effect, provenance-linked evidence.
Negative	Withdrawn/stale consent, invalid role or mandate, missing vendor evidence	Deny or finding; no success label.
Boundary	Exact expiry, deadline, retention threshold, concurrent epoch	Deterministic boundary result; old event cannot reactivate.
Isolation	Aster/Birch ID collision and sibling environment	No cross-tenant read, action, export or leakage.

Set	Required case	Expected result
Failure	Timeout, lost response, ack-without-effect, partial/retry exhaustion	UNKNOWN or failed until independent observation.
Lifecycle	Hold, backup, terminated vendor, processor-origin incident	Explicit exception or open follow-up, never silent completion.

External references: TSI Coop's DPDP CMS is an open source functional comparator, not ORVIA test truth. SyntheticDataHub may supply sample-shaped synthetic PII only after licence/schema review. DecisionsDev policy-corpus demonstrates human-validated decision ground truth but its business policies are not DPDP controls. OpenDP dp-test-datasets concerns differential privacy and is unrelated to the DPDPA acceptance baseline. Do not import any project as production code without licence, security and provenance review. [G1-G4]

7 | Six baselines the founders should expect

Baseline	Owner and source	Version / use
Regulatory	Legal/content owner; official Act, final Rules, notifications/corrigenda	Source/version/effective date; derive reviewed obligations.
Product	Product owner; approved ORVIA master rev 1.4 and ADRs	Revision/hash; settle V1/V2 scope.
Control	Privacy/control owner; signed control pack and customer instance	Pack and instance version; required evidence/test.
Test	QA/control engineering; synthetic fixture and expected outcomes	Seed, build, case ID; reproducible positive/adverse result.
Security	Security owner; access, isolation, key, recovery and supply-chain requirements	Assessment/version; production gate.
Release	Release authority; exact source/build/dependencies/catalogs and T01-T34 evidence	Candidate/manifest/hash; only basis for ship/claim. [R1-R4]

8 | What exists today, and what still needs proof

The capability register marks 22 modules as implemented sandbox subsets, three as partial (Customer Onboarding, Monitoring, Audit Administration), Billing as not implemented and seven AI modules deferred to V2. The latest documented checkpoint reports 100/104 routed requirements built and exercised. This document inspected repository state; it did not execute the full suite and therefore does not promote the checkpoint to today's candidate. [R2-R4]

Current evidence includes PostgreSQL migrations, tenant-scoped API/business code, durable workflows, synthetic target observation, consent/rights/retention/vendor/incident integration suites, generated contracts, UI journeys and recorded artifacts. The remaining product work includes production connectors and installation, formal DPDP control content, full account/billing plane, recovery and vendor-side boundary, signed evidence/key custody, complete user journeys, exact candidate qualification, security and recovery assessment. [R2-R4]

Canonical T01-T34: NOT_RUN. Frozen candidate: NOT_IDENTIFIED. Two qualifying rehearsals: NOT_RUN. Production legal/security/supply-chain/full recovery: NOT_ASSESSED. These are release facts, not criticism of

9 | What “catalog” means in ORVIA

Catalog	Item / current status / adoption rule
Regulatory	Source provision and effective version; full reviewed content pack remains. Never overwrite past interpretation.
Control	Reusable definition, applicability, evidence/test; policy/coverage primitives exist, unified pack remains.
Connector	Allowlisted target/operation, permissions, version, conformance; synthetic/local framework exists, broad real catalog remains.
Evidence and test	Type, freshness, verification method, expected result; engine subsets exist, signed package and broader mappings remain.
Policy/workflow	Reviewed template and safe parameters; fixed forms/durable withdrawal flow exist, general designer does not.
Commercial/download	Edition, entitlement, signed artifact and support metadata; licensing/update subsets exist, full vendor storefront/billing absent.

For every catalog update: publish signed version and compatibility/impact note; customer owner previews changes; instantiate into a tenant-scoped configured copy; migrate only with review and rollback; keep old result/evidence bound to its historical version. Vendor cannot silently alter customer decisions. [R1]

10 | The customer product and vendor boundary

Customer buys a licensed customer-local runtime plus approved update/control content and contracted support. The Customer Workspace, Data Principal Privacy Centre, operational PostgreSQL state, credentials, evidence, logs and connectors run in the customer environment. The vendor website/ORVIA Account may handle commercial identity, licence, signed downloads, update metadata and support entitlement, but not operational records or a remote administrator backdoor. Support bundles must be deliberately generated, previewed and minimised by the customer. [R1]

A customer-side agent receives only signed, scope-bound commands for allowlisted operations. A connector needs owner approval, least-privilege credentials, target/operation registration, health and conformance tests, and an independent read path for outcome verification. Licence failure or update rollback must not reverse consent withdrawal or alter past evidence. The vendor-side account and Billing implementation are not yet complete. [R1,R3]

11 | Delivery sequence, dependencies and gates

Stage	Deliverable and acceptance gate
1. Reconcile source	Freeze clean source inventory and truthful capability/requirement map; resolve current uncommitted changes and shared DPDP lane boundary.
2. DPDP content	Legal owner signs versioned obligations, applicability, controls, evidence methods and tests against final Gazette/corrigenda.
3. Product gaps	Finish production connector and observation, customer recovery, account/Billing decisions, catalogue adoption and complete UI journeys.
4. Qualification	Run contracts, unit/integration, adverse/isolation/failure, accessibility and browser journeys on exact candidate; retain failures.
5. Security/recovery	Independent threat, supply-chain, penetration, secret/key, backup/restore and data-egress assessment; close findings.
6. Release	Freeze manifest, run canonical T01-T34 and two human rehearsals; obtain C00 and release authority approval.
7. Customer onboarding	Document installation, least privilege, migration/import, connector conformance, support minimisation and rollback.
8. Ongoing updates	Monitor law and product changes, publish reviewed signed content, customer preview/adoption and regression.
9. V2	Only then evaluate custom AI with separate data, evaluation and approval gates; no V1 model dependency.

12 | Research and verification appendix

The legal sources below are primary. Competitor pages are vendor statements; the three list articles are discovery indexes only. References describe what a source publicly says, not proof that ORVIA implements it. Checked 25 September 2026 unless otherwise stated. Product packaging and pricing change and must be rechecked before a customer quotation.

ID	Source	Location
R1	Approved ORVIA Rev 1.4 master	repository: ORVIA_V1_Unified_Master_Rev_1_4_Vendor_Support_and_Data_Onboarding.md
R2	CURRENT_STATE.md; candidate/acceptance status	repository: CURRENT_STATE.md
R3	Capability register and contract	repository: tracking/capabilities.json; docs/prototype/CONTRACT.md
R4	Tasks and handoffs	repository: tracking/tasks.json; handoffs/codex/2026-09-24-dpdp-lane-boundary.md
L1	Digital Personal Data Protection Act, 2023	https://www.meity.gov.in/writereaddata/files/Digital%20Personal%20Data%20Protection%20Act%202023.pdf

ID	Source	Location
L2	Final Digital Personal Data Protection Rules, 2025, G.S.R. 846(E)	https://www.meity.gov.in/static/uploads/2025/11/53450e6e5dc0bfa85ebd78686cadad39.pdf
L3	Act commencement notification, G.S.R. 843(E); Rules page has corrigendum	https://www.meity.gov.in/static/uploads/2025/11/c56ceae6c383460ca69577428d36828b.pdf
M1	Redacto platform comparison (vendor-authored)	https://www.redacto.ai/en-in/blogs/data-privacy-management-platforms
M2	IQWorks platform comparison (vendor-authored)	https://iqworks.ai/blog/best-dpdpa-compliance-platforms
M3	miniOrange platform comparison (vendor-authored)	https://www.miniorange.com/data-privacy/dpdp/best-dpdp-compliance-tools
V1	OneTrust product and pricing	https://www.onetrust.com/products/ ; https://www.onetrust.com/pricing/
V2	BigID discovery, retention and pricing	https://bigid.com/discovery-classification/ ; https://bigid.com/retention/ ; https://home.bigid.com/pricing
V3	Securiti platform	https://securiti.ai/
V4	Vanta automated compliance and pricing	https://www.vanta.com/products/automated-compliance ; https://www.vanta.com/pricing
V5	Drata evidence overview	https://help.drata.com/en/articles/13404035-evidence-overview
V6	ServiceNow privacy management content	https://www.servicenow.com/docs/r/store-release-notes/store-grc-rn-privacy-mgmt-content.html
V7	MetricStream GRC product	https://www.metricstream.com/
V8	Sprinto continuous compliance	https://sprinto.com/continuous-compliance/
V9	Scrut compliance automation	https://www.scrut.io/platform/compliance-automation
V10	miniOrange DPDP; Consentin	https://www.miniorange.com/data-privacy/dpdp/ ; https://www.consent.in/
G1	TSI Coop DPDP CMS	https://github.com/tsi-coop/tsi-dpdp-cms
G2	SyntheticDataHub	https://github.com/samerfarida/SyntheticDataHub
G3	DecisionsDev policy-corpus	https://github.com/DecisionsDev/policy-corpus
G4	OpenDP differential privacy test datasets	https://github.com/opendp/dp-test-datasets

Methods and limits: the supplied 16-page and CEO-ready PDFs were read as background. No vendor tenant, contract, API, pricing proposal or deployment was inspected. No benchmark of ORVIA against a competitor was run. No legal advice or compliance certification is asserted. The current working tree was inspected but not frozen or acceptance-tested for this document.

Leadership glossary | Read the status without internal shorthand

The codes below are identifiers in the engineering and acceptance records, not product features or claims that a test passed. Every T01-T34 full application scenario is currently recorded as NOT_RUN. A smaller unit or integration test can pass without satisfying one of these scenarios. [R2,R4]

Term	Plain-language meaning
T01-T34	Thirty-four named full application acceptance scenarios. T is a test ID. Each must be run and evidenced on an exact identified candidate before a PASS can be claimed.
P0 / P1	Priority 0 is mandatory for the core acceptance gate. Priority 1 is optional or later depth in the bounded sprint; it is not automatically delivered.
M01-M33	The 33 master module identifiers. A module may have a working subset while its full commercial scope remains unfinished.
V1 / V2	Version 1 is the customer-local non-model product baseline. Version 2 reserves seven custom-AI modules and has not shipped.
BUILT subset / PARTIAL	BUILT subset means specific behaviour has engineering evidence in the synthetic profile. PARTIAL means an important clause or surface remains absent.
NOT_RUN / PASS	NOT_RUN means the specified test has not been executed with qualifying evidence. PASS requires actual recorded results on the right candidate; a plan or earlier run is insufficient.
Frozen candidate / rehearsal	A frozen candidate is an exact source, build, dependencies and manifest identity. A rehearsal repeats full customer journeys against that same identity under human supervision.
DPDPA / DPDP Rules	India's Digital Personal Data Protection Act, 2023, and its final 2025 implementing Rules. They have phased commencement.
GRC / DSPM / CMP	Governance, risk and compliance; Data Security Posture Management; Consent Management Platform.
DSR / DSAR / DPIA / RoPA	Data Subject Request; Data Subject Access Request; Data Protection Impact Assessment; Record of Processing Activities. ORVIA uses the Act's term Data Principal for the person.
RLS / OPA	PostgreSQL Row Level Security restricts rows by scope; Open Policy Agent evaluates configured policy decisions.
Receipt / epoch / observation	A receipt records an accepted event. An epoch orders consent changes. An observation is an independent check of what a target system actually did.
UNKNOWN effect	A command may have succeeded after a timeout, or an acknowledgement may have been misleading. ORVIA must keep the outcome unresolved until it can check safely.

What each acceptance test asks, in plain English

Test	Question the leadership team is asking
T01	Can a fresh local installation start cleanly?
T02	Can an owner set up and sign in securely?
T03	Are organisations and environments isolated?
T04	Are principals, staff and vendors kept separate?
T05	Are permissions and approvals enforced by the server?
T06	Do settings and relationships survive restart?
T07	Does consent bind to the exact notice and purpose?
T08	Is a withdrawal recorded atomically and durably?
T09	Are retries and simultaneous consent changes safe?
T10	Can an old event wrongly restore withdrawn consent?
T11	Does accepted work resume after a worker crash?
T12	Are connector commands signed and tightly scoped?
T13	Did the synthetic CRM really change, as read back?
T14	Is a marketing send blocked after withdrawal?
T15	Are unrelated purposes judged independently?
T16	Does a policy outage block unsafe processing?
T17	Can a lost response be reconciled without unsafe retry?
T18	Can an acknowledgement with no effect be detected?
T19	Are failed attempts bounded and escalated?
T20	Are manual and unsupported targets labelled honestly?
T21	Do evidence and dashboard figures match records?
T22	Are exports local, scoped, authorised and audited?
T23	Does the healthy regression scenario really run?
T24	Does a deliberately broken fixture fail and then recover?
T25	Does a restored old target remain safely quarantined?
T26	Can core work run without vendor or model internet?

Test	Question the leadership team is asking
T27	Are sessions, inputs, secrets and logs protected?
T28	Are reset and fault tools restricted to synthetic data?
T29	Does the full browser journey show real states and errors?
T30	Can two rehearsals reproduce one frozen candidate?
T31	Can a rights case be coordinated within its actual scope?
T32	Can a retention hold review proceed without fake deletion?
T33	Can a development licence be verified and rejected safely?
T34	Can reviewed non-model help point to real records?