ProfAI · Design System

Proposal
Layout Rules and Components

Color

Semantic tokens only — no raw hex in components. Starter plan allows 1 mode per collection, so Light/Dark live as light/* and dark/* groups (convert to modes on a paid plan). Code syntax = var(--token).

Light · :root

BG

--ground
#F9FAFB

--sidebar
#F3F4F7

--surface
#FFFFFF

--surface-2
#EDEFF2

--surface-3
#DFE2E7

--scrim
#05060B8C

LINE

--line
#151B2814

--line-2
#151B2826

--line-strong
#848A9A

INK

--ink
#151B28

--ink-2
#4F5564

--ink-3
#5D626F

ACCENT

--accent
#137886

--accent-hover
#116874

--accent-text
#0E6F7C

--accent-bg
#E7F7F9

--accent-ring
#1F9DAD80

--on-accent
#FFFFFF

--focus
#1791A1

VIOLET

--violet
#6B33CC

--violet-bg
#6B33CC1A

--group-bg
#F8F6FB

--group-band
#F3EFF8

--group-strong
#EBE4F4

STATUS

--success
#296B4C

--success-bg
#3894691F

--warning
#8E570B

--warning-bg
#E6A21924

--danger
#A32929

--danger-bg
#CC33331A

--on-danger
#FFFFFF

--dormant
#634936

--dormant-bg
#91654621

--pending
#9C3B11

--pending-bg
#EC5B1324

Dark · :root[data-theme=dark]

BG

--ground
#0B0E14

--sidebar
#0F121A

--surface
#161A22

--surface-2
#222732

--surface-3
#2C323F

--scrim
#05060B8C

LINE

--line
#DBE2F014

--line-2
#DBE2F024

--line-strong
#6A7181

INK

--ink
#ECEEF4

--ink-2
#AFB5C0

--ink-3
#949BA8

ACCENT

--accent
#3396A3

--accent-hover
#3BABBA

--accent-text
#69C7D3

--accent-bg
#183135

--accent-ring
#2DBFD28C

--on-accent
#0C111D

--focus
#35C2D4

VIOLET

--violet
#AB89E6

--violet-bg
#AB89E624

--group-bg
#151219

--group-band
#1F1B25

--group-strong
#2A2432

STATUS

--success
#5BB98D

--success-bg
#3FA6761F

--warning
#DDB35F

--warning-bg
#D99D261F

--danger
#DE7C7C

--danger-bg
#D147471F

--on-danger
#0C111D

--dormant
#C09C7C

--dormant-bg
#9B704B24

--pending
#F2905F

--pending-bg
#E65E1924

Typography

Body is 14px on a fixed 22px line. 9 sizes (11, 12, 13, 14, 16, 18, 22, 28, 34) replace 36 arbitrary text-[Npx] values. vh/clamp sizes only inside projected content (slides, board, polls). Display = --font-display (Charter in code, Source Serif 4 in Figma). UI = --font-sans (SF Pro in code, Inter in Figma).

Caption	Today’s slides · Checked in	Inter Regular · 11/16px
Display/L	Big Data Analytics for Business	Source Serif 4 Regular · 34/40px
Display/M	Big Data Analytics for Business	Source Serif 4 Regular · 28/34px
Display/S (Page title)	Big Data Analytics for Business	Source Serif 4 Regular · 22/28px
Title/M	**Today’s slides · Checked in**	Inter Semi Bold · 18/24px
Title/S (Card title)	**Today’s slides · Checked in**	Inter Semi Bold · 14/24px
Body/L (Reading)	Answers come from what was said and shown in class so far.	Inter Regular · 16/26px
Body/M (Default)	Answers come from what was said and shown in class so far.	Inter Regular · 14/22px
Body/S	Answers come from what was said and shown in class so far.	Inter Regular · 13/20px
Label/M	Today’s slides · Checked in	Inter Medium · 13/20px
Label/S	Today’s slides · Checked in	Inter Medium · 12/16px

Spacing, radius & sizes

4pt scale (plus 2 and 6). Every padding and gap comes from this list or a Layout / In-class token; px-[7px], py-[5px], gap-[1.5vh] snap to the nearest step.







size/sidebar-w = 256px

size/content-max = 1200px

size/content-read = 760px

Rules & Layout — index

Global rules apply to every screen. In-class-only rules apply to the live Class (Today) screen.

ID	Rule	Value / where	Scope
R1	Page margin	16 / 32 / 48 px (L/R)	Global
R2	Title width	≤ 50% of content (600 on 1200)	Global
R3	Image inset	8 px clear space	Global
R4	Body line-height	14 / 22 px	Global
R5–R10	Text wrapping	measure, edge margin, balance/pretty, two-sentence break, no-break units, single-line labels	Global
N1–N9	Header, theme toggle, composer, info, mobile tab bar	see “Rules · Header, theme, composer, mobile”	Global
I1–I4	Icons	16px, token colors, one meaning per icon	Global
C1–C5	Check-in first, fixed height, state vs. height, aside width, slide area	see “Rules · In-class only”	In-class only

R1 · Page margin 16 / 32 / 48 px

Left/right margin is set once on the page shell via layout/margin-x. Nav, header and cards never add their own horizontal page padding. On Desktop the content column also stops at size/content-max = 1200 and centers.

Mobile · 375px · margin-x 16px

Tablet · 768px · margin-x 32px

Desktop · 1440px · margin-x 48px · content max 1200



R2 · Title width ≤ 50% of the content area

Titles live in a Title block with max-width = layout/title-max (Desktop 600, Tablet 352, Mobile 100%). Break after the dash or colon so each line reads as a phrase (text-wrap: balance). Actions stay on the right. CSS: .title-block { max-width: min(50%, var(--title-max)) }.

Do · title-max 600 (= 50% of 1200), break after the dash

Big Data Analytics for Business — Lecture 10: Machine Learning Overview

Today’s class and how you’re doing.

Don’t · title spans the full width

Big Data Analytics for Business — Lecture 10: Machine Learning Overview

Today’s class and how you’re doing.

R3 · Image inset 8 px

Every image, slide, chart and thumbnail keeps 8px (layout/image-inset) between the image and its frame border, fit with “contain”. Inner radius = outer 12 − inset 8 = 4.

Do · 8px clear space

Don’t · image touches the border

R4 · Body line-height 22 px

Body is 14px on a fixed 22px line (code: 14px/1.55 = 21.7 → snapped to the 2px grid). Reading 16/26, small 13/20. Line-heights are px tokens; the 10 ad-hoc leading-[1.05–1.65] values go away.

Body/M · 14 / 22

Answers come from what was said and shown in class so far. Missed something or want it explained again? Ask about what was said or shown, or paste a screenshot of the slide.

Body/L · 16 / 26

Answers come from what was said and shown in class so far. Missed something or want it explained again? Ask about what was said or shown, or paste a screenshot of the slide.

Global text rules (all screens)

Wrapping and line-break rules for every screen — Chat, Prof AI, Library, Practice and Class.

R5	Measure	Body text max 60ch (≈ 520px at 14px). Reading column max 760 (size/content-read). Never full-width paragraphs.
R6	Edge margin	Wrapped text never gets closer than the container padding (card-pad 16) to its edge, and never sits on the 8px image inset.
R7	Wrapping	Titles, captions, empty states: text-wrap: balance (≤ 3 lines). Body: text-wrap: pretty — no one-word last line.
R8	Two sentences	If a block has exactly two sentences, break after the first (each on its own line). Three or more: normal paragraph flow.
R9	No-break units	Never split times (6:30–9:15 PM), “Slide 1”, names, or units. Use non-breaking spaces.
R10	Single-line labels	Pills, check-in, tabs and buttons are one line with ellipsis; they never wrap.

Do · break after sentence 1, balanced

Ask about today’s class
Missed something or want it explained again?
Ask about what was said or shown so far.

Don’t · run-on, one-word last line

Ask about today’s class
Missed something or want it explained again? Ask about what
was said or shown so far.

Header, theme toggle, composer & mobile rules

Fixes from review: misaligned Class indicator/margins, a theme icon that looked like device pairing, attach next to send, the stray info icon under the composer, and the mobile bottom menu.

N1	Header alignment	Page-header actions (Class is on pill, Platform help) right-align to the CONTENT column's right edge — the same edge as the cards below — never the viewport edge. Actions row is control/sm (30) tall and centered on the first title line. Title block stays ≤ 50% (R2).
N2	Live indicator	The "Class is on" dot is a 6px overlay on the Class icon (absolute, top-right). It adds no width, so all five nav items keep identical spacing and margins in every state. Pill text uses a non-breaking space: "6:30–9:15 PM".
N3	Theme toggle	Shows the CURRENT mode: System = monitor, Light = sun, Dark = moon (32px target, radius/md). Tooltip: "Following device (light) — switch to dark". Never use a screen+phone glyph — it reads as device pairing.
N4	Ask composer	Right side of the input: attach (paperclip) then send, 8px apart, 16px glyphs. Attach sits immediately left of Send, never in a separate row.
N5	Info (i)	Lives inside the composer toolbar between the tools (attach, files, web) and the model selector. Opens a popover above the composer, anchored to the icon. Never a standalone element under the composer.
N7	Chat layout	The chat title lives in its own header bar across the top of the main area (single line, ≤ 50%, message count + actions on the right) — not inside the reading column. Credits sit in a bordered box at the bottom of the sidebar: label + info, amount, meter, used, reset time.
N8	Practice	Quiz sidebar rows show a status line ("Ready to take"). One-column form: selects use control/sm, question kinds are a 2-column option-card grid, lock-icon cost note. Below: goal textarea, warning banner, "Make this quiz", then a Your scores card (latest result, trend chart, collapsed Study plan).
N9	Sidebar rows	Chats, calls and quizzes use ONE row style: title + optional status line (Caption, ink-3); active = accent-bg. A call's mode (text / voice / video) is only a 14px violet icon before the title, with "Prof AI call" as the status line — no bordered violet chips. Sub-headings (Today, Previous 30 days) are Caption, ink-3.
N6	Mobile < 768	Bottom tab bar (64px, 5 tabs; active = accent-bg pill + ink label; Class dot overlays the icon) replaces the top tabs. Top bar = brand + theme + bell + avatar (56). Content bottom padding = tab bar height. Toasts sit 8px under the top bar; popovers sit above the composer, never behind the tab bar.



Do · info between tools and model



Popover



Mobile bottom tab bar

In-class (Today) rules — this screen only

Only live while a class is on. The current CSS changes --today-cap / --today-aside / --today-span on viewport height (max-height 1599 / 500) AND on state (data-questions, data-check-in) — the cause of the jumping header/padding. Proposal: height is a token mode, state only toggles columns, and check-in leads. Rules that apply to the whole site are in “Rules · Global”.

C1	Order	Header → Tabs → CHECK-IN → Slides (+ Ask aside) → contribution note → Ask button. Check-in is always the first content block and always rendered.
C2	Stable height	Check-in is 48px in every state (Checked in / Waiting / Closed). Only icon + tone change, so nothing below it moves.
C3	State vs. height	Nav, header, margins, card-pad and cap depend ONLY on viewport-height mode. data-questions / data-check-in may only add or remove the Ask aside.
C4	Aside width	Ask aside: text width = today/aside-w − 2 × today/card-pad = 348 (Regular/Compact) or 296 (Short). The aside is the only in-class element whose width depends on the height mode.
C5	Slide area	Slide area = remaining height (100dvh − today/cap) inside the Slides card; the image keeps 16:9, contain, 8px inset (R3). Header and deck toolbar never shrink.

Checked in

Checked in

Waiting

Waiting for check-in code...

Closed

Check-in closed

Regular · ≥1600px tall

today/nav-h	56px
today/header-h	104px
today/page-pad-y	24px
today/cap	224px
today/aside-w	380px
today/col-gap	16px
today/card-pad	16px
today/deck-chrome-h	40px

Compact · 501–1599px tall

today/nav-h	56px
today/header-h	104px
today/page-pad-y	24px
today/cap	224px
today/aside-w	380px
today/col-gap	16px
today/card-pad	16px
today/deck-chrome-h	40px

Short · ≤500px tall

today/nav-h	44px
today/header-h	0px
today/page-pad-y	12px
today/cap	68px
today/aside-w	320px
today/col-gap	12px
today/card-pad	12px
today/deck-chrome-h	32px

Class · Today · Desktop 1440×900 · Ask open · light



Class · Today · Desktop 1440×900 · Roll open · dark



Class · Today · Tablet 768 · single column · Checked in

Class · Today · Tablet 768 · single column · Checked in



Class · Today · Short 1024×600 · Header hidden



Chat · light



Poll ID · Picker · light



Poll ID · Waiting · light



Poll ID · Live poll · light



Library · light



Practice · hub · light



Chat · dark



Poll ID · Picker · dark



Poll ID · Waiting · dark



Poll ID · Live poll · dark



Library · dark



Practice · hub · dark



Practice · Setback (success) · light



Mobile · Chat · light · tuned



Mobile · Class · dark · info-popover

Mobile · Class · light

Mobile · Class · dark

Mobile · Library · light

Mobile · Library · dark

Mobile · Poll ID · picker · light

Mobile · Poll ID · picker · dark

Mobile · Poll ID · live · dark

Mobile · Poll ID · waiting · dark

Mobile · Poll ID · live · light

Mobile · Class · My progress · dark

Mobile · Class · My progress · progress · light

Mobile · Class · My progress · progress · dark

Mobile · Class · My progress · awaiting · light

Mobile · Class · My progress · attendance · light

Mobile · Class · My progress · attendance · account · light

Mobile · Class · My progress · attendance · notifications · dark

Mobile · Practice · form · light

Mobile · Practice · form · dark

Mobile · Practice · bottom · light

Mobile · Chat · light

Components

Every fill, stroke, radius, padding, gap and height is bound to a variable. Light/Dark + Theme variant (Starter plan: 1 variable mode).

Icons

One library: Lucide (24px grid, 2px stroke) rendered at 16px. Color comes from tokens only: ink-2 default, ink-3 tertiary, accent-text active, status/* for states. One meaning per icon. Never a variant per size — swap the component.

r5	**Size**	16px default, 32px hit target for icon buttons (frame, send, close). Nav and tab bar icons stay 16.
r2	**Color**	ink-2 → ink-3 (disabled/tertiary) → accent-text (active) → status/* (success, pending, danger). No raw hex.
r3	**Meaning**	info = information only. System theme = monitor. Device/pairing glyphs are retired.
r4	**Overlays**	Status dots are absolute overlays on the icon (top-right, 8px), they never change the icon's layout width.

Navigation · 9

message-circle Chat tab · Text call	graduation-cap Prof AI tab	library Library tab	square-pen Practice tab	school Class tab (dot ext=true)	chevron-left Previous / back	chevron-right Next · open action	chevron-down Dropdown · expand	ellipsis More menu

Header & system · 8

monitor Theme: System	sun Theme: Light	moon Theme: Dark	bell Notifications	maximize Fullscreen	external-link Open in new window	presentation Projector view	captions Captions
copy Copy text · copy answer							

In-class (Today) · 9

check Checked in	clock Waiting	search Find slide	layout-grid Slide overview	book-open Platform help · source chip	info Information (only meaning)			

Composer & chat · 11

users New group chat	history Chat history (mobile)	paperclip Attach	file-text Files	globe Web search	languages Language / translate	send Send	arrow-up Send (mobile)	flag Report answer
plus New chat / call / task	x Close · dismiss							

Account & forms · 6

user Profile	log-out Sign out	hand Help (account menu)	settings Notification preferences	circle-help Page help (mobile Class)	triangle-alert Warning banner

Prof AI · 4

mic Voice	video Video	phone Start call	phone-off End call

Library & feedback · 3

download PDF / PowerPoint / file	star Rate this class	lock Budget / locked

Retired · 1

monitor-smartphone Old system-theme icon. Use monitor and flag + styles set by monitor + sun + moon.

Button

Height = controlsInUndo (36/39/44). Padding space/12/16/20. gap space/8, radius/md, Label/M.

Status pill

20px tall, space/8 horizontal, radius/full, 6px dot. Text/dot = status token; fill = match/ng * /ng token.

Tab

Body/M, space/12 vertical padding, 2px accent underline on active.

Check-in banner

CI/C2 always first under the header; fixed 48px in every state — only tone changes.



Image frame

R3 · 8px clear space (layout/image-inset) on every side; radius 12 outside, 4 inside; contain, never crop.



Slides card

Card pad = today/card-pad. Header + toolbar fixed; only the image frame flexes.



Ask panel

Width today/aside-w (380/380/320). Header + composer fixed, empty state centers; two-sentence copy breaks after sentence 1.

Top nav

Height today/nav-h (56, 44 on Short). Horizontal padding + layout/margin-x so the brand aligns with page content (80).

Page header

Title block max-width = layout/title-max (62 × 10px). Actions right. Tabs sit below.

Theme toggle

N3: shows the current mode — System (monitor), Light (sun), Dark (moon). No device-pairing glyph.

Bottom tab bar (mobile)

N6: 64px, 5 tabs. Active = accent-tint pill + ink label. Class live dot overlays the icon.

Composer

N4/N5: toolbar = attach, files, web, info, (space), model, send. Info popover opens above.

Info popover & toast

Shadow/2 on overlays. Popover anchors above the composer; toast sits 8px under the top bar.

Persona card

Prof AI picker card: 240px, avatar 48, three option rows (Text / Voice / Video) at controls/lg.