





Comment	Description	Designator	Footprint	LibRef	Quantity
Nut Nhan 2 Chan	Nut Nhan 2 Chan		Nut Nhan 2 Chan	Nut Nhan 2 Chan	
SMD 3x6x2.5	SMD 3x6x2.5	BT1	SMD 3x6x2.5	SMD 3x6x2.5	1
104	Dán	C1, C3, C4, C6, C12, C15, C20, C22	tu 0603	Tu 0603 104 50V 10%	8
		C2, C5, C8, C11, C13, C14, C16, C17, C18,		Tu 0603 106 16V	
106	Dán	C23	tu 0603	20%	10
226	Dán	C7, C9, C10	tu 0603	Tu 0603 226 6.3V 10%	3
SS14	Dán	D1	DIODE SMA	Diode SS14 (1N5819)	1
			DIODE ZENNER	ŕ	
0.5W 5.1V	Dán	D2	SMD SOD80	Diode Zener 5.1V Diode SS34 (1
SS34	Dán	D3	DIODE SMA	1N5822)	1
DHT22		DHT1	DHT22	DHT22	1
3A 16V	FUSE POLYSWITCH RUE SERIES 3A 16V	F1	FUSE-RUEF250U-2	Cau chi tu phuc hoi 3A 16V	1
Header 2P 2.54 Duc				Header 2P 2.54 Duc	
Thang	Cắm	H1	XH2.54M-2	Thang	1
W25Q16		IC1	W25Q16 -SOIC8	W25Q16	1
MT3608		IC2	SOT23-6A	MT3608_Boost	1
AMS1117 3.3V		IC6	SOT223	AMS1117 3.3V	1
DW01A		IC8	SOT23127P600-8N	DW01A	1
TP4056 1A		IC9	SOP8	TP4056 1A	1
FS8205A		IC10	SOT-23-6L	FS8205A	1
JP 1x4 2.54	Cắm	JP1	JP 1x4 DT	JP 1x4 2.54 Duc Thang	1
ID 1::E 2 E4	O.f.	ID2	ID 1E DT	JP 1x5 2.54 Duc	1
JP 1x5 2.54	Cắm	JP2	JP 1x5 DT	Thang JP 1x6 2.54 Duc	1
JP 1x6 2.54	Cắm	JP3	JP 1x6 DT	Thang	1
JP 1x4 2.54	Cắm	JP4	JP 1x4 DC	JP 1x4 2.54 Duc Cong	1
	Fixed Inductors				
	MSS1038 SMT			IND 22-11 24 200/	
IND_22uH-3A	Shielded 15 uH 20 % 3.8 A	L1	IND_22_10X10_SMD	IND_22uH-3A-30%-	1
IND_ZZUIT S/K	LED 0603 SMD		114B_22_10X10_3WB	SIVID_1	
	Green 525nm				
LED SMD 0603	350mcd 20mA	LED1, LED4	LED-0603-BLUE	LED SMD 0603	2
	LED 0603 SMD				
LED SMD 0603	Green 525nm 350mcd 20mA	LED2, LED3	LED-0603-RED	LED SMD 0603	2
ELB GIVID GOOD	MOSFET P-CH 30V	227 2200	EED GOOD KED	ELD GIVID GOOD	
AO3401 30V/4A	4A SOT23	Q2	SOT23_3	AO3401	1
		R1, R2, R3, R4, R5, R6, R12, R13, R16,		Tro 0603 1% 10k,	
10k	Dán	R22, R23, R33	tro smd 0603	Tro 0603 5% 10k	12
47R	Dán	R7, R8, R9, R10	tro smd 0603	Tro 0603 1% 47R	4
100k	Dán	R11	tro smd 0603	Tro 0603 5% 100k	1
1.8k	Dán	R14	tro smd 0603	Tro 0603 1% 1.8k	1
910R	Dán	R15	tro smd 0603	Tro 0603 1% 910R	1
3.3k	Dán	R17, R18	tro smd 0603	Tro 0603 5% 3.3k	2
1k	Dán	R19, R28, R29, R30	tro smd 0603	Tro 0603 5% 1k	4
4.7k	Dán	R20, R21	tro smd 0603	Tro 0603 5% 4.7k	2
100R	Dán	R24, R25, R27	tro smd 0603	Tro 0603 5% 100R	3
2.2k	Dán	R26	tro smd 0603	Tro 0603 5% 2.2k	1
1.2k	Dán	R31	tro smd 0603	Tro 0603 1% 1.2k	1
0.5R	Dán	R34	tro smd 0805	Tro 0805 5% 0.5R	1
0.510	VARISTOR 7V 18A	NO4	a 5 3110 0003	110 0000 370 0.08	
7D180K	DISC 7MM	R44	VARISTOR-7D180K	Varistor 7D180K	1
	Wi-Fi/BT BLE				
ESP32-WROOM-32U	Module ESP32- D0WD	U1	ESP32-WROOM-32	ESP32-WROOM-32U	1
USB Micro 5p DIP	USB Type B	USB1	USB Micro 5p DIP	USB Micro 5p DIP	1
			Bien Tro Tam Giac	Bien tro tam giac	'
100K	Cắm	VR2	Dung	100K Dung	1