

인스턴스 - OpenStack x

putty - Google 검색 x

← → ↺

안전함

https://www.google.co.kr/search?q=putty&oq=putty&aqs=chrome..69i57j0l5.894j0j8&sourceid=chrome&ie=UTF-8

☆

⋮

Google

putty

🖨️ 🔊 🔍

⋮

로그인

전체

동영상

지도

이미지

뉴스

더보기

설정

도구

검색결과 약 36,200,000개 (0.21초)

Download PuTTY - a free SSH and telnet client for Windows

<https://www.putty.org/> ▾ 이 페이지 번역하기

Download PuTTY. PuTTY is an SSH and telnet client, developed originally by Simon Tatham for the Windows platform. PuTTY is open source software that is available with source code and is developed and supported by a group of volunteers. You can download PuTTY here.

Download PuTTY: latest release (0.70) - Chiark

<https://www.chiark.greenend.org.uk/~sgtatham/putty/latest.html> ▾ 이 페이지 번역하기

2017. 7. 8. - This page contains download links for the latest released version of PuTTY. Currently this is 0.70, released on 2017-07-08. When new releases come out, this page will update to contain the latest, so this is a good page to bookmark or link to. Alternatively, here is a permanent link to the 0.70 release.

[PuTTY FAQ](#) · [PuTTY Documentation Page](#) · [Download PuTTY: release 0.70](#) · [Keys](#)

함께 검색한 항목

winscp

puttygen 사용법

putty mac

superputty

psftp 사용법

plink 사용법

×

PuTTY - 다운로드



<https://putty.ko.softonic.com/> ▾

PuTTY, PuTTY Beta 0.66 무료 다운로드: 완벽하고 믿을 수 있는 텔넷 SSH 클라이언트.

PuTTY를 사용하여 Windows에서 Linux 인스턴스에 연결 - Amazon ...


[https://docs.aws.amazon.com/ko\\_kr/AWSEC2/latest/UserGuide/putty.html](https://docs.aws.amazon.com/ko_kr/AWSEC2/latest/UserGuide/putty.html) ▾

참고. 인스턴스를 시작한 후, 연결할 수 있도록 인스턴스가 준비될 때까지 몇 분 정도 걸릴 수 있습니다. 인스턴스가 상태 확인을 통과했는지 확인하십시오. [Instances] 페이지의 [Status Checks] 열에서 이 정보를 볼 수 있습니다. 다음 지침에서는 Windows용 무료 SSH 클라이언트인 PuTTY를 사용하여 인스턴스에 연결하는 방법을 설명



PuTTY

응용 프로그램





PuTTY는 SSH, 텔넷, rlogin, raw TCP를 위한 클라이언트로 동작하는 자유 및 오픈 소스 단말 에뮬레이터 응용 프로그램이다. PuTTY라는 이름에는 특별한 뜻이 없으나 tty는 유닉스 전통의 터미널의 이름을 가리키며 teletype를 짧게 줄인 것이다. PuTTY는 본래 마이크로소프트 윈도우용으로 작성되었으나 다른 다양한 운영 체제에도 포팅되었다. 위키백과


작성 언어: C


관련 검색어


15개 이상 항목 더보기

WinSCP

파일질라

노트패드++

팀뷰어

테라 터

사용자 의견

key\_test.pem

↑

전체 보기

×



인스턴스 - OpenStack D xDownload PuTTY: latest x

← → ↺

안전함 | https://www.chiark.greenend.org.uk/~sgtatham/putty/latest.html

🔍

☆

⋮

putty.exe (an SSH and Telnet client)

32-bit:

[putty.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

64-bit:

[putty.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

pscp.exe (an SCP client, i.e. command-line secure file copy)

32-bit:

[pscp.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

64-bit:

[pscp.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

psftp.exe (an SFTP client, i.e. general file transfer sessions much like FTP)

32-bit:

[psftp.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

64-bit:

[psftp.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

puttytel.exe (a Telnet-only client)

32-bit:

[puttytel.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

64-bit:

[puttytel.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

plink.exe (a command-line interface to the PuTTY back ends)

32-bit:

[plink.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

64-bit:

[plink.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

pageant.exe (an SSH authentication agent for PuTTY, PSCP, PSFTP, and Plink)

32-bit:

[pageant.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

64-bit:

[pageant.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

puttygen.exe (a RSA and DSA key generation utility)

32-bit:

[puttygen.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

64-bit:

[puttygen.exe](#)

[\(or by FTP\)](#)

[\(signature\)](#)

putty.zip (a .ZIP archive of all the above)

32-bit:

[putty.zip](#)

[\(or by FTP\)](#)

[\(signature\)](#)

64-bit:

[putty.zip](#)

[\(or by FTP\)](#)

[\(signature\)](#)

Documentation

key\_test.pem

^

전체 보기

×

File Key **Conversions** Help

Key

No key.

Import key

Export OpenSSH key

Export OpenSSH key (force new file format)

Export ssh.com key

## Actions

Generate a public/private key pair

Generate

Load an existing private key file

Load

Save the generated key

Save public key

Save private key


## Parameters

Type of key to generate:

☒ RSA☐ DSA☐ ECDSA☐ ED25519☐ SSH-1 (RSA)

Number of bits in a generated key:

2048







Load private key:



← → ↕ ⬇ > 내 PC > 다운로드 > 다운로드 검색

구성 새 폴더

	이름	#	제목	참여 음악가	앨범
바로 가기	ZIP		apache-tomcat-9.0...		
바탕 화면	ZIP		bootstrap-3.3.7-dis...		
다운로드	ZIP		bootstrap-4.0.0.zip		
문서			eclipse-inst-win64....		
사진			jdk-9u161-windows...		
프로그램			key_test.pem		
WHO			mysql-5.5.59-win3...		
WHO			puttygen.exe		
작업중	ZIP		Take-home #1_Ans...		
토익					
내 PC					
3D 개체					
다운로드					
동영상					
문서					
바탕 화면					
사진					

파일 이름(N): key\_test.pem

All Files (\*.\*)

열기(O) 취소

타입: PEM 파일  
크기: 1.63KB  
수정한 날짜: 2018-02-27 오전 2:33

## Key

Public key for pasting into OpenSSH authorized\_keys file:

```
ssh-rsa
AAAAB3NzaC1yc2EAAAADAQABAAQAD2igkj0eXbXKxf1CHZDMOrjw2Xv2t4oo8
B4Guds9ugdsGJhflQbMv5l+61lilZqBCtEMOFAd
+3Gq3PVGpIlgD7KWovpp9Hbl0TQ0j3/OoiZ1xj7eMAfFiu/wmsPvcOmts800Y2w
+CBEEqwlqirTMCP6eYfeO180szjs973WwtQhpaP9/F0EZuXoYYj6pcE8j7q5eJgxYRZ9
```

Key fingerprint:

ssh-rsa 2048 a8:ef:57:a3:64:34:62:f8:49:c4:69:08:99:9b:cd:e0

Key comment:

imported-openssh-key

Key passphrase:

Confirm passphrase:

## Actions

Generate a public/private key pair

Generate

Load an existing private key file

Load

Save the generated key

Save public key

Save private key

## Parameters

Type of key to generate:

☒ RSA☐ DSA☐ ECDSA☐ ED25519☐ SSH-1 (RSA)

Number of bits in a generated key:

2048



## Key

Public key for pasting into OpenSSH authorized\_keys file:

```
ssh-rsa
AAAAB3NzaC1yc2EAAAADAQABAAQAD2igkj0eXbXKhxf1CHZDMOrjw2Xv2t4oo8
B4Guds9ugdsGJhflQbMv5l+61ilZqBCtEMOFAd
+3Gq3PVGpIlGd7KWoVpp9Hbl0TQ0j3/OoiZ1xj7eMAfFiu/wmsPvcOmts800Y2w
+CBeEqwlqirTMCP6eYfeO180szjs973WwtQhpaP9/F0EZuXoYYj6pcE8j7q5eJgxYRZ9
```

Key fingerprint:

Key comment:

Key passphrase:

Confirm passphrase:

## Actions

Generate a public key

Load an existing private key file

Save the generated key

예(Y)

아니요(N)

Generate

Load

Save public key

Save private key

## Parameters

Type of key to generate:

☒ RSA☐ DSA☐ ECDSA☐ ED25519☐ SSH-1 (RSA)


Number of bits in a generated key:

2048

## PuTTYgen Warning



Are you sure you want to save this key  
without a passphrase to protect it?



인스턴스 - OpenStack

Download PuTTY: latest

← → ↺ | 안전함 | https://www.chiark.greenend.org.uk/~sgtatham/putty/latest.html

Alternative binary files

The installer packages above will provide all of these (except PuTTYtel), but you can download them one by one if you prefer.

(Not sure whether you want the 32-bit or the 64-bit version? Read the [FAQ entry](#).)

**putty.exe (the SSH and Telnet client itself)**

32-bit:	<a href="#">putty.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>
64-bit:	<a href="#">putty.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>

**pscp.exe (an SCP client, i.e. command-line secure file copy)**

32-bit:	<a href="#">pscp.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>
64-bit:	<a href="#">pscp.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>

**psftp.exe (an SFTP client, i.e. general file transfer sessions much like FTP)**

32-bit:	<a href="#">psftp.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>
64-bit:	<a href="#">psftp.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>

**puttytel.exe (a Telnet-only client)**

32-bit:	<a href="#">puttytel.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>
64-bit:	<a href="#">puttytel.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>

**plink.exe (a command-line interface to the PuTTY back ends)**

32-bit:	<a href="#">plink.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>
64-bit:	<a href="#">plink.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>

**pageant.exe (an SSH authentication agent for PuTTY, PSCP, PSFTP, and Plink)**

32-bit:	<a href="#">pageant.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>
64-bit:	<a href="#">pageant.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>

**puttygen.exe (a RSA and DSA key generation utility)**

32-bit:	<a href="#">puttygen.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>
64-bit:	<a href="#">puttygen.exe</a>	<a href="#">(or by FTP)</a>	<a href="#">(signature)</a>

puttygen.exe

key\_test.pem

전체 보기

인스턴스 - OpenStack D

Download PuTTY: latest

← → ↺ jcloud.chonbuk.ac.kr/horizon/project/instances/

openstackadminwho-2

프로젝트

Compute

개요

인스턴스

볼륨

이미지

키 페어

API 액세스

네트워크

관리자

인증

프로젝트 / Compute / 인스턴스

인스턴스

INSTANCE ID =

필터

인스턴스 시작

인스턴스 삭제

MORE ACTIONS

Displaying 6 items

인스턴스 이름	이미지 이름	IP 주소	Flavor
instance_test	-	203.254.143.137	t2.xlarge
wordpress.sftp	wordpress.ubuntu.ssh7777	203.254.143.148	wordpress.flavor
Test	wordpress.ubuntu.ssh7777	203.254.143.146	wordpress.flavor
wordpress	wordpress.ubuntu.ssh7777	203.254.143.144	wordpress.flavor
test	-	203.254.143.140	t2.2xlarge
ide.codenvy.v3.by.hcpar k	-	203.254.143.158	ide.flavor

Displaying 6 items

Actions

스냅샷 생성

스냅샷 생성

스냅샷 생성

스냅샷 생성

스냅샷 생성

PuTTY Configuration

Category:

Session

Logging

Terminal

Keyboard

Mouse

Features

Window

Appearance

Behaviour

Translation

Selection

Colours

Connection

Data

Proxy

Telnet

Rlogin

SSH

Serial

About

Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address)

203.254.143.137

Port

7777

Connection type:

Raw

Telnet

Rlogin

SSH

Serial

Load, save or delete a stored session

Saved Sessions

Default Settings

Load

Save

Delete

Close window on exit:

Always

Never

Only on clean exit

Open

Cancel

puttygen.exe

key\_test.pem

전체 보기



Category:

- [-] Session
  - ... Logging
- [-] Terminal
  - ... Keyboard
  - ... Bell
  - ... Features
- [-] Window
  - ... Appearance
  - ... Behaviour
  - ... Translation
  - ... Selection
  - ... Colours
- [-] Connection
  - Data**
  - ... Proxy
  - ... Telnet
  - ... Rlogin
  - [-] SSH
  - ... Serial

Data to send to the server

Login details

Auto-login username

When username is not specified:

☒ Prompt ☐ Use system username (MyWinTelm)

Terminal details

Terminal type string

Terminal codes

Environment variables

Variable

Add

Value

Remove

About

Open

Cancel

소스마다 다를 수 있음. 이 예시는  
ubuntu라 설정

Category:

- [-] Window
  - ... Appearance
  - ... Behaviour
  - ... Translation
  - ... Selection
  - ... Colours
- [-] Connection
  - ... Data
  - ... Proxy
  - ... Telnet
  - ... Rlogin
- [-] SSH
  - ... Kex
  - ... Host keys
  - ... Cipher
  - [+] Auth**
  - ... TTY
  - ... X11
  - ... Tunnels
  - ... Bugs
  - ... More bugs
  - ... Serial

## Options controlling SSH authentication

- ☒ Display pre-authentication banner (SSH-2 only)
- ☐ Bypass authentication entirely (SSH-2 only)

## Authentication methods

- ☒ Attempt authentication using Pageant
- ☐ Attempt TIS or CryptoCard auth (SSH-1)
- ☒ Attempt "keyboard-interactive" auth (SSH-2)

## Authentication parameters

- ☐ Allow agent forwarding
- ☐ Allow attempted changes of username in SSH-2

Private key file for authentication:

Browse...

**이후 생성한 ppk파일  
선택 후 open**

About

Open

Cancel



\* Documentation: <https://help.ubuntu.com>  
\* Management: <https://landscape.canonical.com>  
\* Support: <https://ubuntu.com/advantage>

Get cloud support with Ubuntu Advantage Cloud Guest:  
<http://www.ubuntu.com/business/services/cloud>

0 packages can be updated.  
0 updates are security updates.

The programs included with the Ubuntu system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/\*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by  
applicable law.

**접속 완료**

To run a command as administrator (user "root"), use "sudo <command>".  
See "man sudo\_root" for details.

ubuntu@instance-test:~\$