Microsoft Edge (Chromium-based)

User Profile:
%LocalAppData%\Microsoft\Edge\User Data\[Default|Profile 𝑋]*

History (SQLite Database):
%LocalAppData%\Microsoft\Edge\User Data\[Default|Profile 𝑋]\History

Cookies (SQLite Database):
%LocalAppData%\Microsoft\Edge\User Data\[Default|Profile 𝑋]\Network\Cookies

Cache:
%LocalAppData%\Microsoft\Edge\User Data\[Default|Profile 𝑋]\Cache*

Sessions:
%LocalAppData%\Microsoft\Edge\User Data\[Default|Profile 𝑋]\Sessions*

Settings and Other Configuration:
%LocalAppData%\Microsoft\Edge\User Data\[Default|Profile 𝑋]\Preferences

---

Google Chrome

User Profile:
%LocalAppData%\Google\Chrome\User Data\Default*

History (SQLite Database):
%LocalAppData%\Google\Chrome\User Data\Default\History

Cookies (SQLite Database):
%LocalAppData%\Google\Chrome\User Data\Default\Network\Cookies

Cache:
%LocalAppData%\Google\Chrome\User Data\Default\Cache*

Sessions:
%LocalAppData%\Google\Chrome\User Data\Default\Sessions*

Settings and Other Configuration:
%LocalAppData%\Google\Chrome\User Data\Default\Preferences

Mozilla Firefox

User Profile:
`%AppData%\Mozilla\Firefox\Profiles\`*`xxxxxxx`*`.default-release\*`

History, Bookmarks, and Downloads (SQLite Database):
`%AppData%\Mozilla\Firefox\Profiles\`*`xxxxxxx`*`.default-release\places.sqlite`

Cookies (SQLite Database):
`%AppData%\Mozilla\Firefox\Profiles\`*`xxxxxxx`*`.default-release\cookies.sqlite`

Cache:
`%LocalAppData%\Mozilla\Firefox\Profiles\`*`xxxxxxx`*`.default-release\cache2\*`

Sessions:
`%AppData%\Mozilla\Firefox\Profiles\`*`xxxxxxx`*`.default-release\sessionstore-backups\*`

Settings and Other Configuration:
`%AppData%\Mozilla\Firefox\Profiles\`*`xxxxxxx`*`.default-release\prefs.js`

Legacy Browsers

Microsoft Edge

User Profile:
`%LocalAppData%\Packages\Microsoft.MicrosoftEdge_`*`XXX`*`\AC`

History, Cookies, and Downloads (ESE Database):
`%LocalAppData%\Microsoft\Windows\WebCache\WebCacheV01.dat`

Note that <mark>local file access</mark> will also appear within **WebCacheV01.dat**. Look for entries similar to:
`file:///`*`X`*`:/path/to/file`, where "*X*" is the drive letter on which the file was accessed.

Cache:
`%LocalAppData%\Packages\Microsoft.MicrosoftEdge_`*`XXX`*`\AC#!`*`XXX`*`\MicrosoftEdge\Cache`

Sessions:
`%LocalAppData%\Packages\Microsoft.MicrosoftEdge_`*`XXX`*`\AC\MicrosoftEdge\User\Default\Recovery\Active`

Settings and Other Configuration:
`%LocalAppData%\Packages\Microsoft.MicrosoftEdge_`*`XXX`*`\AC\MicrosoftEdge\User\Default\DataStore\Data\nouser1\`*`XXX`*`\DBStore\spartan.edb`

Microsoft Internet Explorer

Location of Most Artifacts (ESE Database):
`%LocalAppData%\Microsoft\Windows\WebCache\WebCacheV01.dat`

Artifact	Database Container
History	History
Cache	Content
*Cookies (metadata only)	Cookies
Downloads	iedownload

*Cookies are stored in `%AppData%\Microsoft\Windows\Cookies` (and `\Low`)

Sessions:
`%LocalAppData%\Microsoft\Internet Explorer\Recovery\*.dat`