AssemblyImpact AI — P3 Engineering Change Case Worklist: Implementation, Testing & Evidence Report

SAP Fiori elements List Report / Object Page on the EngineeringReview CAP service, generated with SAP Project Accelerator and adapted

Repository	Naman028/assemblyimpact-ai
Branch	feat/p3-case-worklist
Code head commit	377e46aa5b712487fa63777f9c0ebe38e00271bf
Base (main)	a0068c6050ca09efae12deb3eacc26a6a4d2539d
Environment	SAP BTP trial — SAP Business Application Studio (dev space ws-lecln)
Pull request	https://github.com/Naman028/assemblyimpact-ai/pull/5
CI	GitHub Actions on 18cacdb: success (M03 verification / verify, pull_request, run 42589847906)
Report date	2026-11-09
Prepared by	Claude (Anthropic) for Naman Patel — AI-generated; student review pending

All demonstration records in this report are synthetic (fictional NovaMotion Manufacturing). They are not SAP S/4HANA data. Screenshots are unedited captures of the actual BAS session.

1. Executive summary

Objective. Begin P3: generate a Fiori elements Case Worklist with SAP Project Accelerator in an isolated sandbox, run the generated UI, and connect a corrected version to the existing read-only EngineeringReview OData V4 service.

Status. Implemented and verified in a running browser session in SAP Business Application Studio (BAS). Branch `feat/p3-case-worklist` (3 commits on main a0068c6). GitHub Actions on 18cacdb: success (M03 verification / verify, pull_request, run 42589847906). Draft pull request: https://github.com/Naman028/assemblyimpact-ai/pull/5. Not merged, not deployed.

- Project Accelerator ran in the separate sandbox `pa-sandbox/case-worklist`; its original 44 files are preserved unchanged (sandbox commit 9910c02, copy in `generated/`).
- The generated app was run in the browser with its own mock data (P3-08, P3-09). It showed invented values and draft editing, so only its page structure was reused.
- The implemented app `app/case-worklist` shows Review Cases -> Review Case -> Impact Run -> Finding from EngineeringReview, with the Run Impact action.
- Browser checks: plant isolation, 403 for viewers on Run Impact, analyst run reproducing the oracle (+1,200.00 EUR, 2 short, 7 findings), cross-plant deep link 404.
- Three defects found only in the browser were fixed: UI5 1.120 startup error, zero-height app container, unsorted section tables.
- The intermittent deep-link "Not Found" was reproduced under controlled user switching: it is the previous user's correct 404 message still open after an in-app identity switch, not an application defect (section 7).
- Original Project Accelerator files verified unchanged (identical git tree hash); EngineeringReview remains the only review service; no draft-enabled service in the application model.
- npm test 40/40 and lint pass locally and in BAS; no new dependencies.

Not claimed. The Project Accelerator Page Map (P3-05) is a design-time view, not a working UI; the working UI is the browser-rendered application in P3-08 to P3-20. No BTP deployment, no S/4HANA data, no Joule, no P4 work. All records are synthetic.

2. Starting state and inputs

Item	Value
GitHub baseline	main = a0068c6050ca (M04 Slice 1b, PR #4). BAS fast-forwarded; 35/35 tests (P3-01).
Backend	CAP OData V4 EngineeringReview: ReviewCases, ImpactRuns, Findings, ImpactMaterialLines, ImpactComparisonLines; read-only plus bound action runImpact (ChangeAnalyst, plant-restricted).
Seed data	SEED-M04-01 (synthetic): EC-000473 / COOL-100 plant 1000 and mirror EC-200473 plant 2000. No impact runs are seeded.
Design input	Approved layout mockup (illustrative values) and requirements AssemblyImpact_Case_Worklist_requirements.md (sha256 021aa8e1...).
Runtime (BAS)	Node v24.21.0, @sap/cds 10.2.2, cds-compiler 7.2.1, @cap-js/sqlite 3.1.2, @sap/cds-fiori 2.3.0; SAPUI5 1.149.0 (CDN).

3. Project Accelerator generation (sandbox)

Project Accelerator (SAP Fiori tools, CAP Accelerator flow) was given the requirements text and the layout image (P3-02 to P3-04). The output was committed in the sandbox as 9910c02 and archived (`pa-original-output.tgz`, sha256 e3af883acbae...). The original files are copied unchanged to `docs/evidence/p3-case-worklist/generated/`; the archive itself is not committed.

Generated part	Content	Used?
Data model	Own namespace assemblyImpactCaseWorklist: ReviewCases, Assemblies, Findings, MaterialImpacts, DecisionHistories + 6 code lists	No (D-P3-2)
Service	assemblyImpactCaseWorklistSrv at /odata/v4/assembly-impact-case-worklist-srv/, @odata.draft.enabled	No
Sample data	CSV rows invented by the generator (10 cases, findings, materials)	No
Fiori app	List Report -> Object Page -> Findings Object Page; minUI5Version 1.149.0	Page structure only
Metadata	.fiori-ai (7 files): ai-integrity.json, flowImage.jpeg, generator-config.json, log.txt, model.json, user-input.txt, userImage.png	Evidence only

4. Generated UI preview and design comparison

The generated application was started in the sandbox and opened in the browser (P3-08, P3-09). It renders, but with the generator's own invented records and draft editing (Create, Edit, Delete, Editing Status), which conflicts with the read-only, role- and plant-checked EngineeringReview service.

Mockup / requirement	Project Accelerator output	Implemented	Reason
Filters: Assembly, Plant, Revision, Status, Source	Filters on generated entity + Editing Status	assemblyCode, plant, toRevision, status, sourceType	same intent on existing service
Columns up to Review Status	Columns on generated entity	9 columns; findings / short / cost delta from latestRun	figures come from immutable runImpact snapshots
Status colours	Code-list criticality	$edmJson If/Eq criticality on status	no new backend field
Create Change, Export	Create/Delete (draft)	Not implemented	read-only service (D-P3-5)
Case: General information	Object Page section	FieldGroup General + Latest Impact	-
Findings tab on the case	/ReviewCases/Findings	Impact Run page -> Findings -> Finding page	findings stored per run (D-P3-3)
Material Impact tab	MaterialImpacts table	Impact Run page: Material Impact + BOM Comparison	per run
Decision History tab	DecisionHistories entity	Not shown	no backend entity yet
Run impact	Not generated	runImpact action on list and case	server-enforced (D-P3-4)
Draft editing	@odata.draft.enabled	None	service read-only by design

5. Implementation record

Unit	Files	What	Decision
U1 App descriptor	app/case-worklist/webapp/manifest.json, Component.js, index.html, i18n	dataSource /odata/v4/engineering-review/; routes ReviewCasesList, ReviewCasesObjectPage, ImpactRunsObjectPage, FindingsObjectPage; no draft; UI5 1.149.0 bootstrap.	D-P3-2, D-P3-3, D-P3-6
U2 Annotations	app/case-worklist/annotations.cds	SelectionFields, LineItem with criticality and runImpact, HeaderInfo, FieldGroups, Facets, PresentationVariants on EngineeringReview entities.	D-P3-4, D-P3-7
U3 Tests	test/case-worklist-app.test.js, package.json	5 tests: manifest-model consistency, annotation contract, static serving, list/action authorization, navigation paths and plant isolation.	quality gate
U4 Documentation	app/case-worklist/README.md, readme.md	Origin, read-only scope, how to run with development users; synthetic-data notice.	traceability

Commit	Message
77730307a1ab	feat(p3): add Engineering Change Case Worklist Fiori elements app
af43aafe863e	fix(p3): correct standalone UI rendering found in BAS preview
377e46aa5b71	fix(p3): apply table sort orders on Object Page sections

All three commits: author and committer Naman Patel <108478447+Naman028@users.noreply.github.com>, no co-author trailer. The decision log is in `decisions.md`.

6. Corrections found in the running UI

#	Observed in the browser	Cause	Fix	Evidence
1	Blank page; console: storeInnerAppStateAsync is not a function	UI5 1.120.0 too old for the generated app pattern	Bootstrap SAPUI5 1.149.0 (af43aaf)	P3-10 onward
2	Still blank, no error	Component container had height 0	Full height for #container-uiarea (af43aaf)	P3-10 onward
3	Material Impact and BOM rows unsorted	Section facets targeted @UI.LineItem, so the PresentationVariant added in af43aaf was ignored	Facets target nav/@UI.PresentationVariant; test forbids LineItem facet targets (377e46a)	P3-18 -> P3-19, P3-20

Note on defect 3. The browser had cached the older $metadata, so screenshots P3-14/P3-15 (taken after af43aaf) show the unsorted state as well. After forcing a metadata reload, the table bindings were checked in the page: findings sorted by [type, material], material lines by [material], comparison lines by [itemNo]. Commit af43aaf's message overstated its effect on sorting; 377e46a is the effective fix.

7. Deep-link "Not Found" investigation

Original observation. While capturing evidence, a "Not Found" dialog appeared over a correctly loaded impact-run page for user analyst. The tab had just shown the cross-plant check P3-17 (analyst2000 opening the plant-1000 case, correct 404). The next step changed only the URL fragment, so the browser did not reload the app, and the identity was switched with a scripted XHR.
Method. Controlled trials in the BAS preview against run 058c8c87; the active identity was confirmed each time by reading ReviewCases (analyst/cviewer see EC-000473, analyst2000 sees EC-200473).

Trial	Steps	Expected	Observed
T1-T5 identity switching	Switch analyst2000 / analyst / cviewer in 10 directions; read ReviewCases after each switch (fetch and XHR)	Each request runs as the new user	All 30 reads returned the new user's plant only; no stale credentials
T1	analyst2000, full page load of the plant-1000 run deep link	Not Found	Not Found (correct)
T2	analyst after analyst2000, full page load of the same link	Run page, no error	Run page, +1,200.00 EUR, no dialog
T3 / T5	analyst2000 loads the case link (404 dialog); switch to analyst; change route in the running app without closing the dialog	-	Run page loads (all 5 batch parts 200) with the old dialog still on top (P3-21)
T6	As T5, but close the dialog before the switch	Run page, no error	Run page, no dialog (P3-22)

Conclusion. Reproduced and explained: the dialog is the previous user's correct 404 message, left open because the identity was changed inside a running app. Every request made after the switch succeeded, and full page loads never showed the error. Real users cannot change identity without signing out and reloading, so this is **not an application defect** and no code was changed. Plant isolation behaved correctly in every trial.

8. Testing and verification

Command	Local	BAS
npm test	tests 40, pass 40, fail 0	tests 40, pass 40, fail 0 (after 377e46a)
npm run lint (eslint srv test --max-warnings=0)	exit 0	exit 0
Dependencies	package-lock.json unchanged	-
npm audit --package-lock-only --audit-level=high	found 0 vulnerabilities	-
GitHub Actions (npm ci, lint, test, audit)	GitHub Actions on 18cacdb: success (M03 verification / verify, pull_request, run 42589847906)	-


New test (test/case-worklist-app.test.js)	Checks	Result
manifest targets EngineeringReview	dataSource, entity sets and navigation paths resolve against the CDS model; no draft	pass
annotation contract	exact columns and filters, facets, criticality, sort orders, no LineItem facet targets, $metadata carries UI annotations	pass
static serving	index.html, manifest, Component, i18n served; full-height container; UI5 1.149.0 bootstrap	pass
list and action	plant-1000 user sees 1 case, plant-2000 user only EC-200473; runImpact 200 analyst / 403 viewer / 404 other plant; columns 1 / 2 / 1200	pass
navigation paths	case -> runs -> 7 findings / SHORT BRKT-01 50, FAN-B 20; cross-plant paths 404 or empty; anonymous 401	pass

Browser check (BAS preview, development profile)	Expected	Observed	Evidence
Viewer opens worklist	1 case, no impact figures yet	as expected	P3-10
Viewer presses Run Impact	403 message	403 Forbidden shown	P3-11
Analyst runs impact 2026-11-08	1 / 2 / 1,200.00	1 / 2 / 1,200.00	P3-12
Case and run pages	56.00 -> 68.00, 21.43 %, 7 findings, 2 SHORT	as expected	P3-13 to P3-15
Plant-2000 user	only EC-200473	as expected	P3-16
Cross-plant deep link	Not Found	Not Found	P3-17
Section sorting	material / item / type order	unsorted before, sorted after 377e46a	P3-18 to P3-20

9. Screenshot evidence


Original, unedited captures of the browser in the BAS session, taken with Claude in Chrome. Times are UTC. No secrets are visible; development passwords are public mock values and are not shown.

P3-01 — BAS synchronized to main and baseline regression




Repository in BAS fast-forwarded to main a0068c6 (M04 Slice 1b merge); baseline npm test 35/35 and lint pass before any P3 work.
Captured 2026-11-09T03:30:20Z UTC · file screenshots/P3-01_bas-synced-main-regression.jpg · SHA-256 c164cf555a7a44f2…

P3-02 — Project Accelerator input in the separate sandbox




Project Accelerator opened in pa-sandbox/case-worklist with the requirements document and the approved layout image as input. Not the AssemblyImpact repository.
Captured 2026-11-09T03:33:25Z UTC · file screenshots/P3-02_pa-input-requirements-loaded.jpg · SHA-256 eb762e28071947c4…

P3-03 — Project Accelerator generation running




First generation step of the CAP Accelerator flow.
Captured 2026-11-09T03:33:41Z UTC · file screenshots/P3-03_pa-generation-step1.jpg · SHA-256 a419db4e584d288f...

P3-04 — Generation completed




Project Accelerator reports the generated application assemblyImpactCaseWorklist.
Captured 2026-11-09T03:35:29Z UTC · file screenshots/P3-04_pa-generation-complete.jpg · SHA-256 765742603311cfce...

P3-05 — Generated Page Map (design-time view, not a running UI)




Page Map of the generated app: ReviewCases List Report -> ReviewCases Object Page -> Findings Object Page. A configuration view only; the running UI is shown in P3-08/P3-09.
Captured 2026-11-09T03:35:29Z UTC · file screenshots/P3-05_pa-page-map.jpg · SHA-256 f40b009d556e9fd3...

P3-06 — Generated files




44 generated files: own CDS namespace, draft-enabled service, code lists, sample CSV data and a Fiori elements app.
Captured 2026-11-09T03:35:54Z UTC · file screenshots/P3-06_pa-generated-files.jpg · SHA-256 af9b66a143dab755...

P3-07 — Sandbox baseline commit and generated draft service




Original output committed in the sandbox as 9910c02 and archived (sha256 e3af883a...); generated service assemblyImpactCaseWorklistSrv is @odata.draft.enabled.
Captured 2026-11-09T03:36:27Z UTC · file screenshots/P3-07_pa-baseline-and-draft-service.jpg · SHA-256 021252bc97ca3293...

P3-08 — Generated UI running with its own mock data — List Report




Browser-rendered generated app (sandbox cds watch). Shows 10 review cases invented by the generator, an Editing Status filter and Create/Delete buttons from draft handling. Not AssemblyImpact data.
Captured 2026-11-09T08:26:39Z UTC · file screenshots/P3-08_generated-ui-list-report.jpg · SHA-256 0d4091c6904e5b81...

P3-09 — Generated UI running with its own mock data — Object Page




Generated Object Page with Edit/Delete and invented findings for EC-000473. Values do not match the backend oracle; this is why the generated data and service were not imported.
Captured 2026-11-09T08:27:00Z UTC · file screenshots/P3-09_generated-ui-object-page.jpg · SHA-256 7fb294cf9b5038fd…

P3-10 — Implemented worklist on EngineeringReview — viewer (plant 1000)




User cviewer sees one case, EC-000473 / COOL-100, IN_REVIEW. Impact columns are empty because no impact run exists yet.
Captured 2026-11-09T08:30:45Z UTC · file screenshots/P3-10_integrated-worklist-cviewer.jpg · SHA-256 c15bbd6685e7e1fb…

P3-11 — Run Impact refused for a viewer




cviewer presses Run Impact; the server returns 403 Forbidden and the app shows the message. Authorization is enforced by the service.
Captured 2026-11-09T08:31:10Z UTC · file screenshots/P3-11_runimpact-forbidden-viewer.jpg · SHA-256 2d6e13b7d50e4807…

P3-12 — Run Impact by an analyst fills the worklist




User analyst runs the impact for 2026-11-08: instruction findings 1, materials short 2, estimated cost delta 1,200.00 EUR (oracle values).
Captured 2026-11-09T08:31:44Z UTC · file screenshots/P3-12_runimpact-analyst-worklist-values.jpg · SHA-256 cf4bdeefcd2807eb…

P3-13 — Review Case Object Page




General section and Latest Impact (56.00 -> 68.00 EUR per assembly, +1,200.00 EUR, 21.43 %) and the list of impact runs.
Captured 2026-11-09T08:31:58Z UTC · file screenshots/P3-13_case-object-page.jpg · SHA-256 b775f9cca0469b3e...

P3-14 — Impact Run page — findings




7 findings with severity criticality and evidence references. Captured before the sort-order fix (rows in backend order).
Captured 2026-11-09T08:32:13Z UTC · file screenshots/P3-14_impact-run-findings.jpg · SHA-256 88012287fdd0a5b6...

P3-15 — Impact Run page — material impact and BOM comparison




FAN-B gap 20 and BRKT-01 gap 50 marked SHORT; BOM comparison REPLACED / QUANTITY_CHANGED / UNCHANGED / ADDED. Captured before the sort-order fix.
Captured 2026-11-09T08:32:30Z UTC · file screenshots/P3-15_impact-run-materials-bom.jpg · SHA-256 8ad4dff1b9c61845…

P3-16 — Plant isolation in the UI




User analyst2000 (plant 2000) sees only the labelled mirror case EC-200473.
Captured 2026-11-09T08:32:47Z UTC · file screenshots/P3-16_plant2000-user-isolation.jpg · SHA-256 b767fbd2cee97df1…

P3-17 — Cross-plant deep link refused




analyst2000 opens the plant-1000 case URL directly; the service answers 404 and the app shows Not Found.
Captured 2026-11-09T08:33:15Z UTC · file screenshots/P3-17_cross-plant-deeplink-not-found.jpg · SHA-256 0abfe1d864a38ea4…

P3-18 — Defect found in the browser: section tables not sorted




After commit af43aaf the Material Impact and BOM Comparison rows were still in insertion order (SENS-01 first, item 0030 first).
Captured 2026-11-09T08:37:25Z UTC · file screenshots/P3-18_before-fix-unsorted.jpg · SHA-256 70b0e016b53d2663…

P3-19 — After fix 377e46a: material and BOM tables sorted




Material Impact sorted by material (BRKT-01, FAN-B, SEAL-01, SENS-01) and BOM Comparison by item (0010-0040); sort indicators shown in the column headers.
Captured 2026-11-09T08:42:01Z UTC · file screenshots/P3-19_run-material-bom-sorted.jpg · SHA-256 55d82f82f3ca0e38…

P3-20 — After fix 377e46a: findings sorted by type and material




Findings sorted by finding type, then material; severity is shown with criticality icons.
Captured 2026-11-09T08:42:07Z UTC · file screenshots/P3-20_run-findings-sorted.jpg · SHA-256 48c0d6cd0e75c1cf…

P3-21 — Deep-link "Not Found" reproduced: dialog left over from the previous user




Controlled trial T5: the app was loaded as analyst2000 on the plant-1000 case (correct 404 dialog), the browser credentials were switched to analyst and the route changed without reloading or closing the dialog. The run page loads correctly for analyst (all requests 200) behind the earlier dialog.
Captured 2026-11-09T09:04:15Z UTC · file screenshots/P3-21_deeplink-stale-dialog-reproduced.jpg · SHA-256 49594aae4e3b9096...

P3-22 — Control: same switch with the earlier dialog closed — no error




Trial T6: identical steps, but the earlier 404 dialog was closed first. The run page loads for analyst with no new error. This confirms the dialog in P3-21 and in the original observation was the previous user's correct 404 message.
Captured 2026-11-09T09:04:44Z UTC · file screenshots/P3-22_deeplink-control-no-error.jpg · SHA-256 b33e58b79f430272...

P3-23 — GitHub PR #5: all checks passed



Draft PR #5 into main: 4 commits, head 18cacdb with a green check; "All checks have passed — 1 successful check"; no conflicts with the base branch; draft, so it cannot be merged yet.
Captured 2026-11-09T09:06:03Z UTC · file screenshots/P3-23_github-pr5-checks-passed.jpg · SHA-256 58d49eec43eed890…

P3-24 — Project Accelerator artifacts preserved; EngineeringReview is the only review service



BAS: the sandbox is still at 9910c02 and its tree hash equals the tree hash of docs/evidence/p3-case-worklist/generated in the repository (e6c3a4fa…); the original archive differs in 0 files; the repository model serves AssemblyCatalog and EngineeringReview only, with no draft annotations. The two .vscode files were changed by BAS itself.
Captured 2026-11-09T09:07:13Z UTC · file screenshots/P3-24_pa-artifact-preservation-check.jpg · SHA-256 bb93fff4eccda730…

10. Final design review against the approved mockup

Reference: approved layout image (concept mockup, illustrative values) and AssemblyImpact_Case_Worklist_requirements.md. Status: **Implemented** in PR #5; **Deferred (P3 follow-up)** needs backend work in a later P3/M04 slice; **P4** belongs to the separate custom investigation UI; **Platform** needs BTP deployment approval.

Mockup / requirement element	Status	Notes
Filters Assembly, Plant, Revision, Status, Source; Go; Adapt Filters	Implemented	Fiori elements filter bar; Revision = proposed revision (toRevision) as in the requirements
Columns Assembly, Change ID, Current Rev., Instruction Findings, Stock Exposure, Estimated Cost Delta, Source Type, Review Status	Implemented	Plus Proposed Rev. from the requirements; Stock Exposure = materials short; figures from the latest immutable impact run
Review status colours (Open neutral, In Review warning, Approved positive, Rejected negative)	Implemented	criticality 0 / 2 / 3 / 1
Table settings, sort, column personalization	Implemented	standard Fiori elements toolbar
Row navigation -> case details	Implemented	Review Case Object Page
General Information tab (all 10 fields)	Implemented	plus evidence reference and Latest Impact section
Findings tab, severity colours High/Medium/Low	Implemented (adapted)	on the Impact Run page, because findings belong to a run; finding detail page shows all fields; source reference = evidenceRefs
Material Impact tab (material, required, available, gap, unit)	Implemented (adapted)	on the Impact Run page; plus stock status, stale flag, unit price; BOM comparison added

Mockup / requirement element	Status	Notes
Run impact (not in the mockup)	Implemented	analyst only, enforced by the service
Decision History tab	Deferred (P3 follow-up)	no decision-history entity in EngineeringReview yet; approval-workflow slice
Create Change, Export buttons; row checkboxes for bulk actions	Deferred (P3 follow-up)	service is read-only by design; creation belongs to the approval workflow
Readable labels for codes (e.g. "In Review" instead of IN_REVIEW, "Synthetic Fixture")	Deferred (P3 follow-up)	needs code lists or text annotations in the service
Shell bar "AssemblyImpact AI", launchpad tile, search, notifications	Platform	needs approuter / Work Zone deployment (separate approval)
Interactive assembly visualization and free investigation of impacts	P4	not part of P3; not started
GenAI proposals as a case source	P1/P2	source type value exists; no GenAI or S/4HANA integration

Result. All list-page elements of the mockup that the read-only service supports are implemented. Departures are deliberate and recorded in decisions D-P3-3 to D-P3-5; nothing from P4 was implemented.

11. Security review

Area	Result	Evidence
Authorization stays in the service	The UI adds no access logic; runImpact 403 for viewers and 404 across plants come from the backend	P3-11, P3-17, tests
Plant isolation	List, deep links and navigation paths respect the plant attribute	P3-16, P3-17, tests
Authentication	Anonymous OData request 401; the static app files are public but contain no data or secrets	tests
No write surface	No draft, create, update or delete; only the existing bound action	annotation test (no Draft)
Generated code	Generated service, data and draft handling not imported; sandbox kept separate	D-P3-1, D-P3-2
External resources	SAPUI5 loaded from sapui5.hana.ondemand.com 1.149.0 (SAP CDN); no other third-party script	index.html
Dependencies / secrets	No new packages; diff contains no keys or tokens	review

Unresolved risks. No xs-security.json or role templates (blocks BTP deployment); the Run Impact button is visible to viewers (server refuses); development mock passwords are public by design; the CDN dependency needs a CSP/approuter decision before deployment.

Review disclosure. Code review, security review and quality assessment were performed by one AI system (Claude, Anthropic). No human or SAP reviewer took part.

12. Limitations

- Unit price shows 9 decimals (backend Decimal scale); cosmetic, not fixed.
- Status, source type, finding type and severity are shown as technical codes (IN_REVIEW, SYNTHETIC_FIXTURE, HIGH); readable labels need code lists.
- Decision History, Create Change and Export from the mockup are not implemented (no backend support yet).
- Findings are not ordered by severity rank (string field); criticality icons mark severity.
- Run Impact uses a free date parameter dialog; no value help.
- Preview only in BAS with mocked authentication; no BTP deployment, approuter or launchpad tile.

- All data synthetic (NovaMotion Manufacturing); no S/4HANA connection; no Joule.

13. GitHub traceability

Item	Value	Status
Branch	feat/p3-case-worklist (from main a0068c6)	verified
Code commits	77730307a1ab; af43aafe863e; 377e46aa5b71 (head 377e46aa5b71)	verified (BAS and GitHub)
Changed files (code)	9 files: app/case-worklist (6), test/case-worklist-app.test.js, package.json, readme.md	verified (git diff)
Evidence commit	18cacdb26a1e — docs(p3): add Case Worklist evidence archive and report (77 files)	verified (GitHub API)
Final evidence commit	docs(p3): finalize evidence with PR #5, CI and review results — replaces this PDF and the Markdown report, adds P3-21 to P3-24, updates github.json, the summary and the manifest. A file cannot contain its own commit hash or the CI result of its own commit; see PR #5.	see PR #5
Attribution	All commits authored and committed by Naman Patel <108478447+Naman028@users.noreply.github.com>; no co-author trailers	verified
Pull request	https://github.com/Naman028/assemblyimpact-ai/pull/5	open, draft, mergeable (clean), not merged
CI	GitHub Actions on 18cacdb: success (M03 verification / verify, pull_request, run 42589847906)	verified
main	unchanged at a0068c6050ca	unchanged at a0068c6 (verified by git fetch 2026-11-09)

14. Four-project relevance and next steps

Project	Contribution	Not claimed
P1 Joule	Same authorized service a skill could call.	No Joule skill.
P2 S/4HANA + GenAI	UI ready to show S4_IMPORT cases later.	No S/4HANA data.
P3 Project Accelerator	Generated, run, compared and adapted; evidence of every correction.	Page Map is not a UI.
P4 custom investigation UI	None (kept separate).	Not started.

- Owner review of D-P3-1 to D-P3-8 and of this PR; merge only with separate approval.
- Approval-workflow slice: decision history entity and actions, then the Decision History section.
- BTP readiness: xs-security.json, approuter, CSP for the UI5 CDN, HANA; deployment needs separate authorization.

Appendix A — Evidence manifest (screenshots)

ID	File	Captured (UTC)	SHA-256
P3-01	P3-01_bas-synced-main-regression.jpg	2026-11-09T03:30:20Z	c164cf555a7a44f24fc90e0a4c9c5884a2bb5d28db129ab4be4141d024969d9f
P3-02	P3-02_pa-input-requirements-loaded.jpg	2026-11-09T03:33:25Z	eb762e28071947c4b6f41314c951fdbbb8acb604db3834cd0ffa467405ca5357
P3-03	P3-03_pa-generation-step1.jpg	2026-11-09T03:33:41Z	a419db4e584d288f37358e0c4e34b2a8665473d3e6017908d96da3c73423ad4a
P3-04	P3-04_pa-generation-complete.jpg	2026-11-09T03:35:29Z	765742603311cfceb07aef8ce3310a78442bdb4dc5b11c3b9b74ca83f084150b
P3-05	P3-05_pa-page-map.jpg	2026-11-09T03:35:29Z	f40b009d556e9fd3f6cab163483ac08ebc910fff619ea445146f13131f4002b6
P3-06	P3-06_pa-generated-files.jpg	2026-11-09T03:35:54Z	af9b66a143dab755f236f7a27f2d4bf6a28c344c38aac971fd22f217c64f46dd
P3-07	P3-07_pa-baseline-and-draft-service.jpg	2026-11-09T03:36:27Z	021252bc97ca329356c5d29e0e1eaa87337c3d39d5a5adf5bb615c1028de887c
P3-08	P3-08_generated-ui-list-report.jpg	2026-11-09T08:26:39Z	0d4091c6904e5b812d19ae88cdc4fae32c8282213723c66cafaf805ce9148683
P3-09	P3-09_generated-ui-object-page.jpg	2026-11-09T08:27:00Z	7fb294cf9b5038fdce11355876757c2a25174b36c5cf77e4d8bc1c3caab178da
P3-10	P3-10_integrated-worklist-cviewer.jpg	2026-11-09T08:30:45Z	c15bbd6685e7e1fb2ae864a1d17439fa0a906f7e5b10d07dba03950055f66fd1
P3-11	P3-11_runimpact-forbidden-viewer.jpg	2026-11-09T08:31:10Z	2d6e13b7d50e4807eae1f0ba9ab6ff63d7749327dca7f42033603359a9340420
P3-12	P3-12_runimpact-analyst-worklist-values.jpg	2026-11-09T08:31:44Z	cf4bdeefcd2807eb168cb2d56cb6d42b069e482e9f6d584518d203f19f197ad4
P3-13	P3-13_case-object-page.jpg	2026-11-09T08:31:58Z	b775f9cca0469b3e1826994001dab26da4817a0b990e0a65369033c72bb1d5fa
P3-14	P3-14_impact-run-findings.jpg	2026-11-09T08:32:13Z	88012287fdd0a5b607d133bcdb8d812d556c339ca912b44777d861fa01384148
P3-15	P3-15_impact-run-materials-bom.jpg	2026-11-09T08:32:30Z	8ad4dff1b9c6184554569432f9e3b83294bf7bb37914716ae6795caebcd1f19a
P3-16	P3-16_plant2000-user-isolation.jpg	2026-11-09T08:32:47Z	b767fbd2cee97df12dbc760e426f965deb5b5cb6182629d0f4d78dabf51c2ee9
P3-17	P3-17_cross-plant-deeplink-not-found.jpg	2026-11-09T08:33:15Z	0abfe1d864a38ea4e2f4a50024178480608b6eedd128f3ec2dcb0b2bab082759
P3-18	P3-18_before-fix-unsorted.jpg	2026-11-09T08:37:25Z	70b0e016b53d2663a9a7a1e86a43f0f15d661ac4ab47c39c1c2b3d48fd0c9a96
P3-19	P3-19_run-material-bom-sorted.jpg	2026-11-09T08:42:01Z	55d82f82f3ca0e387c3e649aa7d29294fe331cf54525704b8470d5d0b2870061
P3-20	P3-20_run-findings-sorted.jpg	2026-11-09T08:42:07Z	48c0d6cd0e75c1cfc540f8a28e248c48c9508e24a85460bb78d92e06c14cd5bd
P3-21	P3-21_deeplink-stale-dialog-reproduced.jpg	2026-11-09T09:04:15Z	49594aae4e3b90963addbf092e20e753dbc50065aad7735dcdfaf8fd2d13ba51
P3-22	P3-22_deeplink-control-no-error.jpg	2026-11-09T09:04:44Z	b33e58b79f430272a3adc692a7d54bc3b6f67305207a8af72b4414b1f3133b2d
P3-23	P3-23_github-pr5-checks-passed.jpg	2026-11-09T09:06:03Z	58d49eec43eed8905c676595b2b3e00f280304f83871b74e72d20b7044dc4ac5
P3-24	P3-24_pa-artifact-preservation-check.jpg	2026-11-09T09:07:13Z	bb93fff4eccda7302b6e97415c2acc21916a4b0b690c1ecb33c9c41948369034

All files in this folder, including generated/ and logs/, are hashed in evidence-manifest.json (report-source/make_manifest.py), regenerated for the final evidence commit.

Appendix B — References

- SAP Fiori elements for OData V4: table sections and presentation variants — https://ui5.sap.com/#/topic/7f844f1021cd4791b8f7408eac7c1cec
- SAP CAP: serving Fiori UIs — https://cap.cloud.sap/docs/advanced/fiori
- Project artifacts: srv/engineering-review.cds, test/data (SEED-M04-01), docs/evidence/m04-slice1b.
- AI assistance: implementation, tests, evidence capture and this report by Claude (Anthropic, Claude Opus 5.5) under owner authorization; student review pending.